Telephone: + 49 2822 68561 37



Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ACETAL

Product code: 200200US Revision date: 09/30/2022 Page 1 of 8

1. Identification

Product identifier

NATURAL ACETAL

Substance name: 1,1-diethoxyethane, acetal

CAS No: 105-57-7

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

For Flavour use for food and feed only

Details of the supplier of the safety data sheet

Axxence Aromatic GmbH Company name:

Street: Tackenweide 28

Place: D-46446 Emmerich am Rhein

+ 49 2822 68561 0 Telephone: Telefax: + 49 2822 68561 39

e-mail: info@axxence.com Andreas Goertz Contact person:

e-mail: andreas.goertz@axxence.com

Internet: www.axxence.de Responsible Department: QM - Regulatory Affairs **Emergency phone number:** +49 2822 68561 99

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Hazardous to the aquatic environment: Aquatic Chronic 3

Label elements

29 CFR Part 1910.1200

Signal word: Danger

Pictograms:





Hazard statements

Highly flammable liquid and vapor

Causes skin irritation

Causes serious eye irritation

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.



according to 29 CFR 1910.1200(g)

NATURAL ACETAL

Revision date: 09/30/2022 Product code: 200200US Page 2 of 8

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

If eye irritation persists: Get medical advice/attention.

In case of fire: Use Extinguishing powder, Carbon dioxide (CO2) to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to Organic waste.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Substances

Sum formula: C6 H14 O2

Hazardous components

| CAS No | Components | Quantity |
|----------|----------------------------|----------|
| 105-57-7 | 1,1-diethoxyethane, acetal | 100 % |

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Rinse mouth immediately and drink plenty of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water

Specific hazards arising from the chemical

Highly flammable. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Print date: 02/15/2023



Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ACETAL

Revision date: 09/30/2022 Product code: 200200US Page 3 of 8

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection

Control parameters

Exposure controls



according to 29 CFR 1910.1200(g)

NATURAL ACETAL

Product code: 200200US Revision date: 09/30/2022 Page 4 of 8









Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state: Liquid

Color:

Odor: Green fruit, Sweet, Tropical fruit

-21 °C Melting point/freezing point:

Boiling point or initial boiling point and 102 °C

boiling range:

not applicable Flammability:

not applicable

Lower explosion limits: 1,6 vol. % 10,4 vol. %

Upper explosion limits:

Flash point: 13 °C

Auto-ignition temperature: 230 °C

not determined Decomposition temperature: pH-Value: not determined

Water solubility: 46 g/L

(at 25 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: 0,84

Vapor pressure: 34,8 hPa

(at 20 °C)

Vapor pressure: 150 hPa

(at 50 °C)

Density (at 20 °C): 0,83 g/cm3 Relative vapour density: 4,08

(at 20 °C)

Other information

Information with regard to physical hazard classes



according to 29 CFR 1910.1200(g)

NATURAL ACETAL

Revision date: 09/30/2022 Product code: 200200US Page 5 of 8

Explosive properties

The product is not: Explosive. not hazard of explosion according to EU A.14

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

Solvent content:

Solid content:

Viscosity / dynamic:
(at 20 °C)

not determined

0%

0,46

not determined

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

0,76

10. Stability and reactivity

Reactivity

Highly flammable.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Components | | | | | | |
|----------|----------------------------|--------------------|---------|-------------------------------|--------|--|--|
| | Exposure route | Dose | Species | Source | Method | | |
| 105-57-7 | 1,1-diethoxyethane, acetal | | | | | | |
| | oral | LD50 4600 mg/kg | Rat | GESTIS | | | |
| | dermal | LD50 8276 mg/kg | Rabbit | REACH registration Dossier | | | |

Irritation and corrosivity

Causes skin irritation

Causes serious eye irritation

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.



according to 29 CFR 1910.1200(g)

NATURAL ACETAL

Revision date: 09/30/2022 Product code: 200200US Page 6 of 8

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): Not listed.
Carcinogenicity (IARC): Not listed.
Carcinogenicity (NTP): Not listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

No information available.

Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

12. Ecological information

Ecotoxicity

Harmful to aquatic life with long lasting effects.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

No information available.

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

U.S. DOT 49 CFR 172.101

UN number or ID number:UN 1088Proper shipping name:ACETALTransport hazard class(es):3Packing group:IIHazard label:3



according to 29 CFR 1910.1200(g)

NATURAL ACETAL

Revision date: 09/30/2022 Product code: 200200US Page 7 of 8



Marine transport (IMDG)

Hazard label:

UN number or ID number:UN 1088UN proper shipping name:ACETALTransport hazard class(es):3Packing group:II



Special Provisions:

Limited quantity:

Excepted quantity:

E2

EmS:

F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number:
UN 1088
UN proper shipping name:
ACETAL
Transport hazard class(es):
Packing group:
Hazard label:
3



Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

Warning: Combustible liquid.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information

U.S. Regulations

National regulatory information

SARA Section 311/312 Hazards:

1,1-diethoxyethane, acetal (105-57-7): Fire hazard, Immediate (acute) health hazard

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.



according to 29 CFR 1910.1200(g)

NATURAL ACETAL

Revision date: 09/30/2022 Product code: 200200US Page 8 of 8

16. Other information

Changes

Revision date: 09/30/2022

Revision No: 101

This data sheet contains changes from the previous version in section(s): 1.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.