

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

NATURAL 3-METHYL BUTANOL

Substance name:	NATURAL ISOAMYL ALCOHOL
CAS No:	123-51-3
Index No:	603-006-00-7
EC No:	204-633-5

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

For Flavour use for food and feed only

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Safety Team	Telephone: + 49 2822 68561 0
E-mail:	safety-documentation@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	Safety Management	

##### 1.4. Emergency telephone number:

+49 2822 68561 99

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Flam. Liq. 3; H226  
 Acute Tox. 4; H332  
 Skin Irrit. 2; H315  
 Eye Dam. 1; H318  
 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



###### Hazard statements

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

###### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 2 of 12

P233	smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P312	Call a POISON CENTER/doctor if you feel unwell.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P370+P378	In case of fire: Use Water spray jet / Carbon dioxide (CO <sub>2</sub> ) / Extinguishing powder / Foam to extinguish.
P233	Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to organic waste.

#### Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Sum formula: C<sub>5</sub> H<sub>12</sub> O  
 Molecular weight: 88,15 g/mol

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
123-51-3	NATURAL ISOAMYL ALCOHOL			100 %
	204-633-5	603-006-00-7		
	Flam. Liq. 3, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, STOT SE 3; H226 H332 H315 H318 H335 EUH066			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
123-51-3	204-633-5	NATURAL ISOAMYL ALCOHOL	100 %
		inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 3216 mg/kg; oral: LD50 = >5000 mg/kg	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**NATURAL 3-METHYL BUTANOL**

Revision date: 28.09.2022

Product code: 205710

Page 3 of 12

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Rinse mouth immediately and drink plenty of water.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

**5.2. Special hazards arising from the substance or mixture**

Flammable. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

**6.4. Reference to other sections**

Safe handling: see section 7

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 4 of 12

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

### 7.3. Specific end use(s)

For Flavour use for food and feed only

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
123-51-3	Isoamyl alcohol	5	18		TWA (8 h)	
		10	37		STEL (15 min)	

#### DNEL/DMEL values

CAS No	Name of agent	Exposure route	Effect	Value
123-51-3	NATURAL ISOAMYL ALCOHOL			
Consumer DNEL, long-term		inhalation	local	13 mg/m <sup>3</sup>
Consumer DNEL, acute		inhalation	local	218 mg/m <sup>3</sup>
Consumer DNEL, long-term		oral	systemic	12,5 mg/kg bw/day
Worker DNEL, long-term		inhalation	local	73,16 mg/m <sup>3</sup>
Worker DNEL, acute		inhalation	local	292 mg/m <sup>3</sup>

### 8.2. Exposure controls

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 5 of 12



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type: Butyl caoutchouc (butyl rubber) / FKM (fluoro rubber)

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	colourless
Melting point/freezing point:	-117 °C
Boiling point or initial boiling point and boiling range:	132 °C
Flammability:	not applicable
Lower explosion limits:	not applicable
Upper explosion limits:	1,2 vol. %
Flash point:	10,5 vol. %
Auto-ignition temperature:	42 °C
Decomposition temperature:	340 °C
pH-Value (at 25 °C):	not determined
Water solubility:	5,6
(at 20 °C)	28 g/l
Solubility in other solvents	
not determined	
Partition coefficient n-octanol/water:	1,28
Vapour pressure:	2,7 hPa
(at 20 °C)	
Vapour pressure:	45 hPa
(at 50 °C)	
Density (at 20 °C):	0,81 g/cm <sup>3</sup>
Relative vapour density:	3,04
(at 20 °C)	

### 9.2. Other information

#### Information with regard to physical hazard classes

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 6 of 12

#### Explosive properties

The product is not: Explosive.

#### Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate:

not determined

Solid content:

0

Viscosity / dynamic:  
(at 20 °C)

4,3 mPa·s

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

Exothermic reaction with: Oxidising agent. Formation of explosive mixtures with: Air.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

Harmful if inhaled.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
123-51-3	NATURAL ISOAMYL ALCOHOL				
	oral	LD50 mg/kg	>5000	Rat	REACH Registration OECD 401
	dermal	LD50 mg/kg	3216	Rabbit	REACH Registration OECD 402
	inhalation vapour	ATE	11 mg/l		
	inhalation dust/mist	ATE	1,5 mg/l		

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Repeated exposure may cause skin dryness or cracking.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 7 of 12

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (NATURAL ISOAMYL ALCOHOL)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

### SECTION 12: Ecological information

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
123-51-3	NATURAL ISOAMYL ALCOHOL					
	Acute fish toxicity	LC50 700 mg/l	96 h	Oncorhynchus mykiss (Rainbow trout)	REACH Registration	OECD 203
	Acute algae toxicity	ErC50 >500 mg/l	72 h	Desmodesmus subspicatus	REACH Registration	DIN 38412 L9 (BASF 1989)
	Acute crustacea toxicity	EC50 255 mg/l	48 h	Daphnia magna (Big water flea)	REACH Registration	DIN 38412 L11 (BASF 1990)
	Acute bacteria toxicity	EC50 >1000 mg/l ( )	3 h	Activated sludge	REACH Registration	OECD 209

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
123-51-3	NATURAL ISOAMYL ALCOHOL			
	OECD 301F	84%	27	REACH Registration
	Readily biodegradable (according to OECD criteria).			
	OECD 301F	82%	11	REACH Registration
	Readily biodegradable (according to OECD criteria).			
	OECD 301F	47%	5	REACH Registration
	Readily biodegradable (according to OECD criteria).			

#### 12.3. Bioaccumulative potential

The product has not been tested.

##### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
123-51-3	NATURAL ISOAMYL ALCOHOL	1,28

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 8 of 12

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

#### **12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### **12.7. Other adverse effects**

No information available.

#### **Further information**

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### **List of Wastes Code - residues/unused products**

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

##### **List of Wastes Code - used product**

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

##### **List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

##### **Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1105
<b><u>14.2. UN proper shipping name:</u></b>	PENTANOLS
<b><u>14.3. Transport hazard class(es):</u></b>	3
<b><u>14.4. Packing group:</u></b>	III
Hazard label:	3



Classification code:	F1
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

#### **Other applicable information (land transport)**

E1

#### **Inland waterways transport (ADN)**

<b><u>14.1. UN number or ID number:</u></b>	UN 1105
<b><u>14.2. UN proper shipping name:</u></b>	PENTANOLS
<b><u>14.3. Transport hazard class(es):</u></b>	3
<b><u>14.4. Packing group:</u></b>	III



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 9 of 12

Hazard label: 3



Classification code: F1  
 Limited quantity: 5 L  
 Excepted quantity: E1

**Other applicable information (inland waterways transport)**  
 E1

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 1105  
**14.2. UN proper shipping name:** PENTANOLS  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
 Hazard label: 3



Special Provisions: 223  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-E, S-D

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 1105  
**14.2. UN proper shipping name:** PENTANOLS  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
 Hazard label: 3



Special Provisions: A3  
 Limited quantity Passenger: 10 L  
 Passenger LQ: Y344  
 Excepted quantity: E1  
 IATA-packing instructions - Passenger: 355  
 IATA-max. quantity - Passenger: 60 L  
 IATA-packing instructions - Cargo: 366  
 IATA-max. quantity - Cargo: 220 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Combustible liquid.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**NATURAL 3-METHYL BUTANOL**

Revision date: 28.09.2022

Product code: 205710

Page 10 of 12

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Directive 2010/75/EU on industrial emissions: 100 % (810 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 100 % (810 g/l)

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

**Additional information**

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,13,14,15,16.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL 3-METHYL BUTANOL

Revision date: 28.09.2022

Product code: 205710

Page 11 of 12

#### Abbreviations and acronyms

Flam. Liq: Flammable liquid  
 Acute Tox: Acute toxicity  
 Skin Irrit: Skin irritation  
 Eye Dam: Eye damage  
 STOT SE: Specific target organ toxicity - single exposure  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

#### Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
EUH066	Repeated exposure may cause skin dryness or cracking.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**NATURAL 3-METHYL BUTANOL**

Revision date: 28.09.2022

Product code: 205710

Page 12 of 12

product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

**Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	For Flavour use for food and feed only	-	-	-	-	-	-	-	Flavour

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories