

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 03/26/2025

Product code: 217500

Page 1 of 8

1. Identification

Product identifier

NATURAL ISOBUTYL ACETATE

Substance name: CAS No: NATURAL ISOBUTYL ACETATE

110-19-0

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

For Flavour use for food and feed only

Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Safety Team	Telephone: + 49 2822 68561 0
E-mail:	safety-documentation@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	Safety Management	
Emergency phone number:	+49 2822 68561 99	

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 2 Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects) Hazardous to the aquatic environment: Aquatic Acute 3

Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



Hazard statements

Highly flammable liquid and vapor May cause drowsiness or dizziness Harmful to aquatic life

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

- Keep container tightly closed.
- Ground/bond container and receiving equipment.

Danger

Use explosion-proof electrical/ventilating/lighting equipment.

- Use only non-sparking tools.
- Take precautionary measures against static discharge.
- Avoid breathing dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Avoid release to the environment.

Wear protective gloves/protective clothing/eye protection/face protection.



according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 03/26/2025

Product code: 217500

Page 2 of 8

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. In case of fire: Use alcohol resistant foam/Carbon dioxide (CO2) to extinguish. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to Organic waste.

3. Composition/information on ingredients

Substances

Sum formula:	C6 H12 O2
Molecular weight:	116,16 g/mol

Relevant ingredients

CAS No	Components	Quantity
110-19-0	NATURAL ISOBUTYL ACETATE	100 %

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Specific hazards arising from the chemical

Highly flammable. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Supress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures



according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 03/26/2025

Product code: 217500

Page 3 of 8

Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No	Substance	ppm	mg/m³	Category	Origin
110-19-0	Isobutyl acetate	150	700	TWA (8 h)	PEL
		150	700	TWA (8 h)	REL
		50	238	TWA (8 h)	ACGIH-2024
		150	712	STEL (15 min)	ACGIH-2024


Exposure controls



according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 03/26/2025



Page 4 of 8









Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable gloves type Butyl caoutchouc (butyl rubber) (0,7mm)

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid	
Color:	colorless	
Odor:	fruity	
Melting point/freezing point:		-99 °C
Boiling point or initial boiling point and	d	117 °C
boiling range:		
Flammability:		not applicable
		not applicable
Lower explosion limits:		1,25 vol. %
Upper explosion limits:		10,5 vol. %
Flash point:		22 °C
Auto-ignition temperature:		430 °C
Decomposition temperature:		not determined
pH-Value (at 20 °C):		6,7
Viscosity / kinematic: (at 20 °C)		0,8 mm²/s
Water solubility:		5,6 g/l
(at 20 °C)		
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		2,3
Vapor pressure: (at 20 °C)		19,9 hPa
Vapor pressure:		87,7 hPa
(at 50 °C)		- ,
Density (at 20 °C):		0,87 g/cm ³



according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE			
Revision date: 03/26/2025	Product code: 217500	Page 5 of 8	
Relative vapour density: (at 20 °C)	4,01		
Other information			
Information with regard to physical h Explosive properties The product is not: Explosive. not e Self-ignition temperature Solid: Gas: Oxidizing properties Not oxidising.			
Other safety characteristics			
Evaporation rate: Solvent content: Solid content: Viscosity / dynamic: (at 20 °C)	not determined 0% 0% 0,7 mPa⋅s		

10. Stability and reactivity

Reactivity

Highly flammable.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No Components Exposure route Dose Species Source Method 110-19-0 NATURAL ISOBUTYL ACETATE LD50 oral 13413 Rat **REACH** registration OECD 401 mg/kg LD50 >17400 Rabbit **OECD 402** dermal REACH registration mg/kg inhalation (4 h) vapour LC50 Rat OECD 403 30 mg/l **REACH** registration

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.



according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 03/26/2025

Product code: 217500

Page 6 of 8

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness (NATURAL ISOBUTYL ACETATE)

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):	Not listed.
Carcinogenicity (IARC):	Not listed.
Carcinogenicity (NTP):	Not listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to Regulation (EC) No 1272/2008 [CLP]: Health hazard properties

Information on other hazards

Endocrine disrupting properties

No information available.

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

Other adverse effects

No information available.

Further information

Avoid release to the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

14. Transport information

U.S. DOT 49 CFR 172.101

<u>UN number or ID number:</u> Proper shipping name: UN 1213 ISOBUTYL ACETATE



according to 29 CFR 1910.1200(g)

Revision date: 03/26/2025	NATURAL ISOBUTYL ACETATE Product code: 217500	Page 7 of 8
<u>Transport hazard class(es):</u> <u>Packing group:</u> Hazard label:		
Marine transport (IMDG) <u>UN number or ID number:</u> <u>UN proper shipping name:</u> <u>Transport hazard class(es):</u> <u>Packing group:</u> Hazard label:	UN 1213 ISOBUTYL ACETATE 3 II 3	
Special Provisions: Limited quantity: Excepted quantity: EmS:	- 1 L E2 F-E, S-D	
Air transport (ICAO-TI/IATA-DGR) <u>UN number or ID number:</u> <u>UN proper shipping name:</u> <u>Transport hazard class(es):</u> <u>Packing group:</u> Hazard label:	UN 1213 ISOBUTYL ACETATE 3 II 3	
Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	1 L Y341 E2 353 5 L 364 60 L	
Environmental hazards ENVIRONMENTALLY HAZARDOUS:	No	
Special precautions for user Warning: Combustible liquid. Transport in bulk according to Annex II of not applicable		
15. Regulatory information		
SARA Section 311/312 Hazards:	rtable quantity = 5,000 (2270) lbs. (kg) nazard, Immediate (acute) health hazard	



according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 03/26/2025

Product code: 217500

Page 8 of 8

State Regulations

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California) This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Changes

0.	angeo				
	Revision date:	03/26/2025			
	Revision No:	102			
	This data sheet contains changes from t	he previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,16.			
Ab	breviations and acronyms				
		des marchandises dangereuses par Route			
		ternational Carriage of Dangerous Goods by Road)			
	IMDG: International Maritime Code for D	•			
	IATA: International Air Transport Associa				
	GHS: Globally Harmonized System of C				
	EINECS: European Inventory of Existing				
	ELINCS: European List of Notified Chen	nical Substances			
	CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%				
	LD50: Lethal dose, 50%				
	CLP: Classification, labelling and Packa	aina			
	REACH: Registration, Evaluation and A				
	•	lassification, Labelling and Packaging of Chemicals			
	UN: United Nations				
	DNEL: Derived No Effect Level				
	DMEL: Derived Minimal Effect Level				
	PNEC: Predicted No Effect Concentration	n			
	ATE: Acute toxicity estimate				
	LL50: Lethal loading, 50%				
	EL50: Effect loading, 50%				
	EC50: Effective Concentration 50%				
	ErC50: Effective Concentration 50%, gro				
	NOEC: No Observed Effect Concentration	on			
	BCF: Bio-concentration factor				
	PBT: persistent, bioaccumulative, toxic	4			
	vPvB: very persistent, very bioaccumula				
		tional carriage of dangerous goods by rail the International Carriage of Dangerous Goods by Inland Waterways			
		ernational des marchandises dangereuses par voies de navigation			
	intérieures)	emational des marchandises dangeredses par voles de navigation			
	EmS: Emergency Schedules				
	MFAG: Medical First Aid Guide				
	ICAO: International Civil Aviation Organi	zation			
		he Prevention of Marine Pollution from Ships			
	IBC: Intermediate Bulk Container	· ·			
	VOC: Volatile Organic Compounds				
	SVHC: Substance of Very High Concerr	1			
	For abbreviations and acronyms, see tal				
Ot	Other data				
- •					

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.