

according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

UFI:

GEJD-A3AU-D10P-KFUV

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax:+ 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Safety Team	Telephone: + 49 2822 68561 0
E-mail:	safety-documentation@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	Safety Management	
1.4. Emergency telephone	+49 2822 68561 99	

1.4. Emergency telephone

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

Danger

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Pictograms:

Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Precautionary statements

obuutionary old	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing



Re

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

evision date: 14.03.2025	Product code: 385110	Page 2 of 12
	protection.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use Carbon dioxide (CO2), alcohol resistant foam, Extinguishing powder to extinguish.	D
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container to organic waste.	

2.3. Other hazards

Contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

Contains no substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No	1272/2008)		
64-17-5	ethanol, ethyl alcohol			
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319	9		
136954-20-6	NATURAL 3-MERCAPTOHEXYL A	CETATE		0,1 - 0,5 %
	603-987-1			
		·		

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
64-17-5	200-578-6	ethanol, ethyl alcohol	99,5 - 99,9 %
inhalation: LC50 = 121 mg/l (vapours); dermal: LD50 = 17100 mg/kg; oral: LD50 = 10470 mg/kg			

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 3 of 12

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 4 of 12

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

Name of agent						
	Value	Effect	Exposure route		DNEL type	
				ethanol, ethyl alcohol	64-17-5	
mg/m³	380-950 mg/r	systemic	inhalation	long-term	Worker DNEL,	
g bw/day	343 mg/kg bv	systemic	dermal	long-term	Worker DNEL,	
n³	114 mg/m ³	systemic	inhalation	L, long-term	Consumer DNE	
g bw/day	206 mg/kg bv	systemic	dermal	L, long-term	Consumer DNE	
∫ bw/day	87 mg/kg bw/	systemic	oral	L, long-term	Consumer DNE	
/m³	1900 mg/m ³	local	inhalation	acute	Worker DNEL,	
n³	950 mg/m³	local	inhalation	EL, acute	Consumer DNE	
/r	1900 mg/r	local	inhalation	acute	Worker DNEL,	

PNEC values

CAS No	Name of agent				
Environmental	Environmental compartment Value				
64-17-5	17-5 ethanol, ethyl alcohol				
Freshwater		0,96 mg/l			
Marine water 0		0,79 mg/l			
Freshwater sediment 3,6 mg/kg		3,6 mg/kg			
Marine sediment		2,9 mg/kg			
Secondary poisoning		380 mg/kg			
Micro-organisms in sewage treatment plants (STP)		580 mg/l			
Soil	0,63 mg/kg				

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

Suitable gloves type: Butyl caoutchouc (butyl rubber) / FKM (fluoro rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 5 of 12

specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

	Physical state: Colour:	Liquid colourless		
	Odour:	fruity		
	Melting point/freezing point:		not determined	
	Boiling point or initial boiling point and		78 °C	
	boiling range:			
	Flammability:		not applicable	
			not applicable	
	Lower explosion limits:		3,1 vol. %	
	Upper explosion limits:		27,7 vol. %	
	Flash point:		12 °C	
	Auto-ignition temperature:		363 °C	
	Decomposition temperature:		not determined	
	pH-Value:		not determined	
	Solubility in other solvents			
	not determined			
	Partition coefficient n-octanol/water:		not determined	
	Vapour pressure:		58 hPa	
	(at 20 °C)			
	Vapour pressure:		293 hPa	
	(at 50 °C)		a = a / a	
	Density (at 20 °C):		0,79 g/cm ³	
	Relative vapour density:		not determined	
<u>9.</u> 2	2. Other information			
	Information with regard to physical haza	ard classes		
	Explosive properties			
	The product is not: Explosive. not exp	losive according to EU A.14		
	Oxidizing properties			
	The product is not: oxidising.			
	Other safety characteristics			
	Evaporation rate:		not determined	
	Solvent content:		99,90 %	
	Solid content:		0%	

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 6 of 12

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name							
	Exposure route	Dose		Species	Source	Method		
64-17-5	ethanol, ethyl alcohol							
	oral	LD50 mg/kg	10470	Rat	REACH Dossier	OECD 401		
	dermal	LD50 mg/kg	17100	Rabbit	REACH Dossier			
	inhalation (4 h) vapour	LC50	121 mg/l	Rat	REACH Dossier	OECD 403		

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 7 of 12

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name								
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method		
64-17-5	ethanol, ethyl alcohol	ethanol, ethyl alcohol							
	Acute fish toxicity	LC50 mg/l	14200		Pimephales promelas (fathead minnow)	REACH Dossier	US EPA method E03-05		
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	REACH Dossier	OECD 201		
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia spec	REACH Dossier	ASTM E729-80		
	Fish toxicity	NOEC	250 mg/l	5 d	Danio rerio (zebrafish)	REACH Dossier	OECD 212		
	Crustacea toxicity	NOEC	9,6 mg/l	9 d	Daphnia magna	REACH Dossier			
	Acute bacteria toxicity	EC50 mg/l()	>1000	3 h	Activated sludge	REACH Dossier	OECD 209		

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	-				
64-17-5	ethanol, ethyl alcohol					
	OECD 301B	95%	28	REACH Dossier		
	Readily biodegradable (according to OECD criter	ria).				
	OECD 301B	84%	20	REACH Dossier		
	Readily biodegradable (according to OECD criteria).					
	OECD 301B	74%	5	REACH Dossier		
	Readily biodegradable (according to OECD criteria).					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,3
136954-20-6	NATURAL 3-MERCAPTOHEXYL ACETATE	2,539

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	1-4,5	Cyprinus carpio (Common Carp)	REACH Registration

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 8 of 12

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)	
<u>14.1. UN number or ID number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3
Classification code:	F1
Special Provisions:	144 601
Limited quantity:	1 L
Excepted quantity:	E2
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E
Other applicable information (land transp E2	ort)
Inland waterways transport (ADN)	
14.1. UN number or ID number:	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3



according to Regulation (EC) No 1907/2006

Ē		
	3-MERCAPTOHEXYL ACETATE 0.1% IN ET	
Revision date: 14.03.2025	Product code: 385110	Page 9 of 12
Classification code:	F1	
Special Provisions:	144 601	
Limited quantity:	1L	
Excepted quantity:	E2	
Other applicable information (inland wate E2	erways transport)	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 1170	
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	II	
Hazard label:	3	
	3	
Special Provisions:	144	
Limited quantity:	1L	
Excepted quantity: EmS:	E2 F-E, S-D	
	г-Е, 3- D	
Air transport (ICAO-TI/IATA-DGR) <u>14.1. UN number or ID number:</u>	UN 1170	
14.2. UN proper shipping name:	ETHANOL SOLUTION	
14.3. Transport hazard class(es):	3	
14.4. Packing group:		
Hazard label:	3	
Special Provisions:	A3 A58 A180	
Limited quantity Passenger:	1 L	
Passenger LQ:	Y341	
Excepted quantity:	E2	
IATA-packing instructions - Passenger:	353	
IATA-max. quantity - Passenger:	5 L	
IATA-packing instructions - Cargo: IATA-max. quantity - Cargo:	364 60 L	
14.5. Environmental hazards	00 L	
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user	INU	
Warning: Combustible liquid.		
14.7. Maritime transport in bulk according to	MO instruments	
not applicable		
SECTION 15: Regulatory information		
	lations/logiclation enocific for the substance or mixture	
	lations/legislation specific for the substance or mixture	
EU regulatory information		
Restrictions on use (REACH, annex XVII):		
Entry 3, Entry 40		
Directive 2010/75/EU on industrial	99 9 % (789 21 g/l)	

Directive 2010/75/EU on industrial 99,9 % (789,21 g/l) emissions:



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025	Product code: 385110	Page 10 of 12
Directive 2004/42/EC on VOC in paints and varnishes:	100 % (790 g/l)	
Information according to Directive 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according work protection guideline' (94/33/EC).	to the 'juvenile
Water hazard class (D):	1 - slightly hazardous to water	
15.2. Chemical safety assessment		
Chemical safety assessments for substances in this mixture were not carried out.		

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,13,14,15,16.



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 11 of 12

Abbreviations and acronyms

Flam. Lig: Flammable liquid Eye Irrit: Eye irritation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNFL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to Regulation (EC) No 1907/2006

NATURAL 3-MERCAPTOHEXYL ACETATE 0.1% IN ET

Revision date: 14.03.2025

Product code: 385110

Page 12 of 12

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)