

# Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.10)

## NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Revision date: 09.02.2024

Product code: 399300WW

Page 1 of 8

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Substance name: NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL  
CAS No: 227456-33-9

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

#### 1.3. Details of the supplier of the safety data sheet

Company name: Axxence Aromatic GmbH  
Street: Tackenweide 28  
Place: D-46446 Emmerich am Rhein  
Telephone: + 49 2822 68561 0  
E-mail: info@axxence.com  
Contact person: Safety Team  
E-mail: safety-documentation@axxence.com  
Internet: www.axxence.de  
Responsible Department: Safety Management

Telefax: + 49 2822 68561 39

Telephone: + 49 2822 68561 0

#### 1.4. Emergency telephone number:

+49 2822 68561 99

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

UN GHS (ST/SG/AC.10/11/Rev.10)

Flammable liquid: Flam. Liq. 3

#### 2.2. Label elements

UN GHS (ST/SG/AC.10/11/Rev.10)

Signal word: Warning

Pictograms:



#### Hazard statements

H226 Flammable liquid and vapour.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.  
P370+P378 In case of fire: Use Carbon dioxide (CO2) / Foam / Dry extinguishing powder / Water spray

# Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.10)

## NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Revision date: 09.02.2024

Product code: 399300WW

Page 2 of 8

P403+P235 jet to extinguish.  
P501 Store in a well-ventilated place. Keep cool.  
Dispose of contents/container to organic waste.

### 2.3. Other hazards

This substance is not listed as Substance of Very High Concern (SVHC) in the Candidate List according to REACH, Article 59.

This substance is not identified as SVHC (substance of very high concern) and is not subject to authorisation according to Annex XIV of REACH.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Sum formula: C5 H12 OS  
Molecular weight: 120,22 g/mol g/mol

#### Relevant ingredients

CAS No	Chemical name	Quantity
	Classification (UN GHS (ST/SG/AC.10/11/Rev.10))	
227456-33-9	NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL	100 %
	Flam. Liq. 3; H226	

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

Water.

### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

# Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.10)

## NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Revision date: 09.02.2024

Product code: 399300WW

Page 3 of 8

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

##### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

No special measures are necessary.

##### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

##### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls



Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye protection/face protection.

# Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.10)

## NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Revision date: 09.02.2024

Product code: 399300WW

Page 4 of 8

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

### Skin protection

Use of protective clothing.

### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:		
Odour:	Sulphurous,	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		163 °C
Flammability:		not determined
Lower explosion limits:		not determined
Upper explosion limits:		not determined
Flash point:		52,8 °C
Auto-ignition temperature:		not determined
Decomposition temperature:		not determined
pH-Value:		not determined
Viscosity / kinematic:		not determined
Water solubility:		10,88 g/l
Solubility in other solvents		not determined
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		not determined
Density:		1,002 g/cm <sup>3</sup>
Relative vapour density:		not determined
Particle characteristics:		not applicable

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive.

##### Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate:	not determined
Solid content:	not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

# Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.10)

## NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Revision date: 09.02.2024

Product code: 399300WW

Page 5 of 8

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

#### Endocrine disrupting properties

No information available.

## SECTION 12: Ecological information

### 12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
227456-33-9	NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL	1,117

### 12.4. Mobility in soil

The product has not been tested.

# Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.10)

## NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Revision date: 09.02.2024

Product code: 399300WW

Page 6 of 8

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Marine transport (IMDG)

#### 14.1. UN number or ID number:

UN 1993

#### 14.2. UN proper shipping name:

FLAMMABLE LIQUID, N.O.S.

#### 14.3. Transport hazard class(es):

3

#### 14.4. Packing group:

III

Hazard label:

3



Special Provisions:

223 274 955

Limited quantity:

5 L

Excepted quantity:

E1

EmS:

F-E, S-E

### Air transport (ICAO-TI/IATA-DGR)

#### 14.1. UN number or ID number:

UN 1993

#### 14.2. UN proper shipping name:

FLAMMABLE LIQUID, N.O.S.

#### 14.3. Transport hazard class(es):

3

#### 14.4. Packing group:

III

Hazard label:

3



Special Provisions:

A3

Limited quantity Passenger:

10 L

Passenger LQ:

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger:

355

IATA-max. quantity - Passenger:

60 L

IATA-packing instructions - Cargo:

366

IATA-max. quantity - Cargo:

220 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.10)

### NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Revision date: 09.02.2024

Product code: 399300WW

Page 7 of 8

#### **14.6. Special precautions for user**

Warning: Combustible liquid. No dangerous good in sense of this transport regulation.

#### **14.7. Maritime transport in bulk according to IMO instruments**

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### **National regulatory information**

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

### SECTION 16: Other information

#### **Changes**

This data sheet contains changes from the previous version in section(s): 2.

# Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.10)

## NATURAL 3-MERCAPTO-2-METHYL-1-BUTANOL

Revision date: 09.02.2024

Product code: 399300WW

Page 8 of 8

### Abbreviations and acronyms

CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 CAS: Chemical Abstracts Service  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
 IMDG: International Maritime Code for Dangerous Goods  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 IATA: International Air Transport Association  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
 EC/EEC: European Community/European Economic Community  
 EU: European Union  
 M-factor: Multiplying factor  
 IATA: International Air Transport Association  
 DGR: Dangerous Goods Regulations  
 ICAO: International Civil Aviation Organization  
 TI: Technical Instructions  
 VOC: volatile organic compound  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.