

according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NATURAL ACETAL 35% IN ETHANOL

UFI: D3GV-J8RQ-T238-NDC8

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For Flavour use for food and feed only

1.3. Details of the supplier of the safety data sheet

Company name: Axxence Aromatic GmbH

Street: Tackenweide 28

Place: D-46446 Emmerich am Rhein

Telephone: + 49 2822 68561 0 Telefax: + 49 2822 68561 39

E-mail: info@axxence.com

Contact person: Safety Team Telephone: + 49 2822 68561 0

E-mail: safety-documentation@axxence.com

Internet: www.axxence.de
Responsible Department: Safety Management

1.4. Emergency telephone +49 2822 68561 99

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Skin Irrit. 2; H315 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:





Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation. H319 Causes serious eye irritation.

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smokina.

P240 Ground and bond container and receiving equipment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 2 of 12

water or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use Water spray / Dry extinguishing powder / Carbon dioxide (CO2) /

alcohol resistant foam to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container to organic waste.

2.3. Other hazards

This substance is not listed as Substance of Very High Concern (SVHC) in the Candidate List according to REACH, Article 59.

This substance is not identifed as SVHC (substance of very high concern) and is not subject to autorisation according to Annex XIV of REACH.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name				
	EC No	Index No		REACH No	
	Classification (Regulation	n (EC) No 1272/2008)			
64-17-5	ethanol, ethyl alcohol				
	200-578-6	603-002-00-5		01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; I	H225 H319	-		
105-57-7	1,1-diethoxyethane, acetal				35-37 %
	203-310-6	605-015-00-1			
	Flam. Liq. 2, Skin Irrit. 2, Eye Irrit. 2; H225 H315 H319				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

-	,		
CAS No	EC No	Chemical name	Quantity
	Specific Conc.	Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol, ethyl alcohol	63-65 %
	inhalation: LC	50 = 121 mg/l (vapours); dermal: LD50 = 17100 mg/kg; oral: LD50 = 10470 mg/kg	
105-57-7	203-310-6	1,1-diethoxyethane, acetal	35-37 %
	dermal: LD50	= 8276 mg/kg; oral: LD50 = 4570 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.





according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 3 of 12

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks,



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 4 of 12

open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
64-17-5	ethanol, ethyl alcohol						
Worker DNEL	long-term	inhalation	systemic	380-950 mg/m³			
Worker DNEL, long-term		dermal	systemic	343 mg/kg bw/day			
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³			
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day			
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day			
Worker DNEL, acute		inhalation	local	1900 mg/m³			
Consumer DN	Consumer DNEL, acute		local	950 mg/m³			

PNEC values

CAS No	Name of agent			
Environmental	Environmental compartment			
64-17-5	ethanol, ethyl alcohol			
Freshwater		0,96 mg/l		
Marine water		0,79 mg/l		
Freshwater sediment		3,6 mg/kg		
Marine sediment		2,9 mg/kg		
Secondary poisoning		380 mg/kg		
Micro-organisms in sewage treatment plants (STP)		580 mg/l		
Soil		0,63 mg/kg		

8.2. Exposure controls









Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type: Butyl caoutchouc (butyl rubber) / FKM (fluoro rubber).



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Product code: 200250 Revision date: 27.05.2025 Page 5 of 12

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

Melting point/freezing point: not determined Boiling point or initial boiling point and 76 °C

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined 7°C Flash point: Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: Viscosity / kinematic: not determined easily soluble Water solubility:

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined Vapour pressure: not determined Density: 0,81 g/cm3 Relative vapour density: Particle characteristics: not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 6 of 12

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	oral	LD50 mg/kg	10470	Rat	REACH Dossier	OECD 401
	dermal	LD50 mg/kg	17100	Rabbit	REACH Dossier	
	inhalation (4 h) vapour	LC50	121 mg/l	Rat	REACH Dossier	OECD 403
105-57-7	1,1-diethoxyethane, acet	al				
	oral	LD50 mg/kg	4570	Rat	REACH registration Dossier	
	dermal	LD50 mg/kg	8276	Rabbit	REACH registration Dossier	

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 7 of 12

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol						
	Acute fish toxicity	LC50 mg/l	14200		Pimephales promelas (fathead minnow)	REACH Dossier	US EPA method E03-05
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	REACH Dossier	OECD 201
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia spec	REACH Dossier	ASTM E729-80
	Fish toxicity	NOEC	250 mg/l	5 d	Danio rerio (zebrafish)	REACH Dossier	OECD 212
	Crustacea toxicity	NOEC	9,6 mg/l	9 d	Daphnia magna	REACH Dossier	
	Acute bacteria toxicity	EC50 mg/l ()	>1000	3 h	Activated sludge	REACH Dossier	OECD 209
105-57-7	1,1-diethoxyethane, aceta	al					
	Acute algae toxicity	ErC50 mg/l	>94,4	72 h	Pseudokirchneriella subcapitata	REACH Registration	OECD 201
	Acute crustacea toxicity	EC50 mg/l	>120	48 h	Daphnia magna (Big water flea)	REACH Registration	OECD 202

12.2. Persistence and degradability

The product has not been tested

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation		-				
34-17-5	ethanol, ethyl alcohol						
	OECD 301B	95%	28	REACH Dossier			
	Readily biodegradable (according to OECD criteria).						
	OECD 301B	84%	20	REACH Dossier			
	Readily biodegradable (according to OECD of	criteria).	-	•			
	OECD 301B	74%	5	REACH Dossier			
	Readily biodegradable (according to OECD criteria).						
05-57-7	1,1-diethoxyethane, acetal						
	OECD 310	47%	28	REACH Registration			
	Biodegradable.						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,3
105-57-7	1,1-diethoxyethane, acetal	0,84

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	· · · · · · · · · · · · · · · · · · ·	Cyprinus carpio (Common Carp)	REACH Registration

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 8 of 12

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

nazardous subs

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es): 3
14.4. Packing group: |



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 9 of 12

Hazard label:

3

Classification code: F1
Special Provisions: 144 601
Limited quantity: 1 L
Excepted quantity: E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: 144
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: A3 A58 A180

Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger: 353
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 364
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 10 of 12

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Directive 2010/75/EU on industrial

emissions:

100 % (810 g/l)

Directive 2004/42/EC on VOC in

paints and varnishes:

100 % (810 g/l)

Information according to Directive

2012/18/EU (SEVESO III):

P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information



according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 11 of 12

Abbreviations and acronyms

Flam. Liq: Flammable liquid Skin Irrit: Skin irritation Eye Irrit: Eye irritation

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50%

LD50: Lethal dose, 50% LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

M-factor: Multiplying factor

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association

DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: volatile organic compound
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid an	d vapour.
------	----------------------------	-----------

H315 Causes skin irritation.H319 Causes serious eye irritation.





according to Regulation (EC) No 1907/2006

NATURAL ACETAL 35% IN ETHANOL

Revision date: 27.05.2025 Product code: 200250 Page 12 of 12

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)