

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

NATURAL ACETIC ACID

Substance name:	NATURAL ACETIC ACID
REACH Registration Number:	01-2119475328-30-XXXX
CAS No:	64-19-7
Index No:	607-002-00-6
EC No:	200-580-7

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Andreas Goertz	Telephone: + 49 2822 68561 143
E-mail:	andreas.goertz@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	QM - Regulatory Affairs - Safety Management	

##### 1.4. Emergency telephone number:

+49 2822 68561 99

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Flam. Liq. 3; H226  
 Acute Tox. 4; H312  
 Skin Corr. 1A; H314

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

**Signal word:** Danger

**Pictograms:**



###### Hazard statements

H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.

###### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 2 of 12

P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of Wash with plenty of water/soap..
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P312	Call a POISON CENTER/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to .

#### 2.3. Other hazards

This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH.

This substance is identified as SVHC (substance of very high concern) and is subject to autorisation according to Annex XIV of REACH.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

##### Chemical characterization

ACETIC ACID

Sum formula: C<sub>2</sub> H<sub>4</sub> O<sub>2</sub>

Molecular weight: 60,05

##### Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
64-19-7	NATURAL ACETIC ACID			100 %
	200-580-7	607-002-00-6	01-2119475328-30-XXXX	
	Flam. Liq. 3, Acute Tox. 4, Skin Corr. 1A; H226 H312 H314			

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64-19-7	200-580-7	NATURAL ACETIC ACID	100 %
		inhalation: LC50 = 39360 mg/l (vapours); dermal: LD50 = 1130 mg/kg; oral: LD50 = 3310 mg/kg Skin Corr. 1A; H314: >= 90 - 100 Skin Corr. 1B; H314: >= 25 - < 90 Skin Irrit. 2; H315: >= 10 - < 25 Eye Irrit. 2; H319: >= 10 - < 25	

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**NATURAL ACETIC ACID**

Revision date: 14.08.2023

Product code: 200600

Page 3 of 12

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

**After inhalation**

Provide fresh air. Medical treatment necessary.

**After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

**After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

**Unsuitable extinguishing media**

Water.

**5.2. Special hazards arising from the substance or mixture**

Flammable. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

**6.3. Methods and material for containment and cleaning up****For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 4 of 12

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

### 7.3. Specific end use(s)

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m <sup>3</sup>	fib/cm <sup>3</sup>	Category	Origin
64-19-7	Acetic acid	10	25		TWA (8 h)	
		20	50		STEL (15 min)	

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 5 of 12

#### DNEL/DMEL values

CAS No	Name of agent		
DNEL type	Exposure route	Effect	Value
64-19-7	NATURAL ACETIC ACID		
Worker DNEL, long-term	inhalation	local	25 mg/m <sup>3</sup>
Worker DNEL, acute	inhalation	local	25 mg/m <sup>3</sup>
Consumer DNEL, long-term	inhalation	local	25 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	local	25 mg/m <sup>3</sup>

#### PNEC values

CAS No	Name of agent	
Environmental compartment	Value	
64-19-7	NATURAL ACETIC ACID	
Freshwater	3058 mg/l	
Freshwater (intermittent releases)	30,58 mg/l	
Marine water	0,306 mg/l	
Freshwater sediment	11,36 mg/kg	
Marine sediment	1,136 mg/kg	
Micro-organisms in sewage treatment plants (STP)	85 mg/l	
Soil	0,47 mg/kg	

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type: Butyl caoutchouc (butyl rubber)

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:

Liquid

Colour:

colourless

Melting point/freezing point:

17 °C

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 6 of 12

Boiling point or initial boiling point and boiling range:	118 °C
Flammability:	not determined
Lower explosion limits:	6 vol. %
Upper explosion limits:	17 vol. %
Flash point:	39 °C
Auto-ignition temperature:	463 °C
Decomposition temperature:	not determined
pH-Value (at 20 °C):	2,5
Viscosity / kinematic: (at 20 °C)	1,16 mm <sup>2</sup> /s
Water solubility: (at 20 °C)	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	-0,17
Vapour pressure: (at 20 °C)	15,8 hPa
Vapour pressure: (at 50 °C)	76,9 hPa
Density (at 20 °C):	1,05 g/cm <sup>3</sup>
Relative vapour density: (at 20 °C)	2,07

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

###### Explosive properties

The product is not: Explosive. not explosive according to EU A.14

###### Oxidizing properties

The product is not: oxidising.

##### **Other safety characteristics**

Evaporation rate: not determined

Solvent content: 0%

Solid content: 0%

Viscosity / dynamic:  
(at 20 °C) 1,22 mPa·s

### **SECTION 10: Stability and reactivity**

#### **10.1. Reactivity**

Flammable.

Hydrogen peroxide,

#### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

#### **10.3. Possibility of hazardous reactions**

Danger of polymerisation

#### **10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 7 of 12

#### SECTION 11: Toxicological information

##### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

###### Acute toxicity

Harmful in contact with skin.

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
64-19-7	NATURAL ACETIC ACID					
	oral	LD50 mg/kg	3310	Rat	GESTIS, REACH registration	
	dermal	LD50 mg/kg	1130	Rabbit	GESTIS	
	inhalation (4 h) vapour	LC50 mg/l	39360	Rat	REACH registration	

###### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

###### Sensitising effects

Based on available data, the classification criteria are not met.

###### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

###### STOT-single exposure

Based on available data, the classification criteria are not met.

###### STOT-repeated exposure

Based on available data, the classification criteria are not met.

###### Aspiration hazard

Based on available data, the classification criteria are not met.

##### 11.2. Information on other hazards

###### Endocrine disrupting properties

No information available.

###### Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

#### SECTION 12: Ecological information

##### 12.1. Toxicity

The product is not: Ecotoxic.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 8 of 12

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-19-7	NATURAL ACETIC ACID					
	Acute fish toxicity	LC50	88 mg/l	96 h	Pimephales promelas (fathead minnow)	Registration Dossier OECD 203
	Acute algae toxicity	ErC50 mg/l	>1000	72 h	Skeletonema costatum	Registration Dossier ISO 10253
	Acute crustacea toxicity	EC50	65 mg/l	48 h	Daphnia magna (Big water flea)	Registration Dossier OECD 202
	Fish toxicity	NOEC mg/l	34,3	21 d	Oncorhynchus mykiss (Rainbow trout)	Registration Dossier OECD 204
	Crustacea toxicity	NOEC mg/l	31,4	21 d	Daphnia magna (Big water flea)	Registration Dossier OECD 202 II

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
64-19-7	NATURAL ACETIC ACID				
		96%	20		
	Readily biodegradable				

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-19-7	NATURAL ACETIC ACID	-0,17

#### BCF

CAS No	Chemical name	BCF	Species	Source
64-19-7	NATURAL ACETIC ACID	3,16	-	REACH Registration

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

No information available.

#### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 9 of 12

**List of Wastes Code - residues/unused products**

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

**List of Wastes Code - used product**

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

**List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

**Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

### SECTION 14: Transport information

**Land transport (ADR/RID)**

**14.1. UN number or ID number:** UN 2789  
**14.2. UN proper shipping name:** ACETIC ACID, GLACIAL  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8+3



Classification code: CF1  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 Transport category: 2  
 Hazard No: 83  
 Tunnel restriction code: D/E

**Inland waterways transport (ADN)**

**14.1. UN number or ID number:** UN 2789  
**14.2. UN proper shipping name:** Acetic acid, glacial  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8+3



Classification code: CF1  
 Limited quantity: 1 L  
 Excepted quantity: E2

**Marine transport (IMDG)**

**14.1. UN number or ID number:** UN 2789  
**14.2. UN proper shipping name:** ACETIC ACID, GLACIAL  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8+3

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 10 of 12



Special Provisions: -  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-E, S-C

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 2789  
**14.2. UN proper shipping name:** ACETIC ACID, GLACIAL  
**14.3. Transport hazard class(es):** 8  
**14.4. Packing group:** II  
 Hazard label: 8+3



Limited quantity Passenger: 0.5 L  
 Passenger LQ: Y840  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 851  
 IATA-max. quantity - Passenger: 1 L  
 IATA-packing instructions - Cargo: 855  
 IATA-max. quantity - Cargo: 30 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Combustible liquid. strongly corrosive.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Directive 2010/75/EU on industrial emissions: 100 % (1050 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 100 % (1050 g/l)

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**NATURAL ACETIC ACID**

Revision date: 14.08.2023

Product code: 200600

Page 11 of 12

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,14,15,16.

**Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern  
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).  
Flam. Liq: Flammable liquid  
Acute Tox: Acute toxicity  
Skin Corr: Skin corrosion  
Eye Dam: Eye damage

**Relevant H and EUH statements (number and full text)**

H226	Flammable liquid and vapour.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL ACETIC ACID

Revision date: 14.08.2023

Product code: 200600

Page 12 of 12

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

#### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other	-	-	-	-	-	-	-	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions