

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NATURAL ALCOHOL C-6 (HEXANOL)

Substance name:	NATURAL ALCOHOL C-6 (HEXANOL)
REACH Registration Number:	01-2119487967-12-XXXX
CAS No:	111-27-3
Index No:	603-059-00-6
EC No:	203-852-3

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Safety Team	Telephone: + 49 2822 68561 0
E-mail:	safety-documentation@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	Safety Management	

1.4. Emergency telephone number:

+49 2822 68561 99

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

Flam. Liq. 3; H226
 Acute Tox. 4; H312
 Acute Tox. 4; H302
 Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

2.2. Label elements

GB CLP Regulation

Signal word: Warning

Pictograms:



Hazard statements

H226	Flammable liquid and vapour.
H302+H312	Harmful if swallowed or in contact with skin.
H319	Causes serious eye irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
------	--

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 2 of 12

P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P312	Call a POISON CENTER/doctor if you feel unwell.
P362+P364	Take off contaminated clothing and wash it before reuse.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use Extinguishing powder / alcohol resistant foam / Carbon dioxide (CO2) to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to Organic waste.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: C6 H14 O
Molecular weight: 102,18 g/mol

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
111-27-3	NATURAL ALCOHOL C-6 (HEXANOL)			100 %
	203-852-3	603-059-00-6	01-2119487967-12-XXXX	
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 4, Eye Irrit. 2; H226 H312 H302 H319			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
111-27-3	203-852-3	NATURAL ALCOHOL C-6 (HEXANOL)	100 %
	inhalation: LC50 = >71 mg/l (vapours); dermal: LD50 = >1500 - <2000 mg/kg; oral: LD50 = 720 mg/kg		

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 3 of 12

After contact with skin

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 4 of 12

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

CAS No	Substance		
DNEL type	Exposure route	Effect	Value
111-27-3	NATURAL ALCOHOL C-6 (HEXANOL)		
Worker DNEL, long-term	inhalation	systemic	99 mg/m ³
Worker DNEL, long-term	inhalation	local	210 mg/m ³
Worker DNEL, long-term	dermal	systemic	28 mg/kg bw/day
Worker DNEL, long-term	dermal	local	0,19 mg/cm ²
Consumer DNEL, long-term	inhalation	systemic	24,5 mg/m ³
Consumer DNEL, long-term	dermal	systemic	14 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	14 mg/kg bw/day

PNEC values

CAS No	Substance	
Environmental compartment	Value	
111-27-3	NATURAL ALCOHOL C-6 (HEXANOL)	
Freshwater	2,6 mg/l	
Marine water	0,256 mg/l	
Freshwater sediment	5,08 mg/kg	
Marine sediment	0,5 mg/kg	
Soil	0,12 mg/kg	

8.2. Exposure controls

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 5 of 12



Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type NBR (Nitrile rubber) + Natural fibres (e.g. cotton)

Suitable gloves type NBR (Nitrile rubber) + Natural fibres (e.g. cotton)

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Colourless to pale yellow
Melting point/freezing point:	-45 °C
Boiling point or initial boiling point and boiling range:	157 °C
Flammability:	not applicable not applicable
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	60 °C
Auto-ignition temperature:	280 °C
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic: (at 40 °C)	3,64 mm ² /s
Water solubility: (at 20 °C)	1,3 g/l
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	1,8
Vapour pressure: (at 20 °C)	0,93 hPa
Vapour pressure: (at 50 °C)	7,9 hPa
Density (at 20 °C):	0,82 g/cm ³
Relative vapour density: (at 20 °C)	3,52

9.2. Other information

Information with regard to physical hazard classes

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 6 of 12

Explosive properties

not explosive according to EU A.14

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate:

not determined

Solid content:

not determined

Viscosity / dynamic:
(at 40 °C)

2,98 mPa·s

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in GB CLP Regulation

Acute toxicity

Harmful if swallowed.

Harmful in contact with skin.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
111-27-3	NATURAL ALCOHOL C-6 (HEXANOL)				
	oral	LD50 720 mg/kg	Rat	South African Medical Journal.	
	dermal	LD50 >1500 - <2000 mg/kg	Rabbit	REACH Registration	OECD 402
	inhalation (1 h) vapour	LC50 >71 mg/l	Rat	REACH Registration	

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 7 of 12

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
111-27-3	NATURAL ALCOHOL C-6 (HEXANOL)					
	Acute fish toxicity	LC50	97 mg/l	96 h	Pimephales promelas (fathead minnow)	REACH Registration OECD 203
	Acute algae toxicity	ErC50	80 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Registration OECD 201
	Acute crustacea toxicity	EC50	201 mg/l	48 h	Daphnia magna (Big water flea)	REACH Registration EU Method C.2

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
111-27-3	NATURAL ALCOHOL C-6 (HEXANOL)				
	OECD 301 B	77,7%	28	REACH Registration	
	readily biodegradable				
	OECD 301 B	76,5%	24	REACH Registration	
	readily biodegradable				
	OECD 301 B	64,9%	10	REACH Registration	
	readily biodegradable				

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
111-27-3	NATURAL ALCOHOL C-6 (HEXANOL)	1,8

BCF

CAS No	Chemical name	BCF	Species	Source
111-27-3	NATURAL ALCOHOL C-6 (HEXANOL)	50	fish species (undefined)	REACH registration

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 8 of 12

This substance does not meet the PBT/vPvB criteria of UK REACH.

The product has not been tested.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	UN 2282
<u>14.2. UN proper shipping name:</u>	HEXANOLS
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	III
Hazard label:	3



Classification code:	F1
Limited quantity:	5 L
Excepted quantity:	E1
Transport category:	3
Hazard No:	30
Tunnel restriction code:	D/E

Other applicable information (land transport)

E1

Inland waterways transport (ADN)

<u>14.1. UN number or ID number:</u>	UN 2282
<u>14.2. UN proper shipping name:</u>	HEXANOLS
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	III

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 9 of 12

Hazard label: 3



Classification code: F1
 Limited quantity: 5 L
 Excepted quantity: E1

Other applicable information (inland waterways transport)
 E1

Marine transport (IMDG)

14.1. UN number or ID number: UN 2282
14.2. UN proper shipping name: HEXANOLS
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3



Special Provisions: -
 Limited quantity: 5 L
 Excepted quantity: E1
 EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2282
14.2. UN proper shipping name: HEXANOLS
14.3. Transport hazard class(es): 3
14.4. Packing group: III
 Hazard label: 3

Limited quantity Passenger: 10 L
 Passenger LQ: Y344
 Excepted quantity: E1

IATA-packing instructions - Passenger:	355
IATA-max. quantity - Passenger:	60 L
IATA-packing instructions - Cargo:	366
IATA-max. quantity - Cargo:	220 L



14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 10 of 12

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Directive 2010/75/EU on industrial emissions: 100 % (820 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 100 % (820 g/l)

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Permeates easily through outer skin and causes poisoning.

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,13,14,15,16.

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 11 of 12

Abbreviations and acronyms

Flam. Liq: Flammable liquids
Acute Tox: Acute toxicity
Eye Irrit: Eye irritation
ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H302+H312	Harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Safety Data Sheet

according to UK REACH Regulation

NATURAL ALCOHOL C-6 (HEXANOL)

Revision date: 13.12.2022

Product code: 256700

Page 12 of 12

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other	-	-	-	-	-	-	-	

LCS: Life cycle stages

SU: Sectors of use

PC: Product categories

PROC: Process categories

ERC: Environmental release categories

AC: Article categories

TF: Technical functions