
SAFETY DATA SHEET


This safety data sheet was created pursuant to the requirements of: US OSHA Hazard Communication Standard (29 CFR 1910.1200)



Flammable liquids	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/eye irritation	Category 1

Hazards not otherwise classified (HNOC) Not applicable.

Label elements



Precautionary Statements - Prevention

Use explosion-proof electrical/ ventilating/ lighting/ equipment. Do not breathe dusts or mists. Wash face, hands and any exposed skin thoroughly after handling. Wear protective gloves, protective clothing, eye protection and face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground and bond container and receiving equipment. Use only non-sparking tools. Take action to prevent static discharges.

Precautionary Statements - Response

For specific treatment, see SDS. Immediately call a POISON CENTER or doctor. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower. Wash contaminated clothing before reuse. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or doctor. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. In case of fire: Use CO2, dry chemical, or foam to extinguish.

Precautionary Statements - Storage

Store locked up. Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

Dispose of contents and container in accordance with local, regional, national, and international regulations as applicable.

Hazards classified under paragraph (d)(1)(ii) of 1910.1200

No information available.

Other information

No information available.

3. Composition/information on ingredients

Product Name

Ammonium Sulfide Natural, 20% in Water

Substance

Not applicable.

Mixture

Formula	(NH4)2S	(NH4)2S		
Molecular weight	68.14 g/mol			
Chemical name	CAS No.	EC No (EU Index No)	Weight-%	Trade secret
Ammonium Sulfide	12135-76-1	235-223-4	20	Yes

4. First-aid measures			
Description of first aid measures			
General advice	Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.		
Inhalation	Remove to fresh air. If breathing has stopped, give artificial respiration. Get medical attention immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. If breathing is difficult, (trained personnel should) give oxygen. Delayed pulmonary edema may occur.		
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Do not rub affected area. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical attention.		
Skin contact	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get immediate medical attention.		
Ingestion	Do NOT induce vomiting. Rinse mouth. Never give anything by mouth to an unconscious person. Get immediate medical attention.		
Self-protection of the first aider	Remove all sources of ignition. Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation.		
Most important symptoms and effects, both acute and delayed			
Symptoms	Burning sensation.		
Effects of Exposure	No information available.		
Indication of any immediate medical attention and special treatment needed			
Note to physicians	Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure.		
5. Fire-fighting measures			
Flash point Flammability Limit in Air	3 °C / 37.4 °F		
Upper flammability or explosive limits			
Lower flammability or explosive	4		

limits	
Suitable Extinguishing Media	Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.
Unsuitable extinguishing media	Do not scatter spilled material with high pressure water streams.
Specific hazards arising from the	Risk of ignition. Keep product and empty container away from heat and sources of ignition.
chemical	In the event of fire, cool tanks with water spray. Fire residues and contaminated fire
	extinguishing water must be disposed of in accordance with local regulations. The product

	causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.	
Explosion data Sensitivity to mechanical impac	t Nono	
Sensitivity to static discharge	Yes.	
Special protective equipment and precautions for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.	
Special attention to fire and explosion	None	
6. Accidental release meas	sures	
Personal precautions, protective eq	quipment and emergency procedures	
Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. See section 8 for more information. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Pay attention to flashback. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Do not touch or walk through spilled material. Attention! Corrosive material.	
Other information	Ventilate the area. Refer to protective measures listed in Sections 7 and 8.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Stop leak if you can do it without risk. Do not touch or walk through spilled material. A vapor suppressing foam may be used to reduce vapors. Dike far ahead of spill to collect runoff water. Keep out of drains, sewers, ditches and waterways. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.	
Methods for cleaning up	Take precautionary measures against static discharges. Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.	
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.	
7. Handling and storage		
Precautions for safe handling		
Advice on safe handling	Use personal protection equipment. Avoid breathing vapors or mists. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Use grounding and bonding connection when transferring this material to prevent static discharge, fire or explosion. Use spark-proof tools and explosion-proof equipment. Keep in an area equipped with sprinklers. Use according to package label instructions. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. In case of insufficient ventilation, wear suitable respiratory equipment. Handle product only in closed system or provide appropriate exhaust ventilation. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash before reuse.	
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Cool, Dark area. Purge with Nitrogen after each opening. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Do not store near combustible materials. Keep in an area equipped with sprinklers. Store in accordance with the particular national regulations. Store in accordance with local regulations. Protect from moisture. Store locked up. Keep out of the reach of children. Store away from other materials.	

8. Exposure controls/personal protection

Control Parameters

Exposure Limits	This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.		
Appropriate engineering controls			
Engineering controls	Showers Eyewash stations Ventilation systems		
Individual protection measures, such as personal protective equipment			
Eye/face protection Hand protection Skin and body protection	Tight sealing safety goggles. Face protection shield. Wear suitable gloves. Impervious gloves. Wear suitable protective clothing. Long sleeved clothing. Chemical resistant apron. Antistatic boots.		
Respiratory protection	Appropriate respiratory protection should be selected and used according to the chemical nature, hazards and use of this product and safety requirements of the local jurisdiction.		
General hygiene considerations	Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. Remove and wash contaminated clothing and gloves, including the inside, before re-use.		

9. Physical and chemical properties

Information on basic physical and chemical properties			
Appearance	Clear		
Physical state	Liquid		
Color	light yellow; to; yellow-amber		
Odor (includes odor threshold)	Rotten-egg like		
Property_	Values	Remarks • Method	
Melting point / freezing point	No data available	None known	
Boiling point (or initial boiling point	or 58 °C / 136.4 °F	None known	
boiling range)			
Flammability	No data available	None known	
Flammability Limit in Air		None known	
Upper flammability or explosive li	mits 46		
Lower flammability or explosive li	mits 4		
Flash point	3 °C / 37.4 °F	CC (closed cup)	
Autoignition temperature	No data available	None known	
Decomposition temperature	No data available	None known	
SADT (°C)	No data available	None known	
рН	No data available	None known	
pH (as aqueous solution)	No data available	None known	
Kinematic viscosity	No data available	None known	
Dynamic viscosity	No data available	None known	
Solubility	Alcohol Propylene Glycol	None known	
Water solubility	Soluble in water	None known	
Partition coefficient n-octanol/water	(log No data available	None known	
value)			
Vapor pressure (includes evaporatio	n rate) 600 hPa (450 mmHg)	None known	
Evaporation rate	No data available	None known	
Density and/or relative density	0.9573 - 0.9973	None known	

Bulk density	No data available
Liquid Density	No data available
Relative vapor density Particle characteristics	No data available
Particle Size	No data available
Particle Size Distribution	No data available
<u>Other information</u> Molecular weight	68.14 g/mol

1.3888

None known None known

10. Stability and reactivity

Refractive Index

Reactivity	No information available.	
Chemical stability	Stable under normal conditions.	
Possibility of hazardous reactions	None under normal processing.	
Conditions to avoid	Heat, flames and sparks. Exposure to air or moisture over prolonged periods.	
Incompatible materials	Acids. Bases. Oxidizing agent.	
Hazardous decomposition products None known based on information supplied.		

11. Toxicological information

Information on likely routes of exposure

Product Information Inhalation	Specific test data for the substance or mixture is not available. Corrosive by inhalation. (based on components). Inhalation of corrosive fumes/gases may cause coughing, choking, headache, dizziness, and weakness for several hours. Pulmonary edema may occur with tightness in the chest, shortness of breath, bluish skin, decreased blood pressure, and increased heart rate. Inhaled corrosive substances can lead to a toxic edema of the lungs. Pulmonary edema can be fatal.
Eye contact	Specific test data for the substance or mixture is not available. Causes serious eye damage. (based on components). Corrosive to the eyes and may cause severe damage including blindness. May cause irreversible damage to eyes.
Skin contact	Specific test data for the substance or mixture is not available. Corrosive. (based on components). Causes burns.
Ingestion	Specific test data for the substance or mixture is not available. Causes burns. (based on components). Ingestion causes burns of the upper digestive and respiratory tracts. May cause severe burning pain in the mouth and stomach with vomiting and diarrhea of dark blood. Blood pressure may decrease. Brownish or yellowish stains may be seen around the mouth. Swelling of the throat may cause shortness of breath and choking. May cause lung damage if swallowed. May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms	Redness. Burning. May cause blindness. Coughing and/ or wheezing.		
Acute toxicity	No information available.		
Numerical measures of toxicity The following ATE values have been calculated for the mixture			
ATEmix (oral)	99,999.00 mg/kg		
ATEmix (dermal)	99,999.00 mg/kg		
ATEmix (inhalation-gas)	99,999.00 ppm		
ATEmix (inhalation-dust/mist)	99,999.00 mg/l		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

99,999.00 mg/l

Skin corrosion/irritation

ATEmix (inhalation-vapor)

Classification based on data available for ingredients. Causes severe skin burns and eye

Serious eye damage/eye irritation	damage. Classification based on data available for ingredients. Causes serious eye damage. Causes burns.
Respiratory or skin sensitization	No information available.
Germ cell mutagenicity	No information available.
Carcinogenicity	No information available.
Reproductive toxicity	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Aspiration hazard	No information available.
Other adverse effects	No information available.
Interactive effects	No information available.

12. Ecological information	n
Ecotoxicity	The environmental impact of this product has not been fully investigated.
Persistence and degradability	No information available.
Bioaccumulation	There is no data for this product.

No information available.

40	Dismosol	considerations
13.	Disposal	considerations

Disposal methods

Other adverse effects

Waste from residues/unused	Should not be released into the environment. Dispose of in accordance with local
products	regulations. Dispose of waste in accordance with environmental legislation.
Contaminated packaging	Empty containers pose a potential fire and explosion hazard. Do not cut, puncture or weld
	containers.

14. Transport information

UN number or ID number Proper shipping name Transport hazard class(es) Subsidiary hazard class Packing group DOT Marine Pollutant Poison Inhalation Hazard	2683 Ammonium sulphide solution 8 3, 6.1 II NP No
IATA UN number or ID number UN proper shipping name Transport hazard class(es) Subsidiary hazard class Packing group Poison Inhalation Hazard	2683 Ammonium sulphide solution 8 3, 6.1 II No
IMDG UN number or ID number UN proper shipping name Transport hazard class(es) Subsidiary hazard class Packing group Marine pollutant indicator	2693 Ammonium sulphide solution 8 3, 6.1 II NP

15. Regulatory information

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

The Stockholm Convention on Persistent Organic Pollutants Not applicable

Listed

The Rotterdam Convention Not applicable

International Inventories

DSL/NDSL	Listed
EINECS/ELINCS	Listed
ENCS	Listed
IECSC	Listed
KECL	Listed
PICCS	Listed
AIIC	Listed
NZIOC	Listed
Taiwan	Listed

Legend:

TSCA

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing Chemicals Inventory

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AIIC - Australian Inventory of Industrial Chemicals

NZIOC - New Zealand Inventory of Chemicals

TCSI - Taiwan Chemical Substance Inventory

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Chemical name	SARA 313 - Threshold Values %
Ammonium Sulfide - 12135-76-1	1.0

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ammonium Sulfide 12135-76-1	-	-	-	Х

CAA (Clean Air Act)

This product does not contain any substances regulated as pollutants pursuant to Clean Air Act (CAA).

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302).

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	Reportable Quantity (RQ)
Ammonium Sulfide 12135-76-1	100 lb	-	RQ 100 lb final RQ RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Water 7732-18-5	-	-	Х
Ammonium Sulfide 12135-76-1	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

16. Other inforn	nation		
NFPA	Health hazards 0	Instability 0	Special hazards -
HMIS	Health hazards 0	Physical hazards 0	Personal protection -

Key or legend to abbreviations and acronyms used in the safety data sheet

Legend	
ACGIH	American Conference of Governmental Industrial Hygienists
ADN	Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Europe)
ADR	Agreement concerning the International Carriage of Dangerous Goods by Road (Europe)
AIIC	Australian Inventory of Industrial Chemicals
ATE	Acute Toxicity Estimate
ASTM	American Society for the Testing of Materials
bar	Biological Reference Values for Chemical Compounds in the Work Area
BAT	Biological tolerance values for occupational exposure
BEL	Biological exposure limits
bw	Body weight
Ceiling	Maximum limit value
CMR	Carcinogen, Mutagen or Reproductive Toxicant
DOT	Department of Transportation (United States)
DSL	Domestic Substances List (Canada)
EmS	Emergency Schedule
ENCS	Existing and New Chemical Substances (Japan)
EPA	Environmental Protection Agency
GHS	Globally Harmonized System
HMIS	Hazardous Materials Identification System

IARC	International Agency for Desearch on Cancer
IATA	International Agency for Research on Cancer International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships carrying Dangerous
IDC	Chemicals in Bulk
ICAO	International Civil Aviation Organization
IECSC	Inventory of Existing Chemical Substances in China
IMDG	International Maritime Dangerous Goods
IMDG	International Maritime Organization
ISO	International Organization for Standardization
KECI	Korean Existing Chemicals Inventory
LC50	Lethal Concentration to 50% of a test population
LD50	
	Lethal Dose to 50% of a test population (Median Lethal Dose)
	International Convention for the Prevention of Pollution from Ships
NFPA	National Fire Protection Association
NIOSH	National Institute for Occupational Safety and Health
n.o.s.	Not Otherwise Specified
NOAEC	No Observed Adverse Effect Concentration
NOAEL	No Observed Adverse Effect Level
NOELR	No Observable Effect Loading Rate
NTP	National Toxicology Program (United States)
NZIoC	New Zealand Inventory of Chemicals
OECD	Organization for Economic Cooperation and Development
OEL	Occupational exposure limits
OSHA	Occupational Safety and Health Administration of the US Department of Labor
PBT	Persistent, Bioaccumulative and Toxic substance
PICCS	Philippines Inventory of Chemicals and Chemical Substances
PMT	Persistent, Mobile and Toxic
PPE	Personal protective equipment
QSAR	Quantitative Structure Activity Relationship
RID	Agreement concerning the International Carriage of Dangerous Goods by Rail (Europe)
SADT	Self-Accelerating Decomposition Temperature
SAR	Structure-activity relationship
SARA	Superfund Amendments and Reauthorization Act
SDS	Safety Data Sheet
SL	Surface Limit
STEL	Short Term Exposure Limit
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
TCSI	Taiwan Chemical Substance Inventory
TDG	Transport of Dangerous Goods (Canada)
TSCA	Toxic Substances Control Act (United States)
TWA	Time-Weighted Average
UN	United Nations
VOC	Volatile organic compounds
vPvB	Very Persistent and Very Bioaccumulative
vPvM	Very Persistent and Very Mobile
As	Allergenic substance
DS	Dermal Sensitizer
Ot	Ototoxicant
pOt	Ototoxicant Ototoxicant Ototoxicant Ototoxicant Ototoxicant Ototoxicant - potential to cause hearing disorders
PS	
RS	Photosensitizer Respiratory Sensitizer
	Respiratory Sensitizer
S	Sensitizer
poS	Sensitizer - capable of causing occupational asthma
Sa	Simple asphyxiant
Sd	Skin designation
pSd	Skin designation - potential for cutaneous absorption
Sdv	Skin designation - vacated

Sk	Skin notation
dSk	Skin notation - danger of cutaneous absorption
pSk	Skin notation - potential for cutaneous absorption

Key literature references and sources for data used to compile the SDS Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database European Food Safety Authority (EFSA) Environmental Protection Agency Acute Exposure Guideline Level(s) (AEGL(s)) U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act U.S. Environmental Protection Agency High Production Volume Chemicals Food Research Journal Hazardous Substance Database International Uniform Chemical Information Database (IUCLID) National Institute of Technology and Evaluation (NITE) Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS) NIOSH (National Institute for Occupational Safety and Health) National Library of Medicine's ChemID Plus (NLM CIP) National Library of Medicine's PubMed database (NLM PUBMED) U.S. National Toxicology Program (NTP) New Zealand's Chemical Classification and Information Database (CCID) Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program Organization for Economic Co-operation and Development Screening Information Data Set World Health Organization **Revision Number** 1

Revision Number1Revision date28-Feb-2025Revision NoteNo information available.Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet