

according to UN GHS (ST/SG/AC.10/11/Rev.10)

## **NATURAL BETA-DAMASCENONE 1% IN ETHANOL**

Revision date: 02.04.2025 Product code: 342000 Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

NATURAL BETA-DAMASCENONE 1% IN ETHANOL

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

# 1.3. Details of the supplier of the safety data sheet

Company name: Axxence Aromatic GmbH

Street: Tackenweide 28

Place: D-46446 Emmerich am Rhein

Telephone: + 49 2822 68561 0 Telefax: + 49 2822 68561 39

E-mail: info@axxence.com

Contact person: Safety Team Telephone: + 49 2822 68561 0

E-mail: safety-documentation@axxence.com

Internet: www.axxence.de
Responsible Department: Safety Management

1.4. Emergency telephone +49 2822 68561 99

number:

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## UN GHS (ST/SG/AC.10/11/Rev.10)

Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 3

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1

# 2.2. Label elements

# UN GHS (ST/SG/AC.10/11/Rev.10)

# Hazard components for labelling NATURAL ß-DAMASCENONE

Signal word: Danger

Pictograms:





# **Hazard statements**

H225 Highly flammable liquid and vapour.

H316 Causes mild skin irritation.

H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

# **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

	NATURAL BETA-DAMASCENONE 1% IN ETHANOL	
Revision date: 02.04.2025	Product code: 342000	Page 2 of 9
P243	Take action to prevent static discharges.	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P264	Wash hands thoroughly after handling.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P332	If skin irritation occurs:	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use Carbon dioxide (CO2) / alcohol resistant foam to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container to organic waste.	
	and the second s	

## Special labelling of certain mixtures

1 - < 5 per cent of the mixture consists of component(s) of unknown acute toxicity (inhalation).

Contains 1 - < 5 % of components with unknown hazards to the aquatic environment.

## 2.3. Other hazards

Contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

Contains no substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH.

# **SECTION 3: Composition/information on ingredients**

# 3.2. Mixtures

## Relevant ingredients

CAS No	Chemical name	Quantity
	Classification (UN GHS (ST/SG/AC.10/11/Rev.10))	
64-17-5	ethanol, ethyl alcohol	95 - < 100 %
	Flam. Liq. 2, Eye Irrit. 2; H225 H319	
23696-85-7	NATURAL ß-DAMASCENONE	1 - < 5 %
	Acute Tox. 5, Skin Irrit. 2, Skin Sens. 1A, Aquatic Chronic 2; H313 H315 H317 H411	

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

## After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

# After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

#### **NATURAL BETA-DAMASCENONE 1% IN ETHANOL**

Revision date: 02.04.2025 Product code: 342000 Page 3 of 9

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

# 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

# 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

## **NATURAL BETA-DAMASCENONE 1% IN ETHANOL**

Revision date: 02.04.2025 Product code: 342000 Page 4 of 9

When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

## 8.2. Exposure controls









#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

# Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing . .

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid
Colour: colourless

Melting point/freezing point:

N/A

Boiling point or initial boiling point and

> 78 °C

boiling range:

Flammability: not applicable not applicable

Lower explosion limits:3,1 vol. %Upper explosion limits:27,7 vol. %Flash point:12 °CAuto-ignition temperature:363 °CDecomposition temperature:not determined

pH-Value (at 20 °C): 7
Water solubility: 780 g/l

(at 20 °C)



according to UN GHS (ST/SG/AC.10/11/Rev.10)

## **NATURAL BETA-DAMASCENONE 1% IN ETHANOL**

Revision date: 02.04.2025 Product code: 342000 Page 5 of 9

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: -0,35
Vapour pressure: 58 hPa

(at 20 °C)

Vapour pressure: 293 hPa

(at 50 °C)

Density (at 20 °C): 0,79 g/cm³
Relative vapour density: 1,59

(at 20 °C)

## 9.2. Other information

## Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. not explosive according to EU A.14

Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate: not determined Solvent content: 99% Solid content: 0%

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Highly flammable.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l



according to UN GHS (ST/SG/AC.10/11/Rev.10)

#### **NATURAL BETA-DAMASCENONE 1% IN ETHANOL**

Revision date: 02.04.2025 Product code: 342000 Page 6 of 9

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	oral	LD50 mg/kg	10470	Rat	REACH Dossier	OECD 401
	dermal	LD50 mg/kg	17100	Rabbit	REACH Dossier	
	inhalation (4 h) vapour	LC50	121 mg/l	Rat	REACH Dossier	OECD 403
23696-85-7	NATURAL B-DAMASCENONE					
	oral	LD50 mg/kg	>5000	Rat		
	dermal	LD50 mg/kg	2900	Rabbit	IFRA/IOFI LM	

## Irritation and corrosivity

Skin corrosion/irritation: Causes mild skin irritation.

Serious eye damage/eye irritation: Causes serious eye irritation.

#### Sensitising effects

May cause an allergic skin reaction. (NATURAL &-DAMASCENONE)

## Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

# **Endocrine disrupting properties**

No information available.

#### **Further information**

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

Print date: 04.04.2025



# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.10)

# **NATURAL BETA-DAMASCENONE 1% IN ETHANOL**

Revision date: 02.04.2025 Product code: 342000 Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol						
	Acute fish toxicity	LC50 mg/l	14200		Pimephales promelas (fathead minnow)	REACH Dossier	US EPA method E03-05
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	REACH Dossier	OECD 201
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia spec	REACH Dossier	ASTM E729-80
	Fish toxicity	NOEC	250 mg/l	5 d	Danio rerio (zebrafish)	REACH Dossier	OECD 212
	Crustacea toxicity	NOEC	9,6 mg/l	9 d	Daphnia magna	REACH Dossier	
	Acute bacteria toxicity	EC50 mg/l ( )	>1000	3 h	Activated sludge	REACH Dossier	OECD 209

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
64-17-5	ethanol, ethyl alcohol					
	OECD 301B         95%         28         REACH Dossier					
	Readily biodegradable (according to OECD criteria).					
	OECD 301B 84% 20 REACH Dossier					
	Readily biodegradable (according to OECD criteria).					
	OECD 301B         74%         5         REACH Dossier					
	Readily biodegradable (according to OECD criteria).					

## 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,3
23696-85-7	NATURAL ß-DAMASCENONE	4,8

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	,	Cyprinus carpio (Common Carp)	REACH Registration

## 12.4. Mobility in soil

The product has not been tested.

# 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No information available.

## **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods



according to UN GHS (ST/SG/AC.10/11/Rev.10)

# **NATURAL BETA-DAMASCENONE 1% IN ETHANOL**

Revision date: 02.04.2025 Product code: 342000 Page 8 of 9

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

# **SECTION 14: Transport information**

## Marine transport (IMDG)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: 144
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-D

#### Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1170

14.2. UN proper shipping name: ETHANOL SOLUTION

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions: A3 A58 A180

Limited quantity Passenger: 1 L
Passenger LQ: Y341
Excepted quantity: E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

## 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No.

#### 14.6. Special precautions for user

Warning: Combustible liquid.

# 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

#### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

#### **NATURAL BETA-DAMASCENONE 1% IN ETHANOL**

Revision date: 02.04.2025 Product code: 342000 Page 9 of 9

#### **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,11,14,15,16.

# Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)