

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 1 of 12

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

NATURAL DIACETYL

Substance name: NATURAL DIACETYL  
CAS No: 431-03-8  
EC No: 207-069-8

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

For Flavour use for food and feed only

#### 1.3. Details of the supplier of the safety data sheet

Company name: Axxence Aromatic GmbH  
Street: Tackenweide 28  
Place: D-46446 Emmerich am Rhein  
Telephone: + 49 2822 68561 0  
E-mail: info@axxence.com  
Contact person: Safety Team  
E-mail: safety-documentation@axxence.com  
Internet: www.axxence.de  
Responsible Department: Safety Management

Telefax: + 49 2822 68561 39

Telephone: + 49 2822 68561 0

#### 1.4. Emergency telephone number:

+49 2822 68561 99

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Flam. Liq. 2; H225  
Acute Tox. 3; H331  
Acute Tox. 4; H302  
Skin Irrit. 2; H315  
Eye Dam. 1; H318  
Skin Sens. 1; H317  
STOT RE 2; H373

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



##### Hazard statements

H225 Highly flammable liquid and vapour.  
H302 Harmful if swallowed.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H331 Toxic if inhaled.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 2 of 12

H373 May cause damage to organs through prolonged or repeated exposure.

### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of Water and soap.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P321 Specific treatment (see ... on this label).

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P362+P364 Take off contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P311 Call a POISON CENTER/doctor.

P321 Specific treatment (see ... on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P314 Get medical advice/attention if you feel unwell.

P370+P378 In case of fire: Use Water spray jet to extinguish.

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to organic waste.

### 2.3. Other hazards

This substance is not listed as Substance of Very High Concern (SVHC) in the Candidate List according to REACH, Article 59. This substance is not identified as SVHC (substance of very high concern) and is not subject to authorisation according to Annex XIV of REACH.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Sum formula: C4 H6 O2

Molecular weight: 86,09 g/mol

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 3 of 12

### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
431-03-8	NATURAL DIACETYL			100 %
	207-069-8			
	Flam. Liq. 2, Acute Tox. 3, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, STOT RE 2; H225 H331 H302 H315 H318 H317 H373			

Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
431-03-8	207-069-8	NATURAL DIACETYL	100 %
	inhalation: LC50 = 3,7 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: LD50 = 1580 mg/kg		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. No mouth-to-mouth or mouth-to-nose resuscitation. Use Ambu bag or ventilator. Call a physician immediately.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 4 of 12

surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Remove all sources of ignition.

##### For emergency responders

Suppress gases/vapours/mists with water spray jet. Wear a self-contained breathing apparatus and chemical protective clothing.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

##### For cleaning up

Ventilate affected area.

##### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

##### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### 7.3. Specific end use(s)

For Flavour use for food and feed only

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 5 of 12

### Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
431-03-8	Diacetyl; Butanedione	0.02	0.07		TWA (8 h)	
		0.1	0.36		STEL (15 min)	

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Butyl caoutchouc (butyl rubber) 0,5mm

##### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing . .

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	yellow
Melting point/freezing point:	-2 °C
Boiling point or initial boiling point and boiling range:	88 °C
Flammability:	not determined
Lower explosion limits:	2,4 vol. %
Upper explosion limits:	13 vol. %
Flash point:	6 °C
Auto-ignition temperature:	345 °C
Decomposition temperature:	not determined
pH-Value:	3,2
Viscosity / kinematic:	not applicable
Water solubility: (at 25 °C)	200 g/l
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	-1,34

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 6 of 12

Vapour pressure: 58,2 hPa  
(at 20 °C)  
Vapour pressure: 254 hPa  
(at 50 °C)  
Density (at 20 °C): 0,99 g/cm<sup>3</sup>  
Relative vapour density: 2,97  
(at 20 °C)  
Particle characteristics: not applicable

### 9.2. Other information

#### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive. not explosive according to EU A.14

##### Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate: not determined  
Solvent content: 0%  
Solid content: 0%

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Toxic if inhaled.

Harmful if swallowed.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
431-03-8	NATURAL DIACETYL				
	oral	LD50 1580 mg/kg	Rat	Gestis / Merck	
	dermal	LD50 >5000 mg/kg	Rabbit	Gestis / Merck	
	inhalation (4 h) vapour	LC50 3,7 mg/l	Rat	Gestis / Merck	
	inhalation dust/mist	ATE 0,5 mg/l			

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 7 of 12

### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

### Sensitising effects

May cause an allergic skin reaction. (NATURAL DIACETYL)

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

May cause damage to organs through prolonged or repeated exposure. (NATURAL DIACETYL)

### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

### Endocrine disrupting properties

This substance is not listed as Substance of Very High Concern (SVHC) in the Candidate List according to

REACH, Article 59. This substance is not identified as SVHC (substance of very high concern) and is not

subject to authorisation according to Annex XIV of REACH.

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
431-03-8	NATURAL DIACETYL	-1,34

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

No information available.

### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 8 of 12

### List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

### List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### Contaminated packaging

Hazardous waste according to Directive 2008/98/EC (waste framework directive). Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 2346  
**14.2. UN proper shipping name:** BUTANEDIONE  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Classification code: F1  
Limited quantity: 1 L  
Excepted quantity: E2  
Transport category: 2  
Hazard No: 33  
Tunnel restriction code: D/E

### Other applicable information (land transport)

E2

### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 2346  
**14.2. UN proper shipping name:** BUTANEDIONE  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
Hazard label: 3



Classification code: F1  
Limited quantity: 1 L  
Excepted quantity: E2

### Other applicable information (inland waterways transport)

E2

### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 2346  
**14.2. UN proper shipping name:** BUTANEDIONE  
**14.3. Transport hazard class(es):** 3

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 9 of 12

### 14.4. Packing group:

Hazard label:

II

3



Special Provisions:

-

Limited quantity:

1 L

Excepted quantity:

E2

EmS:

F-E, S-D

### Air transport (ICAO-TI/IATA-DGR)

#### 14.1. UN number or ID number:

UN 2346

#### 14.2. UN proper shipping name:

BUTANEDIONE

#### 14.3. Transport hazard class(es):

3

#### 14.4. Packing group:

II

Hazard label:

3



Limited quantity Passenger:

1 L

Passenger LQ:

Y341

Excepted quantity:

E2

IATA-packing instructions - Passenger:

353

IATA-max. quantity - Passenger:

5 L

IATA-packing instructions - Cargo:

364

IATA-max. quantity - Cargo:

60 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

### 14.6. Special precautions for user

Warning: Combustible liquid.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Directive 2010/75/EU on industrial emissions:

100 % (990 g/l)

Directive 2004/42/EC on VOC in paints and varnishes:

100 % (990 g/l)

Information according to Directive 2012/18/EU (SEVESO III):

H2 ACUTE TOXIC

Additional information:

P5c

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D):

2 - obviously hazardous to water

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 10 of 12

Skin resorption/Sensitization:

Causes allergic hypersensitivity reactions.

#### **15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

### **SECTION 16: Other information**

#### **Changes**

This data sheet contains changes from the previous version in section(s):

1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 11 of 12

### Abbreviations and acronyms

Flam. Liq: Flammable liquid  
 Acute Tox: Acute toxicity  
 Skin Irrit: Skin irritation  
 Eye Dam: Eye damage  
 Skin Sens: Skin sensitisation  
 STOT RE: Specific target organ toxicity - repeated exposure  
 ADR: Accord européen sur le transport des marchandises dangereuses par Route  
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%  
 CLP: Classification, labelling and Packaging  
 REACH: Registration, Evaluation and Authorization of Chemicals  
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
 UN: United Nations  
 DNEL: Derived No Effect Level  
 DMEL: Derived Minimal Effect Level  
 PNEC: Predicted No Effect Concentration  
 ATE: Acute toxicity estimate  
 LL50: Lethal loading, 50%  
 EL50: Effect loading, 50%  
 EC50: Effective Concentration 50%  
 ErC50: Effective Concentration 50%, growth rate  
 NOEC: No Observed Effect Concentration  
 BCF: Bio-concentration factor  
 PBT: persistent, bioaccumulative, toxic  
 vPvB: very persistent, very bioaccumulative  
 RID: Regulations concerning the international carriage of dangerous goods by rail  
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation  
 intérieures)  
 EmS: Emergency Schedules  
 MFAG: Medical First Aid Guide  
 ICAO: International Civil Aviation Organization  
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
 IBC: Intermediate Bulk Container  
 VOC: Volatile Organic Compounds  
 SVHC: Substance of Very High Concern  
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
 EC/EEC: European Community/European Economic Community  
 EU: European Union  
 M-factor: Multiplying factor  
 IATA: International Air Transport Association  
 DGR: Dangerous Goods Regulations  
 ICAO: International Civil Aviation Organization  
 TI: Technical Instructions  
 VOC: volatile organic compound  
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety  
 assessment, chapter R.20 (Table of terms and abbreviations).

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL DIACETYL

Revision date: 20.02.2024

Product code: 237000

Page 12 of 12

### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	For Flavour use for food and feed only	-	-	-	-	-	-	-	Flavour

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories