

according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024

Product code: 241410

Page 1 of 12

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NATURAL ETHYL ACETATE

Substance name:	NATURAL ETHYL ACETATE
CAS No:	141-78-6
Index No:	607-022-00-5
EC No:	205-500-4
Index No:	607-022-00-5

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For Flavour use for food and feed only

1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax:+ 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Safety Team	Telephone: + 49 2822 68561 0
E-mail:	safety-documentation@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	Safety Management	
1.4. Emergency telephone	+49 2822 68561 99	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal	
SIGNAL	word:

Pictograms:



Hazard statements

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
	smoking.
P233	Keep container tightly closed.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing
	protection.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision	date.	21.02.2024
1101011	uulo.	21.02.2027

Product code: 241410

Page 2 of 12

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to organic waste.

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This substance is not listed as Substance of Very High Concern (SVHC) in the Candidate List according to REACH, Article 59. This substance is not identifed as SVHC (substance of very high concern) and is not subject to autorisation according to Annex XIV of REACH.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula:	C4 H8 O2
Molecular weight:	88,11 g/mol

Relevant ingredients

CAS No	CAS No Chemical name		Quantity	
	EC No Index No REACH No			
Classification (Regulation (EC) No 1272/2008)				
141-78-6 NATURAL ETHYL ACETATE			100 %	
	205-500-4 607-022-00-5			
Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066				

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
141-78-6	205-500-4	NATURAL ETHYL ACETATE	100 %
	dermal: LD50 =	: >20000 mg/kg; oral: LD50 = 5620 mg/kg	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024

Product code: 241410

Page 3 of 12

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air. Heating causes rise in pressure with risk of bursting.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

For emergency responders

Wear a self-contained breathing apparatus and chemical protective clothing.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Ventilate affected area.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024

Product code: 241410

Page 4 of 12

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limit values

CAS No	Name of agent	ppm	mg/m³	fib/cm³	Category	Origin
141-78-6	Ethyl acetate	200	734		TWA (8 h)	
		400	1468		STEL (15 min)	

DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
141-78-6	NATURAL ETHYL ACETATE			
Worker DNEL	, long-term	inhalation	systemic	734 mg/m³
Worker DNEL	, long-term	inhalation	local	734 mg/m³
Worker DNEL	, acute	inhalation	systemic	1468 mg/m ³
Worker DNEL	, acute	inhalation	local	1468 mg/m ³
Worker DNEL	, long-term	dermal	systemic	63 mg/kg bw/day
Consumer DN	IEL, long-term	inhalation	systemic	367 mg/m ³
Consumer DN	IEL, long-term	inhalation	local	367 mg/m³
Consumer DN	IEL, acute	inhalation	local	734 mg/m³
Consumer DN	IEL, long-term	dermal	systemic	37 mg/kg bw/day
Consumer DN	IEL, long-term	oral	systemic	4,5 mg/kg bw/day
Consumer DN	EL, acute	inhalation	systemic	734 mg/m³

PNEC values

CAS No	Name of agent		
Environmen	tal compartment	Value	
141-78-6	NATURAL ETHYL ACETATE		
Freshwater		0,24 mg/l	
Freshwater	(intermittent releases)	1,65 mg/l	
Marine water		0,024 mg/l	
Freshwater sediment		1,15 mg/kg	
Marine sediment		0,115 mg/kg	
Secondary poisoning		200 mg/kg	
Micro-organisms in sewage treatment plants (STP)		650 mg/l	
Soil		0,148 mg/kg	

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024



Page 5 of 12







Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing . .

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	fruity	
Melting point/freezing point:		-83 °C
Boiling point or initial boiling point and		77 °C
boiling range:		
Flammability:		not determined
Lower explosion limits:		2 vol. %
Upper explosion limits:		12,8 vol. %
Flash point:		-4 °C
Auto-ignition temperature:		427 °C
Decomposition temperature:		not determined
pH-Value (at 20 °C):		7
Viscosity / kinematic:		0,42 mm²/s
(at 40 °C)		
Water solubility:		83,1 g/l
(at 20 °C)		
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		0,73
Vapour pressure: (at 20 °C)		98,4 hPa
Vapour pressure:		380 hPa
(at 50 °C)		
Density (at 20 °C):		0,9 g/cm³



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE						
Revision date: 21.02.2024	Product code: 241410	Page 6 of 12				
Relative vapour density:	3,04					
(at 20 °C)						
Particle characteristics:	not applicable					
9.2. Other information						
Information with regard to physical I	hazard classes					
Explosive properties						
The product is not: Explosive. not	explosive according to EU A.14					
Oxidizing properties						
The product is not: oxidising.						
Other safety characteristics						
Evaporation rate:	not determined					
Solvent content:	0%					
Solid content:	0%					
Viscosity / dynamic:	0,45 mPa·s					

(at 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
141-78-6	NATURAL ETHYL ACETATE					
	oral	LD50 mg/kg	5620	Rat	REACH Dossier	OECD 401
	dermal	LD50 mg/kg	>20000	Rabbit	REACH Dossier	-

Irritation and corrosivity

Serious eye damage/eye irritation: Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Repeated exposure may cause skin dryness or cracking.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024

Product code: 241410

Page 7 of 12

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (NATURAL ETHYL ACETATE)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

This substance is not listed as Substance of Very High Concern (SVHC) in the Candidate List according to REACH, Article 59. This substance is not identified as SVHC (substance of very high concern) and is not subject to autorisation according to Annex XIV of REACH.

Other information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
141-78-6	NATURAL ETHYL ACET	ATE					
	Acute fish toxicity	LC50	230 mg/l		Pimephales promelas (fathead minnow)	REACH Dossier	US EPA method E03-05
	Acute algae toxicity	ErC50 mg/l	>100		Desmodesmus subspicatus	REACH Dossier	OECD 201
	Acute crustacea toxicity	EC50	260 mg/l		Daphnia pulex (water flea)	REACH Dossier	
	Fish toxicity	NOEC	6,9 mg/l		Pimephales promelas (fathead minnow)	REACH Dossier	
	Crustacea toxicity	NOEC	2,4 mg/l		Daphnia magna (Big water flea)	REACH Dossier	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
141-78-6	NATURAL ETHYL ACETATE				
	OECD 301B	94%	28	REACH Dossier	
	Readily biodegradable (according to OECD criteria).				
	OECD 301B	91%	8	REACH Dossier	
	Readily biodegradable (according to OECD criteria).				
	OECD 301B	75%	4	REACH Dossier	
	Readily biodegradable (according to OECD criteria).				

12.3. Bioaccumulative potential



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024

Product code: 241410

Page 8 of 12

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
141-78-6	NATURAL ETHYL ACETATE	0,73

CAS No	Chemical name	BCF	Species	Source
141-78-6	NATURAL ETHYL ACETATE	30	fish species (undefined)	REACH Dossier

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII. The product has not been tested.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms. No information available.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

, ,	
14.1. UN number or ID number:	UN 1173
14.2. UN proper shipping name:	ETHYL ACETATE
14.3. Transport hazard class(es):	3
14.4. Packing group:	II
Hazard label:	3



according to Regulation (EC) No 1907/2006

		on (EC) No 1907/2008	
	NATURAL ETH	IYL ACETATE	
Revision date: 21.02.2024	Product co	ode: 241410	Page 9 of 12
Classification code:	F1		
Limited quantity:	1 L		
Excepted quantity:	E2		
Transport category:	2		
Hazard No:	33		
Tunnel restriction code:	D/E		
Other applicable information (land tran E2	nsport)		
Inland waterways transport (ADN)			
<u>14.1. UN number or ID number:</u>	UN 1173		
14.2. UN proper shipping name:	ETHYL ACETATE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:	II		
Hazard label:	3		
Classification code:	F1		
Limited quantity:	1 L		
Excepted quantity:	E2		
Other applicable information (inland w E2	aterways transport)		
Marine transport (IMDG)			
<u>14.1. UN number or ID number:</u>	UN 1173		
14.2. UN proper shipping name:	ETHYL ACETATE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:			
Hazard label:	3		
Special Provisions:	-		
Limited quantity:	1 L		
Excepted quantity:	E2		
EmS:	F-E, S-D		
Air transport (ICAO-TI/IATA-DGR)			
<u>14.1. UN number or ID number:</u>	UN 1173		
14.2. UN proper shipping name:	ETHYL ACETATE		
14.3. Transport hazard class(es):	3		
14.4. Packing group:			
Hazard label:	3		
Limited quantity Passenger: Passenger LQ:	1 L Y341		
Excepted quantity:	E2		
IATA-packing instructions - Passenger:		353	
IATA-max. quantity - Passenger:		5 L	
IATA-packing instructions - Cargo:		364	
IATA-max. quantity - Cargo:		60 L	



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024

Product code: 241410

Page 10 of 12

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No

EU regulatory information	
Restrictions on use (REACH, annex XVII):	
Entry 40, Entry 75	
Directive 2010/75/EU on industrial emissions:	100 % (900 g/l)
Directive 2004/42/EC on VOC in paints and varnishes:	100 % (900 g/l)
Information according to Directive 2012/18/EU (SEVESO III):	P5c FLAMMABLE LIQUIDS
National regulatory information	
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).
Water hazard class (D):	1 - slightly hazardous to water
15.2. Chemical safety assessment	

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 2,5,6,8,9,11,16.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024

Product code: 241410

Page 11 of 12

Abbreviations and acronyms

Flam. Liq: Flammable liquid Eye Irrit: Eye irritation STOT SE: Specific target organ toxicity - single exposure ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNFL: Derived No Effect Level DMEL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu EC/EEC: European Community/European Economic Community EU: European Union M-factor: Multiplying factor IATA: International Air Transport Association DGR: Dangerous Goods Regulations ICAO: International Civil Aviation Organization **TI: Technical Instructions** VOC: volatile organic compound For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL ACETATE

Revision date: 21.02.2024

Product code: 241410

Page 12 of 12

H336 EUH066 May cause drowsiness or dizziness.

Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	For Flavour use for food and feed only	-	-	-	-	-	-	-	Flavour

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories AC: Article categories