

according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

Revision date: 23.09.2022

Product code: 243900

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NATURAL ETHYL HEXANOATE (CAPROATE)

| Substance name: | NATURAL ETHYL HEXANOATE (CAPROATE) |
|-----------------|------------------------------------|
| CAS No: | 123-66-0 |
| EC No: | 204-640-3 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For Flavour use for food and feed only

1.3. Details of the supplier of the safety data sheet

| Telefax: + 49 2822 68561 39 |
|------------------------------|
| |
| Telephone: + 49 2822 68561 0 |
| |
| |
| |
| |
| |

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008 Flam. Liq. 3; H226 Skin Irrit. 2; H315

Full text of hazard statements: see SECTION 16.

Warning

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word:

Pictograms:



Hazard statements

| H226 | Flammable liquid and vapour. |
|------|------------------------------|
| H315 | Causes skin irritation. |

Precautionary statements

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
|------|--|
| | Shoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground and bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting equipment. |
| P242 | Use non-sparking tools. |
| P243 | Take action to prevent static discharges. |
| P264 | Wash hands thoroughly after handling. |
| | |



according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

| Revision date: 23.09.2022 | Product code: 243900 | Page 2 of 11 |
|---------------------------|--|--------------|
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. | |
| P302+P352 | IF ON SKIN: Wash with plenty of Water and soap. | |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. | |
| P332+P313 | If skin irritation occurs: Get medical advice/attention. | |
| P362+P364 | Take off contaminated clothing and wash it before reuse. | |
| P370+P378 | In case of fire: Use Use foam to extinguish. to extinguish. | |
| P403+P235 | Store in a well-ventilated place. Keep cool. | |
| P501 | Dispose of contents/container to organic waste. | |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

| Sum formula: | C8 H16 O2 |
|-------------------|--------------|
| Molecular weight: | 144,21 g/mol |

Relevant ingredients

| CAS No | Chemical name | | | Quantity |
|----------|---|----------|----------|----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 123-66-0 | NATURAL ETHYL HEXANOATE (CAPROATE) | | 100 % | |
| | 204-640-3 | | | |
| | Flam. Liq. 3, Skin Irrit. 2; H226 H315 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No Chemical name | | Quantity |
|--|--|--------------------------|----------|
| | Specific Conc. L | imits, M-factors and ATE | |
| 123-66-0 | 204-640-3 NATURAL ETHYL HEXANOATE (CAPROATE) | | 100 % |
| dermal: LD50 = >5000 mg/kg; oral: LD50 = >5000 mg/kg | | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Rinse mouth immediately and drink plenty of water.

<u>4.2. Most important symptoms and effects, both acute and delayed</u> No information available.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

Revision date: 23.09.2022

Product code: 243900

Page 3 of 11

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

Unsuitable extinguishing media

Water.

5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities



AXXE

according to Regulation (EC) No 1907/2006

Safety Data Sheet

NATURAL ETHYL HEXANOATE (CAPROATE)

Revision date: 23.09.2022

Product code: 243900

Page 4 of 11

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

For Flavour use for food and feed only

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

PNEC values

| CAS No | Name of agent | | |
|--|--|--------------|--|
| Environmental | Environmental compartment Value | | |
| 123-66-0 | NATURAL ETHYL HEXANOATE (CAPROATE) | | |
| Freshwater 0,0067 mg/l | | | |
| Freshwater (int | hwater (intermittent releases) 0,0674 mg/l | | |
| Marine water 0,0007 mg/l | | | |
| Freshwater sediment 0,136 mg/kg | | 0,136 mg/kg | |
| Marine sediment 0,0136 m | | 0,0136 mg/kg | |
| Micro-organisms in sewage treatment plants (STP) | | 10 mg/l | |
| Soil | | 0,0232 mg/kg | |

8.2. Exposure controls









Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type NBR (Nitrile rubber) (0,4mm)

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state: | Liquid |
|-------------------------------|--------|
| Colour: | |
| Melting point/freezing point: | |

-68 °C



according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

| Revision date: 23.09.2022 | Product code: 243900 | Page 5 of 11 |
|--|----------------------|--------------|
| Boiling point or initial boiling point and | 168 °C | |
| boiling range: | | |
| Flammability: | not applicable | |
| | not applicable | |
| Lower explosion limits: | not determined | |
| Upper explosion limits: | not determined | |
| Flash point: | 45 °C | |
| Auto-ignition temperature: | 395 °C | |
| Decomposition temperature: | not determined | |
| pH-Value: | not determined | |
| Water solubility: | 0,51 g/l | |
| (at 20 °C) | | |
| Solubility in other solvents | | |
| not determined | | |
| Partition coefficient n-octanol/water: | 2,96 | |
| Vapour pressure: | 3 hPa | |
| (at 20 °C) | | |
| Vapour pressure: | 15 hPa | |
| (at 50 °C) | | |
| Density (at 20 °C): | 0,87 g/cm³ | |
| Relative vapour density: | 4,9 | |
| (at 20 °C) | | |
| 9.2. Other information | | |
| Information with regard to physical hazard classes | ; | |
| Explosive properties | | |
| not explosive according to EU A.14 | | |
| Oxidizing properties | | |
| The product is not: oxidising. | | |
| Other safety characteristics | | |
| Evaporation rate: | not determined | |
| Solvent content: | 0% | |
| Solid content: | 0% | |
| | | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

Revision date: 23.09.2022

Product code: 243900

Page 6 of 11

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | |
|----------|------------------------------------|---------------------|---------|---------------|----------|
| | Exposure route | Dose | Species | Source | Method |
| 123-66-0 | NATURAL ETHYL HEXANOATE (CAPROATE) | | | | |
| | oral | LD50 >5000 mg/kg | Rat | REACH Dossier | OECD 423 |
| | dermal | LD50 >5000 mg/kg | Rat | REACH Dossier | OECD 402 |

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | | | |
|----------|------------------------------------|---------------|---------|-------------------------|------------------------------------|---------------|---------------|--|
| | Aquatic toxicity | Dose | | [h] [d] | Species | Source | Method | |
| 123-66-0 | NATURAL ETHYL HEXANOATE (CAPROATE) | | | | | | | |
| | Acute fish toxicity LC50 6,74 mg/l | | 96 h | Danio rerio (zebrafish) | REACH Dossier | OECD 203 | | |
| | Acute algae toxicity | ErC50 mg/l | 11,8 | | Pseudokirchneriella subcapitata | REACH DOssier | OECD 201 | |
| | Acute crustacea toxicity | EC50 | 36 mg/l | | Daphnia magna (Big water flea) | REACH Dossier | EU method c.2 | |

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

Revision date: 23.09.2022

Product code: 243900

Page 7 of 11

| Chemical name | | | | | | |
|------------------------------------|---|---|---|--|--|--|
| Method | Value | d | Source | | | |
| Evaluation | • | • | • | | | |
| NATURAL ETHYL HEXANOATE (CAPROATE) | | | | | | |
| OECD 301f | 79% | 28 | REACH Dossier | | | |
| Readily Biodegradable | | | | | | |
| OECD 301f | 67% | 14 | REACH Dossier | | | |
| Readily Biodegradable | | | | | | |
| OECD 301f | 55% | 8 | REACH Dossier | | | |
| Readily Biodegradable | | | | | | |
| | Method Evaluation NATURAL ETHYL HEXANOATE (CAPROAT OECD 301f Readily Biodegradable OECD 301f Readily Biodegradable OECD 301f | Method Value Evaluation Evaluation NATURAL ETHYL HEXANOATE (CAPROATE) 0ECD 301f OECD 301f 79% Readily Biodegradable 67% OECD 301f 67% OECD 301f 55% | Method Value d Evaluation Evaluation NATURAL ETHYL HEXANOATE (CAPROATE) OECD 301f 79% 28 Readily Biodegradable OECD 301f 67% 14 Readily Biodegradable OECD 301f 55% | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|------------------------------------|---------|
| 123-66-0 | NATURAL ETHYL HEXANOATE (CAPROATE) | 2,96 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

| Ĕ | | | | | | | |
|--|---------------------------|--------------|--|--|--|--|--|
| NATURAL ETHYL HEXANOATE (CAPROATE) Revision date: 23.09.2022 Product code: 243900 Page 8 of 11 | | | | | | | |
| Revision date: 23.09.2022 | Product code: 243900 | Page 8 of 11 | | | | | |
| <u>14.1. UN number or ID number:</u> 14.2. UN proper shipping name: | UN 3272 ESTERS, N.O.S. | | | | | | |
| 14.3. Transport hazard class(es): | 3 | | | | | | |
| 14.4. Packing group: | 5 III | | | | | | |
| Hazard label: | 3 | | | | | | |
| | | | | | | | |
| Classification code: | F1 | | | | | | |
| Special Provisions: | 274 601 | | | | | | |
| Limited quantity: | 5 L | | | | | | |
| Excepted quantity: | E1 | | | | | | |
| Transport category: | 3 | | | | | | |
| Hazard No: | 30 | | | | | | |
| Tunnel restriction code: | D/E | | | | | | |
| Other applicable information (land transp E1 | port) | | | | | | |
| Inland waterways transport (ADN) | | | | | | | |
| 14.1. UN number or ID number: | UN 3272 | | | | | | |
| 14.2. UN proper shipping name: | ESTERS, N.O.S. | | | | | | |
| 14.3. Transport hazard class(es): | 3 | | | | | | |
| 14.4. Packing group: | III | | | | | | |
| Hazard label: | 3 | | | | | | |
| | | | | | | | |
| Classification code: | F1 | | | | | | |
| Special Provisions: | 274 601 | | | | | | |
| Limited quantity: | 5 L | | | | | | |
| Excepted quantity: | E1 | | | | | | |
| Other applicable information (inland wate | erways transport) | | | | | | |
| Marine transport (IMDG) | | | | | | | |
| 14.1. UN number or ID number: | UN 3272 | | | | | | |
| 14.2. UN proper shipping name: | ESTERS, N.O.S. | | | | | | |
| 14.3. Transport hazard class(es): | 3 | | | | | | |
| 14.4. Packing group: | III | | | | | | |
| Hazard label: | 3 | | | | | | |
| | | | | | | | |
| Special Provisions: | 223, 274 | | | | | | |
| Limited quantity: | 5 L | | | | | | |
| Excepted quantity: | E1 | | | | | | |
| EmS: | F-E, S-D | | | | | | |
| Air transport (ICAO-TI/IATA-DGR) | | | | | | | |
| 14.1. UN number or ID number: | UN 3272 | | | | | | |
| 14.2. UN proper shipping name: | ESTERS, N.O.S. | | | | | | |
| 14.3. Transport hazard class(es): | 3 | | | | | | |
| 14.4. Packing group: | | | | | | | |
| Hazard label: | 3 | | | | | | |
| | - | | | | | | |

according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

Revision date: 23.09.2022 Product code: 243900 Page 9 of 11 **Special Provisions:** A3 Limited quantity Passenger: 10 L Passenger LQ: Y344 Excepted quantity: E1 IATA-packing instructions - Passenger: 355 IATA-max. quantity - Passenger: 60 L IATA-packing instructions - Cargo: 366 IATA-max. quantity - Cargo: 220 L 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Warning: Combustible liquid. 14.7. Maritime transport in bulk according to IMO instruments not applicable **SECTION 15: Regulatory information** 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40 Directive 2010/75/EU on industrial 100 % (870 g/l) emissions: Directive 2004/42/EC on VOC in 100 % (870 g/l) paints and varnishes: Information according to Directive P5c FLAMMABLE LIQUIDS 2012/18/EU (SEVESO III): National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,14,15,16.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

Revision date: 23.09.2022

Product code: 243900

Page 10 of 11

Abbreviations and acronyms

Flam. Liq: Flammable liquid Skin Irrit: Skin irritation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration. 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration, Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNFL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: verv persistent, verv bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to Regulation (EC) No 1907/2006

NATURAL ETHYL HEXANOATE (CAPROATE)

Revision date: 23.09.2022

Product code: 243900

Page 11 of 11

Identified uses

| No | Short title | LCS | SU | PC | PROC | ERC | AC | TF | Specification |
|----|--------------------------|-----|----|----|------|-----|----|----|---------------|
| | For Flavour use for food | - | - | - | - | - | - | - | Flavour |

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use PROC: Process categories

AC: Article categories