

according to Regulation (EC) No 1907/2006

## NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 1 of 11

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

NATURAL ETHYL PROPIONATE

Substance name: NATURAL ETHYL PROPIONATE

CAS No: 105-37-3 Index No: 607-028-00-8 EC No: 203-291-4

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

### Use of the substance/mixture

For Flavour use for food and feed only

#### 1.3. Details of the supplier of the safety data sheet

Company name: Axxence Aromatic GmbH

Street: Tackenweide 28

Place: D-46446 Emmerich am Rhein

Telephone: + 49 2822 68561 0 Telefax: + 49 2822 68561 39

E-mail: info@axxence.com

Contact person: Safety Team Telephone: + 49 2822 68561 0

E-mail: safety-documentation@axxence.com

Internet: www.axxence.de
Responsible Department: Safety Management

1.4. Emergency telephone +49 2822 68561 99

number:

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Flam. Liq. 2; H225

Full text of hazard statements: see SECTION 16.

### 2.2. Label elements

# Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



## **Hazard statements**

H225 Highly flammable liquid and vapour.

# **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

Print date: 09.10.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

## NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 2 of 11

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P370+P378 In case of fire: Use Water spray jet / Extinguishing powder / Carbon dioxide (CO2) to

extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container to organic waste.

## 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Sum formula: C5 H10 O2 Molecular weight: 102,13 g/mol

#### Relevant ingredients

CAS No	Chemical name						
	EC No Index No REACH No						
	Classification (Regulation (EC) No 1272/2008)						
105-37-3	NATURAL ETHYL PROPIONATE	NATURAL ETHYL PROPIONATE					
	203-291-4	607-028-00-8					
	Flam. Liq. 2; H225						

Full text of H and EUH statements: see section 16.

## Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity			
	Specific Conc. I	pecific Conc. Limits, M-factors and ATE				
105-37-3	203-291-4	203-291-4 NATURAL ETHYL PROPIONATE				
	dermal: LD50 = >2000 mg/kg; oral: LD50 = >5000 mg/kg					

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## After inhalation

Provide fresh air.

## After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

## After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

## After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

## Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

Print date: 09.10.2024



# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

### NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 3 of 11

### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

### 6.3. Methods and material for containment and cleaning up

## For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

## Advice on safe handling

No special measures are necessary.

## Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

## Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

# 7.3. Specific end use(s)

For Flavour use for food and feed only

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters



according to Regulation (EC) No 1907/2006

### NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 4 of 11

#### **DNEL/DMEL values**

CAS No	Name of agent						
DNEL type		Exposure route	Effect	Value			
105-37-3	105-37-3 NATURAL ETHYL PROPIONATE						
Worker DNEL,	long-term	inhalation	local	56 mg/m³			
Worker DNEL,	acute	inhalation	local	113 mg/m³			
Consumer DN	EL, long-term	inhalation	systemic	6,7 mg/m³			
Consumer DNI	EL, acute	inhalation	local	56 mg/m³			

#### **PNEC values**

CAS No	Name of agent						
Environment	tal compartment	Value					
105-37-3	NATURAL ETHYL PROPIONATE						
Freshwater		0,013 mg/l					
Marine wate	г	0,001 mg/l					
Freshwater s	sediment	0,151 mg/l					
Marine sedir	0,0151 mg/l						
Micro-organisms in sewage treatment plants (STP) 0,5 mg/l							
Soil 0,0151 mg/l							

## 8.2. Exposure controls





## Individual protection measures, such as personal protective equipment

### Eye/face protection

Wear eye protection/face protection.

## **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

## Respiratory protection

In case of inadequate ventilation wear respiratory protection.

## Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour:

Melting point/freezing point: -74 °C
Boiling point or initial boiling point and 99 °C

boiling range:



according to Regulation (EC) No 1907/2006

### NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 5 of 11

not applicable Flammability: not applicable Lower explosion limits: 1,8 vol. % Upper explosion limits: 11 vol. % Flash point: 7°C Auto-ignition temperature: 445 °C Decomposition temperature: not determined pH-Value (at 20 °C): Water solubility: 17 g/l (at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: 1,31
Vapour pressure: 42,8 hPa

(at 20 °C)

Vapour pressure: 172 hPa

(at 50 °C)

Density (at 20 °C): 0,89 g/cm³
Relative vapour density: 3,52

(at 20 °C)

## 9.2. Other information

# Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. not explosive according to EU A.14

Oxidizing properties

The product is not: oxidising.

#### Other safety characteristics

Evaporation rate: not determined Solvent content: 0% Solid content: 0%

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Highly flammable.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008



according to Regulation (EC) No 1907/2006

### NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 6 of 11

### **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name	Chemical name							
	Exposure route	Dose	Species	Source	Method				
105-37-3	NATURAL ETHYL PROP	NATURAL ETHYL PROPIONATE							
	oral	LD50 >5000 mg/kg	Rat	REACH registration	OECD 423				
	dermal	LD50 >2000 mg/kg	Rat	REACH registration	OECD 402				

## Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

Based on available data, the classification criteria are not met.

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## 11.2. Information on other hazards

## **Endocrine disrupting properties**

No information available.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
105-37-3	NATURAL ETHYL PROPIONATE						
	Acute fish toxicity LC50 6,74 mg/l		96 h	Danio rerio (zebrafish)	REACH registration	OECD 203	
	Acute algae toxicity	ErC50 mg/l	>130	72 h	Pseudokirchneriella subcapitata	REACH registration	OECD 201
	Acute crustacea toxicity	EC50	36 mg/l		Daphnia magna (Big water flea)	REACH registration	EU Method C.2
	Crustacea toxicity	NOEC	6,3 mg/l		Daphnia magna (Big water flea)	REACH registration	OECD 211

## 12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

#### NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 7 of 11

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation						
105-37-3	NATURAL ETHYL PROPIONATE						
	OECD 301 D	66-68%	28	REACH registration			
	Readily biodegradable						

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
105-37-3	NATURAL ETHYL PROPIONATE	1,31

#### 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

No information available.

#### 12.7. Other adverse effects

No information available.

### **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

# List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

## Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: UN 1195

14.2. UN proper shipping name: ETHYL PROPIONATE

14.3. Transport hazard class(es):



according to Regulation (EC) No 1907/2006

## NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 8 of 11

14.4. Packing group:
Hazard label:
3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2
Transport category: 2
Hazard No: 33
Tunnel restriction code: D/E
Other applicable information (land transport)

E2

Inland waterways transport (ADN)

14.1. UN number or ID number: UN 1195

14.2. UN proper shipping name: ETHYL PROPIONATE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Classification code: F1
Limited quantity: 1 L
Excepted quantity: E2

Other applicable information (inland waterways transport)

E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1195

14.2. UN proper shipping name: ETHYL PROPIONATE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Special Provisions:

Limited quantity:

Excepted quantity:

E2

EmS:

F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1195

14.2. UN proper shipping name: ETHYL PROPIONATE

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3



Limited quantity Passenger: 1 L
Passenger LQ: Y341



according to Regulation (EC) No 1907/2006

### **NATURAL ETHYL PROPIONATE**

Revision date: 14.07.2022 Product code: 245600 Page 9 of 11

Excepted quantity: E2

IATA-packing instructions - Passenger:353IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:364IATA-max. quantity - Cargo:60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Directive 2010/75/EU on industrial 100 % (890 g/l)

emissions:

Directive 2004/42/EC on VOC in

paints and varnishes:

100 % (890 g/l)

Information according to Directive

2012/18/EU (SEVESO III):

P5c FLAMMABLE LIQUIDS

**National regulatory information** 

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

## 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

# **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.



according to Regulation (EC) No 1907/2006

### NATURAL ETHYL PROPIONATE

Revision date: 14.07.2022 Product code: 245600 Page 10 of 11

## Abbreviations and acronyms

Flam. Lig: Flammable liquid

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

# **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.



according to Regulation (EC) No 1907/2006

# **NATURAL ETHYL PROPIONATE**

Revision date: 14.07.2022 Product code: 245600 Page 11 of 11

## **Identified uses**

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1 -	For Flavour use for food and feed only	-	-	-	-	-	-	-	Flavour

LCS: Life cycle stages
PC: Product categories
ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use PROC: Process categories AC: Article categories