

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 1 of 11

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

NATURAL HEXYL ACETATE

Substance name: NATURAL HEXYL ACETATE  
REACH Registration Number: 01-2119976337-25-XXXX  
CAS No: 142-92-7  
EC No: 205-572-7

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

#### 1.3. Details of the supplier of the safety data sheet

Company name: Axxence Aromatic GmbH  
Street: Tackenweide 28  
Place: D-46446 Emmerich am Rhein  
Telephone: + 49 2822 68561 0  
E-mail: info@axxence.com  
Contact person: Safety Team  
E-mail: safety-documentation@axxence.com  
Internet: www.axxence.de  
Responsible Department: Safety Management

Telefax: + 49 2822 68561 39

Telephone: + 49 2822 68561 0

#### 1.4. Emergency telephone number:

+49 2822 68561 99

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No 1272/2008

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



##### Hazard statements

H226 Flammable liquid and vapour.

##### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P233 Keep container tightly closed.  
P240 Ground and bond container and receiving equipment.  
P241 Use explosion-proof electrical/ventilating/lighting equipment.  
P242 Use non-sparking tools.  
P243 Take action to prevent static discharges.  
P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 2 of 11

P303+P361+P353 protection.  
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P370+P378 In case of fire: Use Extinguishing powder / Carbon dioxide (CO<sub>2</sub>) / alcohol resistant foam to extinguish.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to organic waste.

### 2.3. Other hazards

No information available.

## SECTION 3: Composition/information on ingredients

### 3.1. Substances

Sum formula: C<sub>8</sub> H<sub>16</sub> O<sub>2</sub>  
Molecular weight: 144,21 g/mol

#### Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
142-92-7	NATURAL HEXYL ACETATE			100 %
	205-572-7		01-2119976337-25-XXXX	
	Flam. Liq. 3; H226			

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
142-92-7	205-572-7	NATURAL HEXYL ACETATE	100 %
	dermal: LD50 = >5000 mg/kg; oral: LD50 = 36100 mg/kg		

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

#### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Rinse mouth immediately and drink plenty of water.

### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 3 of 11

### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

### Unsuitable extinguishing media

Water.

### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition.

### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

### 7.3. Specific end use(s)

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 4 of 11

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

##### DNEL/DMEL values

CAS No	Name of agent			
DNEL type		Exposure route	Effect	Value
142-92-7	NATURAL HEXYL ACETATE			
Worker DNEL, long-term		inhalation	systemic	48 mg/m³
Worker DNEL, long-term		dermal	systemic	14 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	12 mg/m³
Consumer DNEL, long-term		dermal	systemic	6,9 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	6,9 mg/kg bw/day

##### PNEC values

CAS No	Name of agent	
Environmental compartment	Value	
142-92-7	NATURAL HEXYL ACETATE	
Freshwater	0,0044 mg/l	
Freshwater (intermittent releases)	0,044 mg/l	
Marine water	0,00044 mg/l	
Freshwater sediment	0,144 mg/kg	
Marine sediment	0,0144 mg/kg	
Micro-organisms in sewage treatment plants (STP)	1 mg/l	
Soil	0,026 mg/kg	

#### 8.2. Exposure controls



Individual protection measures, such as personal protective equipment

##### Eye/face protection

Wear eye protection/face protection.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 5 of 11

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	
Odour:	fruity
Melting point/freezing point:	-80 °C
Boiling point or initial boiling point and boiling range:	251 °C
Flammability:	not determined
Lower explosion limits:	0,95 vol. %
Upper explosion limits:	not determined
Flash point:	56 °C
Auto-ignition temperature:	265 °C
Decomposition temperature:	not determined
pH-Value:	not determined
Viscosity / kinematic: (at 20 °C)	1,34 mm²/s
Water solubility: (at 20 °C)	0,43 g/l
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	3,3
Vapour pressure: (at 20 °C)	1,44 hPa
Vapour pressure: (at 50 °C)	8,47 hPa
Density (at 20 °C):	0,87 g/cm³
Relative vapour density: (at 20 °C)	4,97

#### 9.2. Other information

##### Information with regard to physical hazard classes

##### Explosive properties

The product is not: Explosive. not explosive according to EU A.14

##### Oxidizing properties

The product is not: oxidising.

##### Other safety characteristics

Evaporation rate:	not determined
Solvent content:	0%
Solid content:	0%
Viscosity / dynamic: (at 20 °C)	1,17 mPa·s

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 6 of 11

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
142-92-7	NATURAL HEXYL ACETATE				
	oral	LD50 mg/kg	36100	Rat	GESTIS
	dermal	LD50 mg/kg	>5000	Rabbit	REACH registration OECD 402

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 7 of 11

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
142-92-7	NATURAL HEXYL ACETATE					
	Acute fish toxicity	LC50	4,4 mg/l	96 h	Pimephales promelas (fathead minnow)	REACH Registration
	Acute algae toxicity	ErC50	12 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Registration
	Acute crustacea toxicity	EC50	9,1 mg/l	48 h	Daphnia magna (Big water flea)	REACH Registration
	Crustacea toxicity	NOEC	0,84 mg/l	2 d	Daphnia magna (Big water flea)	REACH Registration
	Acute bacteria toxicity	EC50	100-1000 mg/l ( )	0,5 h	Activated sludge	REACH Registration

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
142-92-7	NATURAL HEXYL ACETATE			
	OECD 301D	66%	28	REACH Registration
	Readily biodegradable (according to OECD criteria).			
	OECD 301D	50%	14	REACH Registration
	Readily biodegradable (according to OECD criteria).			
	OECD 301D	42%	7	REACH Registration
	Readily biodegradable (according to OECD criteria).			

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
142-92-7	NATURAL HEXYL ACETATE	3,3

#### BCF

CAS No	Chemical name	BCF	Species	Source
142-92-7	NATURAL HEXYL ACETATE	70		REACH Registration

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

### 12.7. Other adverse effects

No information available.

#### Further information

Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 8 of 11

### Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

### List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

### List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## SECTION 14: Transport information

### Land transport (ADR/RID)

**14.1. UN number or ID number:** UN 3272  
**14.2. UN proper shipping name:** ESTERS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Classification code: F1  
Special Provisions: 274 601  
Limited quantity: 5 L  
Excepted quantity: E1  
Transport category: 3  
Hazard No: 30  
Tunnel restriction code: D/E

### Other applicable information (land transport)

E1

### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 3272  
**14.2. UN proper shipping name:** ESTERS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Classification code: F1  
Special Provisions: 274 601  
Limited quantity: 5 L  
Excepted quantity: E1

### Other applicable information (inland waterways transport)

E1



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 9 of 11

### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 3272  
**14.2. UN proper shipping name:** ESTERS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: 223 274  
Limited quantity: 5 L  
Excepted quantity: E1  
EmS: F-E, S-D

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 3272  
**14.2. UN proper shipping name:** ESTERS, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** III  
Hazard label: 3



Special Provisions: A3  
Limited quantity Passenger: 10 L  
Passenger LQ: Y344  
Excepted quantity: E1  
IATA-packing instructions - Passenger: 355  
IATA-max. quantity - Passenger: 60 L  
IATA-packing instructions - Cargo: 366  
IATA-max. quantity - Cargo: 220 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No  
Danger releasing substance: NATURAL HEXYL ACETATE

### 14.6. Special precautions for user

Warning: Combustible liquid.

### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

Directive 2010/75/EU on industrial emissions: 100 % (870 g/l)

Information according to Directive 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

#### National regulatory information

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 10 of 11

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,12,13,14,15,16.

### Abbreviations and acronyms

Flam. Liq: Flammable liquid

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### Relevant H and EUH statements (number and full text)

H226 Flammable liquid and vapour.

# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## NATURAL HEXYL ACETATE

Revision date: 12.07.2023

Product code: 256500

Page 11 of 11

### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

### Identified uses

No	Short title	LCS	SU	PC	PROC	ERC	AC	TF	Specification
1	Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other	-	-	-	-	-	-	-	

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories