

Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 08/11/2022

Product code: 217500US

Page 1 of 8

1. Identification

Product identifier

NATURAL ISOBUTYL ACETATE

Substance name: NATURAL ISOBUTYL ACETATE
 CAS No: 110-19-0

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

For Flavour use for food and feed only

Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
e-mail:	info@axxence.com	
Contact person:	Andreas Goertz	Telephone: + 49 2822 68561 37
e-mail:	andreas.goertz@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	QM - Regulatory Affairs	

Emergency phone number: +49 2822 68561 99

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 2
 Specific target organ toxicity single exposure: STOT SE 3 (narcotic effects)
 Hazardous to the aquatic environment: Aquatic Acute 3

Label elements

29 CFR Part 1910.1200

Signal word: Danger

Pictograms:



Hazard statements

Highly flammable liquid and vapor
 May cause drowsiness or dizziness

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
 Keep container tightly closed.
 Ground/bond container and receiving equipment.
 Use explosion-proof electrical/ventilating/lighting equipment.
 Use only non-sparking tools.
 Take precautionary measures against static discharge.
 Avoid breathing dust/fume/gas/mist/vapors/spray.
 Use only outdoors or in a well-ventilated area.
 Wear protective gloves/protective clothing/eye protection/face protection.
 If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 If inhaled: Remove person to fresh air and keep comfortable for breathing.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 08/11/2022

Product code: 217500US

Page 2 of 8

Call a poison center/doctor if you feel unwell.
In case of fire: Use alcohol resistant foam/Carbon dioxide (CO₂) to extinguish.
Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container to Organic waste.

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients**Substances**

Sum formula: C₆ H₁₂ O₂
Molecular weight: 116,16

Hazardous components

CAS No	Components	Quantity
110-19-0	NATURAL ISOBUTYL ACETATE	100 %

4. First-aid measures**Description of first aid measures****After inhalation**

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.

Specific hazards arising from the chemical

Highly flammable. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray/stream to protect personnel and to cool endangered containers. Suppress gases/vapors/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 08/11/2022

Product code: 217500US

Page 3 of 8

Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fume/vapor/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7

Personal protection equipment (PPE): see section 8

Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection

Control parameters

Exposure limits

CAS No	Substance	ppm	mg/m ³	f/cc	Category	Origin
110-19-0	Isobutyl acetate	150	700		TWA (8 h)	PEL
		150	700		TWA (8 h)	REL
		50			TWA (8 h)	ACGIH-2022
		150			STEL (15 min)	ACGIH-2022

Exposure controls

Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 08/11/2022

Product code: 217500US

Page 4 of 8



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fume/vapor/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Wear eye/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type Butyl caoutchouc (butyl rubber) (0,7mm)

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state:	Liquid
Color:	colorless
Odor:	fruity
Melting point/freezing point:	-99 °C
Boiling point or initial boiling point and boiling range:	117 °C
Flammability	
Solid/liquid:	not applicable
Gas:	not applicable
Lower explosion limits:	1,25 vol. %
Upper explosion limits:	10,5 vol. %
Flash point:	22 °C
Auto-ignition temperature:	430 °C
Decomposition temperature:	not determined
pH-Value (at 20 °C):	6,7
Viscosity / kinematic: (at 20 °C)	0,8 mm ² /s
Water solubility: (at 20 °C)	5,6 g/L
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	2,3
Vapor pressure: (at 20 °C)	19,9 hPa
Vapor pressure: (at 50 °C)	87,7 hPa
Density (at 20 °C):	0,87 g/cm ³

Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 08/11/2022

Product code: 217500US

Page 5 of 8

Relative vapour density:
(at 20 °C) 4,01

Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. not hazard of explosion according to EU A.14

Self-ignition temperature

Solid: not applicable

Gas: not applicable

Oxidizing properties

Not oxidising.

Other safety characteristics

Evaporation rate: not determined

Solvent content: 0%

Solid content: 0%

Viscosity / dynamic:
(at 20 °C) 0,7 mPa·s

10. Stability and reactivity

Reactivity

Highly flammable.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
110-19-0	NATURAL ISOBUTYL ACETATE				
	oral	LD50 mg/kg 13413	Rat	REACH registration	OECD 401
	dermal	LD50 mg/kg >17400	Rabbit	REACH registration	OECD 402
	inhalation (4 h) vapour	LC50 30 mg/l	Rat	REACH registration	OECD 403

Irritation and corrosivity

Based on available data, the classification criteria are not met.

Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 08/11/2022

Product code: 217500US

Page 6 of 8

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

May cause drowsiness or dizziness (NATURAL ISOBUTYL ACETATE)

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA): Not listed.

Carcinogenicity (IARC): Not listed.

Carcinogenicity (NTP): Not listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification according to Regulation (EC) No 1272/2008 [CLP]: health hazard properties

Information on other hazards

Endocrine disrupting properties

No information available.

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

Other adverse effects

No information available.

Further information

Avoid release to the environment.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

14. Transport information

U.S. DOT 49 CFR 172.101

<u>UN number or ID number:</u>	UN 1213
<u>Proper shipping name:</u>	ISOBUTYL ACETATE
<u>Transport hazard class(es):</u>	3
<u>Packing group:</u>	II

Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 08/11/2022

Product code: 217500US

Page 7 of 8

Hazard label: 3



Marine transport (IMDG)

UN number or ID number: UN 1213
UN proper shipping name: ISOBUTYL ACETATE
Transport hazard class(es): 3
Packing group: II
 Hazard label: 3



Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

UN number or ID number: UN 1213
UN proper shipping name: ISOBUTYL ACETATE
Transport hazard class(es): 3
Packing group: II
 Hazard label: 3



Limited quantity Passenger: 1 L
 Passenger LQ: Y341
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 353
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 364
 IATA-max. quantity - Cargo: 60 L

Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

Special precautions for user

Warning: Combustible liquid.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

not applicable

15. Regulatory information

U.S. Regulations

National regulatory information

SARA Section 304 CERCLA:
 iso-Butyl acetate (110-19-0): Reportable quantity = 5,000 (2270) lbs. (kg)
 SARA Section 311/312 Hazards:
 iso-Butyl acetate (110-19-0): Fire hazard, Immediate (acute) health hazard

State Regulations

Safety Data Sheet

according to 29 CFR 1910.1200(g)

NATURAL ISOBUTYL ACETATE

Revision date: 08/11/2022

Product code: 217500US

Page 8 of 8

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Revision date: 11.08.2022

Revision No: 102

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route
(European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonized System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service
LC50: Lethal concentration, 50%
LD50: Lethal dose, 50%
CLP: Classification, labelling and Packaging
REACH: Registration, Evaluation and Authorization of Chemicals
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
UN: United Nations
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
ATE: Acute toxicity estimate
LL50: Lethal loading, 50%
EL50: Effect loading, 50%
EC50: Effective Concentration 50%
ErC50: Effective Concentration 50%, growth rate
NOEC: No Observed Effect Concentration
BCF: Bio-concentration factor
PBT: persistent, bioaccumulative, toxic
vPvB: very persistent, very bioaccumulative
RID: Regulations concerning the international carriage of dangerous goods by rail
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)
EmS: Emergency Schedules
MFAG: Medical First Aid Guide
ICAO: International Civil Aviation Organization
MARPOL: International Convention for the Prevention of Marine Pollution from Ships
IBC: Intermediate Bulk Container
VOC: Volatile Organic Compounds
SVHC: Substance of Very High Concern
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

Other data

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.