

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

NATURAL ISOBUTYL ALCOHOL

Substance name: NATURAL ISOBUTYL ALCOHOL  
 CAS No: 78-83-1

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

For Flavour use for food and feed only

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
e-mail:	info@axxence.com	
Contact person:	Andreas Goertz	Telephone: + 49 2822 68561 37
e-mail:	andreas.goertz@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	QM - Regulatory Affairs	

##### 1.4. Emergency telephone number:

+49 2822 68561 99

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### UN GHS (ST/SG/AC.10/11/Rev.9)

Flammable liquid: Flam. Liq. 3  
 Acute toxicity: Acute Tox. 5 (inhalation)  
 Acute toxicity: Acute Tox. 5 (dermal)  
 Acute toxicity: Acute Tox. 5 (oral)  
 Skin corrosion/irritation: Skin Irrit. 2  
 Serious eye damage/eye irritation: Eye Dam. 1  
 Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects)  
 Specific target organ toxicity - single exposure: STOT SE 3 (respiratory tract irritation)

##### 2.2. Label elements

###### UN GHS (ST/SG/AC.10/11/Rev.9)

Signal word: Danger

Pictograms:



###### Hazard statements

H226	Flammable liquid and vapour.
H303+H313+H333	May be harmful if swallowed, in contact with skin or if inhaled.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

###### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 2 of 9

smoking.	
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P317	IF SWALLOWED: Get medical help.
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P332+P317	If skin irritation occurs: Get medical help.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P317	Get medical help.
P305+P354+P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P317	Get medical help.
P370+P378	In case of fire: Use Carbon dioxide (CO <sub>2</sub> ) / alcohol resistant foam to extinguish.
P233	Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to .

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Sum formula: C<sub>4</sub> H<sub>10</sub> O

Molecular weight: 74,12

#### Hazardous components

CAS No	Chemical name	Quantity
	Classification (UN GHS (ST/SG/AC.10/11/Rev.9))	
78-83-1	NATURAL ISOBUTYL ALCOHOL	100 %
	Flam. Liq. 3, Acute Tox. 5, Acute Tox. 5, Acute Tox. 5, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, STOT SE 3; H226 H333 H313 H303 H315 H318 H335 H336	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### After inhalation

Provide fresh air. Medical treatment necessary.

##### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

##### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 3 of 9

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### Suitable extinguishing media

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

##### Unsuitable extinguishing media

Water.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

##### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

##### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 4 of 9

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

##### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls



##### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type NBR (Nitrile rubber) (0,4mm)

##### Skin protection

Use of protective clothing.

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	
Melting point/freezing point:	-108 °C
Boiling point or initial boiling point and boiling range:	108 °C
Flammability:	not determined

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 5 of 9

Lower explosion limits:	1,4 vol. %
Upper explosion limits:	11 vol. %
Flash point:	27 °C
Auto-ignition temperature:	430 °C
Decomposition temperature:	not determined
pH-Value:	7
Viscosity / kinematic: (at 20 °C)	4 mm <sup>2</sup> /s
Water solubility: (at 20 °C)	85 g/L
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	0,76
Vapour pressure: (at 20 °C)	11,8 hPa
Vapour pressure: (at 50 °C)	73,4 hPa
Density (at 20 °C):	0,80 g/cm <sup>3</sup>
Relative vapour density: (at 20 °C)	2,55

#### **9.2. Other information**

##### **Information with regard to physical hazard classes**

Explosive properties

The product is not: Explosive. not explosive according to EU A.14

Oxidizing properties

The product is not: oxidising.

##### **Other safety characteristics**

Evaporation rate: not determined

Solvent content: 0%

Solid content: 0%

Viscosity / dynamic:  
(at 20 °C) 3,1 mPa·s

### SECTION 10: Stability and reactivity

#### **10.1. Reactivity**

Flammable.

#### **10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

#### **10.3. Possibility of hazardous reactions**

No known hazardous reactions.

#### **10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### **10.5. Incompatible materials**

No information available.

#### **10.6. Hazardous decomposition products**

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### **11.1. Information on toxicological effects**

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 6 of 9

#### Acute toxicity

- May be harmful if swallowed.
- May be harmful in contact with skin.
- May be harmful if inhaled.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
78-83-1	NATURAL ISOBUTYL ALCOHOL				
	oral	LD50 >2830 mg/kg	Rat	REACH Registration	OECD 401
	dermal	LD50 3400 mg/kg	Rabbit	GESTIS	
	inhalation (4 h) vapour	LC50 24,6 mg/l	Rat	REACH REgistration	
	inhalation dust/mist	ATE 6,25 mg/l			

#### Irritation and corrosivity

- Causes skin irritation.
- Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

- May cause respiratory irritation. (NATURAL ISOBUTYL ALCOHOL)
- May cause drowsiness or dizziness. (NATURAL ISOBUTYL ALCOHOL)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

No information available.

##### Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

### SECTION 12: Ecological information

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
78-83-1	NATURAL ISOBUTYL ALCOHOL					
	Acute fish toxicity	LC50 1430 mg/l	96 h	Pimephales promelas (fathead minnow)	REACH Dossier	
	Acute algae toxicity	ErC50 593 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Dossier	OECD 201
	Acute crustacea toxicity	EC50 1100 mg/l	48 h	Daphnia pulex (water flea)	REACH Dossier	ASTM E1193-97
	Crustacea toxicity	NOEC 20 mg/l	21 d	Daphnia magna (Big water flea)	REACH Dossier	

#### 12.2. Persistence and degradability

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 7 of 9

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
78-83-1	NATURAL ISOBUTYL ALCOHOL			
	OECD 301	74%	28	REACH Dossier
	OECD 301	14%	5	REACH Dossier
	Readily biodegradable (according to OECD criteria).			

#### **12.3. Bioaccumulative potential**

The product has not been tested.

#### **Partition coefficient n-octanol/water**

CAS No	Chemical name	Log Pow
78-83-1	NATURAL ISOBUTYL ALCOHOL	0,76

#### **12.4. Mobility in soil**

The product has not been tested.

#### **12.6. Endocrine disrupting properties**

This substance does not have endocrine disrupting properties with respect to non-target organisms.

No information available.

#### **12.7. Other adverse effects**

No information available.

#### **Further information**

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### **13.1. Waste treatment methods**

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### **Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

### SECTION 14: Transport information

#### **Marine transport (IMDG)**

<b>14.1. UN number or ID number:</b>	UN 1212
<b>14.2. UN proper shipping name:</b>	ISOBUTANOL (ISOBUTYL ALCOHOL)
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	III
Hazard label:	3



Special Provisions:	-
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D

#### **Air transport (ICAO-TI/IATA-DGR)**

<b>14.1. UN number or ID number:</b>	UN 1212
<b>14.2. UN proper shipping name:</b>	ISOBUTANOL
<b>14.3. Transport hazard class(es):</b>	3

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.9)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 8 of 9

#### 14.4. Packing group:

III

Hazard label:

3



Limited quantity Passenger:

10 L

Passenger LQ:

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger:

355

IATA-max. quantity - Passenger:

60 L

IATA-packing instructions - Cargo:

366

IATA-max. quantity - Cargo:

220 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

#### 14.6. Special precautions for user

Warning: Combustible liquid.

#### 14.7. Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### National regulatory information

Employment restrictions:

Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative



**Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.9)

**NATURAL ISOBUTYL ALCOHOL**

Revision date: 24.05.2023

Product code: 217900WW

Page 9 of 9

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.