

according to UN GHS (ST/SG/AC.10/11/Rev.10)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

NATURAL ISOBUTYL ALCOHOL

Substance name: CAS No: NATURAL ISOBUTYL ALCOHOL 78-83-1

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

For Flavour use for food and feed only

### 1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax:+ 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Safety Team	Telephone: + 49 2822 68561 0
E-mail:	safety-documentation@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	Safety Management	
1.4. Emergency telephone	+49 2822 68561 99	

# number:

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### UN GHS (ST/SG/AC.10/11/Rev.10)

Flammable liquid: Flam. Liq. 3 Acute toxicity: Acute Tox. 5 (inhalation) Acute toxicity: Acute Tox. 5 (dermal) Acute toxicity: Acute Tox. 5 (oral) Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Dam. 1 Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects) Specific target organ toxicity - single exposure: STOT SE 3 (respiratory tract irritation)

### 2.2. Label elements

### UN GHS (ST/SG/AC.10/11/Rev.10)

Danger

Signal word:

#### Pictograms:



### Hazard statements

H226	Flammable liquid and vapour.
H303+H313+H333	May be harmful if swallowed, in contact with skin or if inhaled.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

#### **Precautionary statements**

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

P210



according to UN GHS (ST/SG/AC.10/11/Rev.10)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 2 of 9

_		
		smoking.
	P233	Keep container tightly closed.
	P240	Ground and bond container and receiving equipment.
	P241	Use explosion-proof electrical/ventilating/lighting equipment.
	P242	Use non-sparking tools.
	P243	Take action to prevent static discharges.
	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P271	Use only outdoors or in a well-ventilated area.
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P301+P317	IF SWALLOWED: Get medical help.
	P302+P352	IF ON SKIN: Wash with plenty of Water and soap.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
	P332+P317	If skin irritation occurs: Get medical help.
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P317	Get medical help.
	P305+P354+P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P317	Get medical help.
	P370+P378	In case of fire: Use Carbon dioxide (CO2) / alcohol resistant foam to extinguish.
	P233	Keep container tightly closed.
	P403+P235	Store in a well-ventilated place. Keep cool.
	P405	Store locked up.
	P501	Dispose of contents/container to organic waste.
_		

#### 2.3. Other hazards

No information available.

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Sum formula:	C4 H10 O
Molecular weight:	74,12 g/mol

### **Relevant ingredients**

CAS No	Chemical name	Quantity
	Classification (UN GHS (ST/SG/AC.10/11/Rev.10))	
78-83-1	NATURAL ISOBUTYL ALCOHOL	100 %
	Flam. Liq. 3, Acute Tox. 5, Acute Tox. 5, Acute Tox. 5, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, STOT SE 3; H226 H333 H313 H303 H315 H318 H335 H336	

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. Medical treatment necessary.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

according to UN GHS (ST/SG/AC.10/11/Rev.10)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 3 of 9

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water. Rinse mouth immediately and drink plenty of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

Water.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

### 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 4 of 9

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

#### 8.2. Exposure controls







#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

#### Eye/face protection

Suitable eye protection: goggles.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type NBR (Nitrile rubber) (0,4mm)

#### Skin protection

Use of protective clothing.

#### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	
Melting point/freezing point:	-108 °C
Boiling point or initial boiling point and	108 °C
boiling range:	
Flammability:	not determined

according to UN GHS (ST/SG/AC.10/11/Rev.10)

	NATURAL ISOBUTYL ALCOHOL	
Revision date: 24.05.2023	Product code: 217900WW	Page 5 of 9
Lower explosion limits:	1,4 vol. %	
Upper explosion limits:	11 vol. %	
Flash point:	27 °C	
Auto-ignition temperature:	430 °C	
Decomposition temperature:	not determined	
pH-Value:	7	
Viscosity / kinematic:	4 mm²/s	
(at 20 °C)		
Water solubility:	85 g/l	
(at 20 °C)		
Solubility in other solvents		
not determined	0.70	
Partition coefficient n-octanol/water:	0,76	
Vapour pressure: (at 20 °C)	11,8 hPa	
Vapour pressure:	73,4 hPa	
(at 50 °C)	73,4 m a	
Density (at 20 °C):	0,80 g/cm³	
Relative vapour density:	2,55	
(at 20 °C)		
9.2. Other information		
Information with regard to physical haza	rd classes	
Explosive properties		
The product is not: Explosive. not explo	sive according to EU A.14	
Oxidizing properties		
The product is not: oxidising.		
Other safety characteristics		
Evaporation rate:	not determined	
Solvent content:	0%	
Solid content:	0%	
Viscosity / dynamic:	3,1 mPa·s	
(at 20 °C)		

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects



according to UN GHS (ST/SG/AC.10/11/Rev.10)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 6 of 9

#### Acute toxicity

May be harmful if swallowed. May be harmful in contact with skin. May be harmful if inhaled.

CAS No	Chemical name					
	Exposure route	re route Dose S		Species	Source	Method
78-83-1	NATURAL ISOBUTYL AI	COHOL				
	oral	LD50 mg/kg	>2830	Rat	REACH Registration	OECD 401
	dermal	LD50 mg/kg	3400	Rabbit	GESTIS	
	inhalation (4 h) vapour	LC50	24,6 mg/l	Rat	REACH REgistration	
	inhalation dust/mist	ATE	6,25 mg/l			

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause respiratory irritation. (NATURAL ISOBUTYL ALCOHOL) May cause drowsiness or dizziness. (NATURAL ISOBUTYL ALCOHOL)

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

Endocrine disrupting properties No information available.

# Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

The product is not: Ecotoxic.



### according to UN GHS (ST/SG/AC.10/11/Rev.10)

### NATURAL ISOBUTYL ALCOHOL

Revision date: 24.05.2023

Product code: 217900WW

Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
78-83-1	NATURAL ISOBUTYL AL	COHOL					
	Acute fish toxicity	LC50 mg/l	1430		Pimephales promelas (fathead minnow)	REACH Dossier	
	Acute algae toxicity	ErC50	593 mg/l	72 h	Pseudokirchneriella subcapitata	REACH Dossier	OECD 201
	Acute crustacea toxicity	EC50 mg/l	1100	48 h	Daphnia pulex (water flea)	REACH Dossier	ASTM E1193-97
	Crustacea toxicity	NOEC	20 mg/l		Daphnia magna (Big water flea)	REACH Dossier	

### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method Value d Source					
	Evaluation					
78-83-1	NATURAL ISOBUTYL ALCOHOL					
	OECD 301 74% 28 REACH Dossier					
	OECD 301 14% 5 REACH Dossier					
	Readily biodegradable (according to OECD criteria).					

#### 12.3. Bioaccumulative potential

The product has not been tested.

# Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
78-83-1	NATURAL ISOBUTYL ALCOHOL	0,76

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms. No information available.

### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### **Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

#### Marine transport (IMDG)

14.1. UN number or ID number:	UN 1212
14.2. UN proper shipping name:	ISOBUTANOL (ISOBUTYL ALCOHOL)
<u>14.3. Transport hazard class(es):</u>	3



according to UN GHS (ST/SG/AC.10/11/Rev.10)

	NATURAL ISOBUTYL ALCOHOL	
Revision date: 24.05.2023	Product code: 217900WW	Page 8 of 9
14.4. Packing group:	111	
Hazard label:	3	
Special Provisions:		
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 1212	
14.2. UN proper shipping name:	ISOBUTANOL	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Limited quantity Passenger:	10 L	
Passenger LQ:	Y344	
Excepted quantity:	E1	
IATA-packing instructions - Passenger:	355	
IATA-max. quantity - Passenger:	60 L	
IATA-packing instructions - Cargo:	366	
IATA-max. quantity - Cargo:	220 L	
14.5. Environmental hazards		
ENVIRONMENTALLY HAZARDOUS:	No	
14.6. Special precautions for user		
Warning: Combustible liquid.		
14.7. Maritime transport in bulk according	o IMO instruments	
not applicable		
SECTION 15: Regulatory information		
National regulatory information		
	Observe restrictions to employment for juveniles according to the 'juvenile	
Employment restrictions:	work protection guideline' (94/33/EC).	
	work protection guideline" (94/33/EC).	

### **SECTION 16: Other information**

### Changes

This data sheet contains changes from the previous version in section(s): 2.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

### NATURAL ISOBUTYL ALCOHOL

Page 9 of 9

#### Product code: 217900WW Revision date: 24.05.2023 Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.