

according to Regulation (EC) No 1907/2006

## NATURAL ISO BUTYL PROPIONATE

Revision date: 25.01.2023

Product code: 221200

Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

NATURAL ISO BUTYL PROPIONATE

Substance name:	NATURAL ISO BUTYL PROPIONATE
CAS No:	540-42-1
Index No:	607-029-00-3
EC No:	208-746-0

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

## Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

## 1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Safety Team	Telephone: + 49 2822 68561 0
E-mail:	safety-documentation@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	Safety Management	
1.4. Emergency telephone	+49 2822 68561 99	

number:

1

**SECTION 2: Hazards identification** 

## 2.1. Classification of the substance or mixture

## Regulation (EC) No 1272/2008

Flam. Liq. 3; H226

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

## Regulation (EC) No 1272/2008

Signal word: Warning

Pictograms:



## Hazard statements

H226

Flammable liquid and vapour.

### **Precautionary statements**

recautionary su	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing



according to Regulation (EC) No 1907/2006

## NATURAL ISO BUTYL PROPIONATE

Revision date: 25.01.2023	Product code: 221200	Page 2 of 9
P303+P361+P353	protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with	
F3037F3017F333	water or shower.	
P370+P378	In case of fire: Use alcohol resistant foam / Water spray jet / Carbon dioxide (CO2) /	
	Extinguishing powder to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container to organic waste.	
2.3. Other hazards		

No information available.

## **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Sum formula:	C7 H14 O2
Molecular weight:	130,19 g/mol

## **Relevant ingredients**

CAS No	Chemical name		Quantity	
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
540-42-1	NATURAL ISO BUTYL PROPIONATE			100 %
	208-746-0	607-029-00-3		
	Flam. Liq. 3; H226			

## Full text of H and EUH statements: see section 16.

### Specific Conc. Limits, M-factors and ATE

CAS No	EC No Chemical name		Quantity
	Specific Conc. Limits, M-factors and ATE		
540-42-1	208-746-0 NATURAL ISO BUTYL PROPIONATE		100 %
	oral: LD50 = 5599 mg/kg		

## **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air.

### After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

#### After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2) / alcohol resistant foam / Extinguishing powder



according to Regulation (EC) No 1907/2006

## NATURAL ISO BUTYL PROPIONATE

Revision date: 25.01.2023

Product code: 221200

Page 3 of 9

## Unsuitable extinguishing media

Water.

## 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

### **General advice**

Remove all sources of ignition.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

### 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

## 6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

#### Advice on safe handling

No special measures are necessary.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

## 7.3. Specific end use(s)

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other



according to Regulation (EC) No 1907/2006

## NATURAL ISO BUTYL PROPIONATE

Revision date: 25.01.2023

Product code: 221200

Page 4 of 9

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

8.2. Exposure controls





## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear eye protection/face protection.

## Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Use of protective clothing.

## **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Melting point/freezing point:		-71 °C
Boiling point or initial boiling point and		137 °C
boiling range:		
Flammability:		not determined
Lower explosion limits:		1,15 vol. %
Upper explosion limits:		7,5 vol. %
Flash point:		31 °C
Auto-ignition temperature:		435 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:		2,6 g/l
(at 25 °C)		
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		2,158
Vapour pressure:		6,4 hPa
(at 20 °C)		
Vapour pressure:		34,5 hPa
(at 50 °C)		
Density (at 20 °C):		0,86 g/cm <sup>3</sup>
Relative vapour density:		4,5
(at 20 °C)		
0.2. Other information		

## Information with regard to physical hazard classes

9.



according to Regulation (EC) No 1907/2006

## NATURAL ISO BUTYL PROPIONATE

Revision date: 25.01.2023

Product code: 221200

not determined

not determined

Page 5 of 9

Explosive properties The product is not: Explosive. not explosive according to EU A.14 Oxidizing properties The product is not: oxidising.

# Other safety characteristics

Evaporation rate: Solid content:

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Flammable.

## 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

## 10.5. Incompatible materials

No information available.

## 10.6. Hazardous decomposition products

No known hazardous decomposition products.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
540-42-1	NATURAL ISO BUTYL PROPIONATE				
		LD50 5599 mg/kg	Rabbit		

#### Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.



according to Regulation (EC) No 1907/2006

## NATURAL ISO BUTYL PROPIONATE

Revision date: 25.01.2023

Product code: 221200

Page 6 of 9

## 11.2. Information on other hazards

Endocrine disrupting properties

No information available.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product is not: Ecotoxic.

# 12.2. Persistence and degradability

The product has not been tested.

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
540-42-1	NATURAL ISO BUTYL PROPIONATE	2,158

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

#### 12.7. Other adverse effects

No information available.

## **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

#### List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

## Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

	NATURAL ISO BUTYL PROPIONATE	
Revision date: 25.01.2023	Product code: 221200	Page 7 of 9
14.1. UN number or ID number:	UN 2394	
14.2. UN proper shipping name:	ISOBUTYL PROPIONATE	
<u>14.3. Transport hazard class(es):</u>	3	
14.4. Packing group:	III	
Hazard label:	3	
Classification code:	F1	
Limited quantity:	5 L	
Excepted quantity:	E1	
Transport category:	3	
Hazard No:	30	
Tunnel restriction code:	D/E	
Other applicable information (land tra E1	insport)	
Inland waterways transport (ADN)		
14.1. UN number or ID number:	UN 2394	
14.2. UN proper shipping name:	ISOBUTYL PROPIONATE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Classification code:	F1	
Limited quantity:	5 L	
Excepted quantity:	E1	
Other applicable information (inland v E1	vaterways transport)	
Marine transport (IMDG)		
14.1. UN number or ID number:	UN 2394	
14.2. UN proper shipping name:	ISOBUTYL PROPIONATE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	
Special Provisions:	-	
Limited quantity:	5 L	
Excepted quantity:	E1	
EmS:	F-E, S-D	
Air transport (ICAO-TI/IATA-DGR)		
14.1. UN number or ID number:	UN 2394	
14.2. UN proper shipping name:	ISOBUTYL PROPIONATE	
14.3. Transport hazard class(es):	3	
14.4. Packing group:	III	
Hazard label:	3	



according to Regulation (EC) No 1907/2006

N Revision date: 25.01.2023	ATURAL ISO BUTYL PROPIONATE Product code: 221200	Page 8 of 9
Limited quantity Passenger: Passenger LQ: Excepted quantity: IATA-packing instructions - Passenger: IATA-max. quantity - Passenger: IATA-packing instructions - Cargo: IATA-max. quantity - Cargo: <b>14.5. Environmental hazards</b>	10 L Y344 E1 355 60 L 366 220 L	
ENVIRONMENTALLY HAZARDOUS:	No	
Warning: Combustible liquid. <u>14.7. Maritime transport in bulk according to</u> not applicable <u>SECTION 15: Regulatory information</u> 15.1. Safety, health and environmental regul	o IMO instruments	
EU regulatory information Restrictions on use (REACH, annex XVII): Entry 3, Entry 40		
Directive 2010/75/EU on industrial emissions:	100 % (860 g/l)	
Directive 2004/42/EC on VOC in paints and varnishes: Information according to Directive 2012/18/EU (SEVESO III):	100 % (860 g/l) P5c FLAMMABLE LIQUIDS	
Additional information To follow: 850/2004/EC, 79/117/EEC, 6	689/2008/EC	
National regulatory information		
Employment restrictions:	Observe restrictions to employment for juveniles according to the 'juven work protection guideline' (94/33/EC).	ile
Water hazard class (D):	2 - obviously hazardous to water	
15.2. Chemical safety assessment		

For this substance a chemical safety assessment has not been carried out.

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,5,6,7,9,11,15,16.



according to Regulation (EC) No 1907/2006

## NATURAL ISO BUTYL PROPIONATE

Revision date: 25.01.2023

Product code: 221200

Page 9 of 9

Abbreviations and acronyms Flam. Lig: Flammable liquid ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNFL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Relevant H and EUH statements (number and full text) H226 Flammable liquid and vapour.

#### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.