

according to 29 CFR 1910.1200(g)

NATURAL ISO BUTYL PROPIONATE

Revision date: 01/25/2023

Product code: 221200US

Page 1 of 8

1. Identification

Product identifier

NATURAL ISO BUTYL PROPIONATE

Substance name: CAS No: NATURAL ISO BUTYL PROPIONATE 540-42-1

Recommended use of the chemical and restrictions on use

Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH		
Street:	Tackenweide 28		
Place:	D-46446 Emmerich am Rhein		
Telephone:	+ 49 2822 68561 0	Telefax:+ 49 2822 68561 39	
E-mail:	info@axxence.com		
Contact person:	Safety Team	Telephone: + 49 2822 68561 0	
E-mail:	safety-documentation@axxence.com		
Internet:	www.axxence.de		
Responsible Department:	Safety Management		
Emergency phone number:	+49 2822 68561 99		

2. Hazard(s) identification

Classification of the chemical

29 CFR Part 1910.1200

Flammable liquids: Flam. Liq. 3

Label elements

29 CFR Part 1910.1200

Signal word:

Pictograms:



Hazard statements

Flammable liquid and vapor

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use alcohol resistant foam / Water spray jet / Carbon dioxide (CO2) / Extinguishing powder to extinguish.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container to Organic waste.



according to 29 CFR 1910.1200(g)

NATURAL ISO BUTYL PROPIONATE

Revision date: 01/25/2023

Product code: 221200US

Page 2 of 8

Hazards not otherwise classified

No information available.

3. Composition/information on ingredients

Substances

Sum formula:	C7 H14 O2
Molecular weight:	130,19 g/mol

Relevant ingredients

CAS No	Components	Quantity
540-42-1	NATURAL ISO BUTYL PROPIONATE	100 %

4. First-aid measures

Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water.

After ingestion

Rinse mouth immediately and drink 1 glass of of water.

Most important symptoms and effects, both acute and delayed

No information available.

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) / alcohol resistant foam / Extinguishing powder

Unsuitable extinguishing media

Water.

Specific hazards arising from the chemical

Flammable. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire-fighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition.

Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.



according to 29 CFR 1910.1200(g)

NATURAL ISO BUTYL PROPIONATE

Revision date: 01/25/2023

Product code: 221200US

Page 3 of 8

Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Reference to other sections

Safe handling: see section 7 Personal protection equipment (PPE): see section 8 Disposal: see section 13

7. Handling and storage

Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapors may form explosive mixtures with air.

Advice on general occupational hygiene

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff. Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat, drink, smoke, sniff.

Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage


Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

8. Exposure controls/personal protection

Control parameters

Exposure controls





Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.



according to 29 CFR 1910.1200(g)

NATURAL ISO BUTYL PROPIONATE

Revision date: 01/25/2023

Product code: 221200US

Page 4 of 8

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

9. Physical and chemical properties

Information on basic physical and chemica	al properties	
Physical state:	Liquid	
Color:	colorless	
Melting point/freezing point:		-71 °C
Boiling point or initial boiling point and		137 °C
boiling range:		
Flammability:		not determined
Lower explosion limits:		1,15 vol. %
Upper explosion limits:		7,5 vol. %
Flash point:		31 °C
Auto-ignition temperature:		435 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:		2,6 g/l
(at 25 °C)		-
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		2,158
Vapor pressure:		6,4 hPa
(at 20 °C)		
Vapor pressure:		34,5 hPa
(at 50 °C)		
Density (at 20 °C):		0,86 g/cm ³
Relative vapour density:		4,5
(at 20 °C)		
Other information		
Information with regard to physical haz	ard classes	
Explosive properties		
The product is not: Explosive. not exp	plosive according to EU A.14	
Oxidizing properties		
The product is not: oxidising.		
Other safety characteristics		
Evaporation rate:		not determined
Solid content:		not determined

10. Stability and reactivity

Reactivity

Flammable.

Chemical stability

The product is stable under storage at normal ambient temperatures.

Possibility of hazardous reactions

No known hazardous reactions.

Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapors may form explosive mixtures with air.



according to 29 CFR 1910.1200(g)

NATURAL ISO BUTYL PROPIONATE

Revision date: 01/25/2023

Product code: 221200US

Page 5 of 8

Incompatible materials

No information available.

Hazardous decomposition products

No known hazardous decomposition products.

11. Toxicological information

Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Components				
	Exposure route	Dose	Species	Source	Method
540-42-1	NATURAL ISO BUTYL PROPIONATE				
	oral	LD50 5599 mg/kg	Rabbit		

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitizing effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met. Carcinogenicity: Based on available data, the classification criteria are not met. Reproductive toxicity: Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - single exposure

Based on available data, the classification criteria are not met.

Specific target organ toxicity (STOT) - repeated exposure

Based on available data, the classification criteria are not met.

Carcinogenicity (OSHA):	Not listed.
Carcinogenicity (IARC):	Not listed.
Carcinogenicity (NTP):	Not listed.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on other hazards

Endocrine disrupting properties

No information available.

12. Ecological information

Ecotoxicity

The product is not: Ecotoxic.

Persistence and degradability

The product has not been tested.

Bioaccumulative potential

The product has not been tested.

Mobility in soil

The product has not been tested.

Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.



according to 29 CFR 1910.1200(g)

NATURAL ISO BUTYL PROPIONATE

Revision date: 01/25/2023

Product code: 221200US

Page 6 of 8

Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

13. Disposal considerations

Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

14. Transport information

U.S. DOT 49 CFR 172.101

<u>UN number or ID number:</u> <u>Proper shipping name:</u> <u>Transport hazard class(es):</u> <u>Packing group:</u> Hazard label:	UN 2394 ISOBUTYL PROPIONATE 3 III 3
Marine transport (IMDG)	
UN number or ID number:	UN 2394
UN proper shipping name:	ISOBUTYL PROPIONATE
<u>Transport hazard class(es):</u>	3
Packing group:	 -
Hazard label:	3
Special Provisions:	-
Limited quantity:	5 L
Excepted quantity:	E1
EmS:	F-E, S-D
Air transport (ICAO-TI/IATA-DGR)	
<u>UN number or ID number:</u>	UN 2394
UN proper shipping name:	
Transport hazard class(es):	3
<u>Packing group:</u> Hazard label:	3
Limited quantity Passenger:	10 L
Passenger LQ:	Y344
Excepted quantity:	E1

according to 29 CFR 1910.1200(g)

NATURAL ISO BUTYL PROPIONATE

Revision date: 01/25/2023 Product code: 221200US Page 7 of 8 IATA-packing instructions - Passenger: 355 IATA-max. quantity - Passenger: 60 L IATA-packing instructions - Cargo: 366 IATA-max. quantity - Cargo: 220 L **Environmental hazards** ENVIRONMENTALLY HAZARDOUS: No Special precautions for user Warning: Combustible liquid. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code not applicable 15. Regulatory information U.S. Regulations National regulatory information SARA Section 311/312 Hazards: NATURAL ISO BUTYL PROPIONATE (540-42-1): Fire hazard **State Regulations**

Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65, State of California)

This product can not expose you to chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

16. Other information

Revision date: Revision No: 01/25/2023 100



according to 29 CFR 1910.1200(g)

NATURAL ISO BUTYL PROPIONATE

Revision date: 01/25/2023

Product code: 221200US

Page 8 of 8

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). Other data The information is based on the present level of our knowledge. It does not, however, give assurance of

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.