

according to UN GHS (ST/SG/AC.10/11/Rev.10)

# **NATURAL N-BUTYL ALCOHOL**

Revision date: 10.02.2023 Product code: 217800WW Page 1 of 9

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

NATURAL N-BUTYL ALCOHOL

Substance name: NATURAL N-BUTYL ALCOHOL

CAS No: 71-36-3

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

## 1.3. Details of the supplier of the safety data sheet

Company name: Axxence Aromatic GmbH

Street: Tackenweide 28

Place: D-46446 Emmerich am Rhein

Telephone: + 49 2822 68561 0 Telefax: + 49 2822 68561 39

E-mail: info@axxence.com

Contact person: Safety Team Telephone: + 49 2822 68561 0

E-mail: safety-documentation@axxence.com

Internet: www.axxence.de
Responsible Department: Safety Management

1.4. Emergency telephone +49 2822 68561 99

number:

### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## UN GHS (ST/SG/AC.10/11/Rev.10)

Flammable liquid: Flam. Liq. 3
Acute toxicity: Acute Tox. 4 (oral)
Acute toxicity: Acute Tox. 5 (inhalation)
Acute toxicity: Acute Tox. 5 (dermal)
Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Dam. 1

Specific target organ toxicity - single exposure: STOT SE 3 (narcotic effects)

Specific target organ toxicity - single exposure: STOT SE 3 (respiratory tract irritation)

### 2.2. Label elements

## UN GHS (ST/SG/AC.10/11/Rev.10)

Signal word: Danger

Pictograms:







# **Hazard statements**

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H313+H333 May be harmful in contact with skin or if inhaled.

H315 Causes skin irritation.

H318 Causes serious eye damage.
 H335 May cause respiratory irritation.
 H336 May cause drowsiness or dizziness.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

### **NATURAL N-BUTYL ALCOHOL**

Revision date: 10.02.2023 Product code: 217800WW Page 2 of 9

### **Precautionary statements**

P210 I	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.
P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P317 IF SWALLOWED: Get medical help.

P330 Rinse mouth.

P302+P352 IF ON SKIN: Wash with plenty of Water and soap.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water or shower.

P332+P317 If skin irritation occurs: Get medical help.

P362+P364 Take off contaminated clothing and wash it before reuse.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P317 Get medical help.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P317 Get medical help.

P370+P378 In case of fire: Use alcohol resistant foam / Carbon dioxide (CO2) to extinguish.

P233 Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container to organic waste.

### 2.3. Other hazards

No information available.

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Sum formula: C4 H10 O Molecular weight: 74,12 g/mol

#### Relevant ingredients

CAS No	Chemical name	Quantity
	Classification (UN GHS (ST/SG/AC.10/11/Rev.10))	
71-36-3	NATURAL N-BUTYL ALCOHOL	100 %
	Flam. Liq. 3, Acute Tox. 4, Acute Tox. 5, Acute Tox. 5, Skin Irrit. 2, Eye Dam. 1, STOT SE 3, STOT SE 3; H226 H302 H333 H313 H315 H318 H335 H336	

## **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. Medical treatment necessary.

# After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

Print date: 08.10.2024



# **Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.10)

#### **NATURAL N-BUTYL ALCOHOL**

Revision date: 10.02.2023 Product code: 217800WW Page 3 of 9

clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Observe risk of aspiration if vomiting occurs.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

#### Unsuitable extinguishing media

Water.

#### 5.2. Special hazards arising from the substance or mixture

Flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

#### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

# 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

## 6.3. Methods and material for containment and cleaning up

### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling



according to UN GHS (ST/SG/AC.10/11/Rev.10)

#### **NATURAL N-BUTYL ALCOHOL**

Revision date: 10.02.2023 Product code: 217800WW Page 4 of 9

## Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

## Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

## 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### 8.2. Exposure controls









## Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

# Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type NBR (Nitrile rubber) (0,4mm)

#### Skin protection

Use of protective clothing.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state: Liquid Colour: colourless

Melting point/freezing point: -89 °C



according to UN GHS (ST/SG/AC.10/11/Rev.10)

## **NATURAL N-BUTYL ALCOHOL**

Revision date: 10.02.2023 Product code: 217800WW Page 5 of 9

118 °C

Boiling point or initial boiling point and

boiling range:

Flammability: not determined Lower explosion limits: 1,4 vol. % Upper explosion limits: 11,3 vol. % Flash point: 35 °C Auto-ignition temperature: 325 °C Decomposition temperature: not determined

pH-Value (at 20 °C):

Viscosity / kinematic: 3.64 mm²/s

(at 20 °C)

Water solubility: 77 g/l

(at 20 °C)

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: 0,84
Vapour pressure: 6,67 hPa

(at 20 °C)

Vapour pressure: 45.4 hPa

(at 50 °C)

Density (at 20 °C): 0,81 g/cm³
Relative vapour density: 2,55

(at 20 °C)

### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. not explosive according to EU A.14

Oxidizing properties

The product is not: oxidising.

# Other safety characteristics

Evaporation rate: not determined Solvent content: 0% Solid content: 0% Viscosity / dynamic: 2,95 mPa·s

(at 20 °C)

## **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

Flammable.

# 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

# 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No known hazardous decomposition products.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

# **NATURAL N-BUTYL ALCOHOL**

Revision date: 10.02.2023 Product code: 217800WW Page 6 of 9

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

# **Acute toxicity**

Harmful if swallowed.

May be harmful in contact with skin.

May be harmful if inhaled.

CAS No	Chemical name						
	Exposure route	Dose		Species	Source	Method	
71-36-3	NATURAL N-BUTYL ALC	NATURAL N-BUTYL ALCOHOL					
	oral	LD50 mg/kg	790	Rat	GESTIS		
	dermal	LD50 mg/kg	3430	Rabbit	REACH Dossier	OECD 402	
	inhalation (4 h) vapour	LC50	24,3 mg/l	Rat	REACH Dossier	OECD 403	
	inhalation dust/mist	ATE	6,25 mg/l				

#### Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

# Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

# STOT-single exposure

May cause respiratory irritation. (NATURAL N-BUTYL ALCOHOL)

May cause drowsiness or dizziness. (NATURAL N-BUTYL ALCOHOL)

## STOT-repeated exposure

Based on available data, the classification criteria are not met.

## **Aspiration hazard**

Based on available data, the classification criteria are not met.

### 11.2. Information on other hazards

### **Endocrine disrupting properties**

No information available.

#### **Further information**

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

## **SECTION 12: Ecological information**

## 12.1. Toxicity

The product is not: Ecotoxic.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

## **NATURAL N-BUTYL ALCOHOL**

Revision date: 10.02.2023 Product code: 217800WW Page 7 of 9

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
71-36-3	NATURAL N-BUTYL ALCOHOL						
	Acute fish toxicity	LC50 mg/l	1376		Pimephales promelas (fathead minnow)	REACH Dossier	OECD 203
	Acute algae toxicity	ErC50	225 mg/l		Selenastrum capricornutum	REACH Dossier	OECD 201
	Acute crustacea toxicity	EC50 mg/l	1328		Daphnia magna (Big water flea)	REACH Dossier	OECD 202
	Crustacea toxicity	NOEC	4,1 mg/l		Daphnia magna (Big water flea)	REACH Dossier	OECD 211

## 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation					
71-36-3	NATURAL N-BUTYL ALCOHOL					
	OECD 301E	68%	5	REACH Dossier		
	Readily biodegradable (according to OECD co	riteria).				
	OECD 301E	87%	10	REACH Dossier		
	Readily biodegradable (according to OECD criteria).					
	OECD 301E	98%	28	REACH Dossier		
	Readily biodegradable (according to OECD or	riteria).	-			

# 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
71-36-3	NATURAL N-BUTYL ALCOHOL	0,84

## **BCF**

CAS No	Chemical name	BCF	Species	Source
71-36-3	NATURAL N-BUTYL ALCOHOL	3,16		REACH Dossier

# 12.4. Mobility in soil

The product has not been tested.

# 12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

## 12.7. Other adverse effects

No information available.

# **Further information**

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

## NATURAL N-BUTYL ALCOHOL

Revision date: 10.02.2023 Product code: 217800WW Page 8 of 9

## **SECTION 14: Transport information**

### Marine transport (IMDG)

14.1. UN number or ID number:UN 112014.2. UN proper shipping name:BUTANOLS

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions: 223
Limited quantity: 5 L
Excepted quantity: E1
EmS: F-E, S-D

## Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:UN 112014.2. UN proper shipping name:BUTANOLS

14.3. Transport hazard class(es):314.4. Packing group:IIIHazard label:3



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3

10 L

Y344

Excepted quantity:

E1

IATA-packing instructions - Passenger:355IATA-max. quantity - Passenger:60 LIATA-packing instructions - Cargo:366IATA-max. quantity - Cargo:220 L

# 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

Warning: Combustible liquid.

## 14.7. Maritime transport in bulk according to IMO instruments

not applicable

# **SECTION 15: Regulatory information**

### **National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

## **SECTION 16: Other information**

#### Changes

This data sheet contains changes from the previous version in section(s): 2.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

#### **NATURAL N-BUTYL ALCOHOL**

Revision date: 10.02.2023 Product code: 217800WW Page 9 of 9

## Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at http://abbrev.esdscom.eu

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

## **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.