

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NATURAL N-PROPYL ACETATE

| | |
|-----------------|--------------------------|
| Substance name: | NATURAL N-PROPYL ACETATE |
| CAS No: | 109-60-4 |
| Index No: | 607-024-00-6 |
| EC No: | 203-686-1 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

For Flavour use for food and feed only

1.3. Details of the supplier of the safety data sheet

| | | |
|-------------------------|----------------------------|-------------------------------|
| Company name: | Axxence Aromatic GmbH | |
| Street: | Tackenweide 28 | |
| Place: | D-46446 Emmerich am Rhein | |
| Telephone: | + 49 2822 68561 0 | Telefax: + 49 2822 68561 39 |
| e-mail: | info@axxence.com | |
| Contact person: | Andreas Goertz | Telephone: + 49 2822 68561 37 |
| e-mail: | andreas.goertz@axxence.com | |
| Internet: | www.axxence.de | |
| Responsible Department: | QM - Regulatory Affairs | |

1.4. Emergency telephone number:

+49 2822 68561 99

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Flam. Liq. 2; H225
 Eye Irrit. 2; H319
 STOT SE 3; H336

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Signal word: Danger

Pictograms:



Hazard statements

| | |
|------|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |

Precautionary statements

| | |
|------|--|
| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground and bond container and receiving equipment. |
| P241 | Use explosion-proof electrical/ventilating/lighting equipment. |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 2 of 11

| | |
|----------------|--|
| P242 | Use non-sparking tools. |
| P243 | Take action to prevent static discharges. |
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P264 | Wash thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P312 | Call a POISON CENTER/doctor if you feel unwell. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P337+P313 | If eye irritation persists: Get medical advice/attention. |
| P370+P378 | In case of fire: Use Extinguishing powder, Carbon dioxide (CO ₂) to extinguish. |
| P233 | Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P405 | Store locked up. |
| P501 | Dispose of contents/container to . |

Special labelling of certain mixtures

EUH066 Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Substances

Sum formula: C₅ H₁₀ O₂
 Molecular weight: 102,13

Hazardous components

| CAS No | Chemical name | | | Quantity |
|----------|--|--------------|----------|----------|
| | EC No | Index No | REACH No | |
| | Classification (Regulation (EC) No 1272/2008) | | | |
| 109-60-4 | NATURAL N-PROPYL ACETATE | | | 100 % |
| | 203-686-1 | 607-024-00-6 | | |
| | Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336 EUH066 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|----------|--|--------------------------|----------|
| | Specific Conc. Limits, M-factors and ATE | | |
| 109-60-4 | 203-686-1 | NATURAL N-PROPYL ACETATE | 100 % |
| | inhalation: LC50 = 32 mg/l (vapours); dermal: LD50 = >17800 mg/kg; oral: LD50 = 8700 mg/kg | | |

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 3 of 11

clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Rinse mouth immediately and drink plenty of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO₂), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 4 of 11

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

7.3. Specific end use(s)

For Flavour use for food and feed only

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

DNEL/DMEL values

| CAS No | Name of agent | | | |
|--------------------------|--------------------------|----------|-----------------------|--|
| DNEL type | Exposure route | Effect | Value | |
| 109-60-4 | NATURAL N-PROPYL ACETATE | | | |
| Worker DNEL, long-term | inhalation | local | 420 mg/m ³ | |
| Worker DNEL, acute | inhalation | local | 840 mg/m ³ | |
| Consumer DNEL, long-term | inhalation | systemic | 149 mg/m ³ | |
| Consumer DNEL, acute | inhalation | systemic | 298 mg/m ³ | |
| Consumer DNEL, long-term | inhalation | local | 210 mg/m ³ | |
| Consumer DNEL, acute | inhalation | local | 420 mg/m ³ | |
| | | | | |

PNEC values

| CAS No | Name of agent | |
|---------------------------|--------------------------|--|
| Environmental compartment | Value | |
| 109-60-4 | NATURAL N-PROPYL ACETATE | |
| Freshwater | 0,06 mg/l | |
| Marine water | 0,006 mg/l | |
| Freshwater sediment | 0,16 mg/kg | |
| Marine sediment | 0,016 mg/kg | |
| Secondary poisoning | 1 mg/l | |
| Soil | 0,021 mg/kg | |

8.2. Exposure controls

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 5 of 11



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing . .

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|--------------------------|
| Physical state: | Liquid |
| Colour: | colourless |
| Odour: | fruity |
| Melting point/freezing point: | -95 °C |
| Boiling point or initial boiling point and boiling range: | 102 °C |
| Flammability | |
| Solid/liquid: | not applicable |
| Gas: | not applicable |
| Lower explosion limits: | 1,7 vol. % |
| Upper explosion limits: | 8 vol. % |
| Flash point: | 12 °C |
| Auto-ignition temperature: | 380 °C |
| Decomposition temperature: | not determined |
| pH-Value: | not determined |
| Viscosity / kinematic: (at 20 °C) | 0,657 mm ² /s |
| Water solubility: (at 20 °C) | 18,9 g/L |
| Solubility in other solvents | not determined |
| Partition coefficient n-octanol/water: | 1,24 |
| Vapour pressure: (at 20 °C) | 33 hPa |
| Vapour pressure: (at 50 °C) | 151 hPa |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 6 of 11

Density (at 20 °C): 0,89 g/cm³
 Relative vapour density: 3,52
 (at 20 °C)

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive. not explosive according to EU A.14

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined

Solvent content: 0%

Solid content: 0%

Viscosity / dynamic: 0,58 mPa·s
 (at 20 °C)

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

| CAS No | Chemical name | | | | | |
|----------|--------------------------|-------------------|---------|--------------------|--------|--|
| | Exposure route | Dose | Species | Source | Method | |
| 109-60-4 | NATURAL N-PROPYL ACETATE | | | | | |
| | oral | LD50 8700 mg/kg | Rat | REACH Registration | | |
| | dermal | LD50 >17800 mg/kg | Rabbit | REACH Registration | | |
| | inhalation (4 h) vapour | LC50 32 mg/l | Rat | REACH Registration | | |

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 7 of 11

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (NATURAL N-PROPYL ACETATE)

STOT-repeated exposure

Repeated exposure may cause skin dryness or cracking.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

This substance is classified as hazardous according to Regulation (EC) No 1272 (2008).

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | |
|----------|--------------------------|----------------|-----------|--------------------------------------|--------------------|----------|
| | Aquatic toxicity | Dose | [h] [d] | Species | Source | Method |
| 109-60-4 | NATURAL N-PROPYL ACETATE | | | | | |
| | Acute fish toxicity | LC50 60 mg/l | 96 h | Pimephales promelas (fathead minnow) | REACH Registration | |
| | Acute algae toxicity | ErC50 363 mg/l | 72 h | Pseudokirchneriella subcapitata | REACH Registration | OECD 201 |
| | Acute crustacea toxicity | EC50 mg/l 91,5 | 48 h | Daphnia magna (Big water flea) | REACH Registration | OECD 202 |

12.2. Persistence and degradability

The product has not been tested.

| CAS No | Chemical name | | | | |
|----------|---|-------|---|--------------------|--|
| | Method | Value | d | Source | |
| | Evaluation | | | | |
| 109-60-4 | NATURAL N-PROPYL ACETATE | | | | |
| | OECD 301D | 62% | 5 | REACH Registration | |
| | Readily biodegradable (according to OECD criteria). | | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|----------|--------------------------|---------|
| 109-60-4 | NATURAL N-PROPYL ACETATE | 1,24 |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

The product has not been tested.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 8 of 11

12.6. Endocrine disrupting properties

This substance does not have endocrine disrupting properties with respect to non-target organisms.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

| | |
|--|------------------|
| <u>14.1. UN number or ID number:</u> | UN 1276 |
| <u>14.2. UN proper shipping name:</u> | n-PROPYL ACETATE |
| <u>14.3. Transport hazard class(es):</u> | 3 |
| <u>14.4. Packing group:</u> | II |
| Hazard label: | 3 |



| | |
|--------------------------|-----|
| Classification code: | F1 |
| Limited quantity: | 1 L |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 33 |
| Tunnel restriction code: | D/E |

Other applicable information (land transport)

E2

Inland waterways transport (ADN)

| | |
|--|------------------|
| <u>14.1. UN number or ID number:</u> | UN 1276 |
| <u>14.2. UN proper shipping name:</u> | n-PROPYL ACETATE |
| <u>14.3. Transport hazard class(es):</u> | 3 |
| <u>14.4. Packing group:</u> | II |
| Hazard label: | 3 |

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 9 of 11



Classification code: F1
 Limited quantity: 1 L
 Excepted quantity: E2

Other applicable information (inland waterways transport)
 E2

Marine transport (IMDG)

14.1. UN number or ID number: UN 1276
14.2. UN proper shipping name: n-PROPYL ACETATE
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Special Provisions: -
 Limited quantity: 1 L
 Excepted quantity: E2
 EmS: F-E, S-D

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 1276
14.2. UN proper shipping name: n-PROPYL ACETATE
14.3. Transport hazard class(es): 3
14.4. Packing group: II
 Hazard label: 3



Limited quantity Passenger: 1 L
 Passenger LQ: Y341
 Excepted quantity: E2
 IATA-packing instructions - Passenger: 353
 IATA-max. quantity - Passenger: 5 L
 IATA-packing instructions - Cargo: 364
 IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):
 Entry 3, Entry 40

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 10 of 11

| | |
|---|-----------------------|
| 2010/75/EU (VOC): | 100 % (890 g/l) |
| 2004/42/EC (VOC): | 100 % (890 g/l) |
| Information according to 2012/18/EU (SEVESO III): | P5c FLAMMABLE LIQUIDS |

Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

National regulatory information

| | |
|--------------------------|--|
| Employment restrictions: | Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). |
| Water hazard class (D): | 1 - slightly hazardous to water |

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,13,14,15,16.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

ICAO: International Civil Aviation Organization

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

Safety Data Sheet

according to Regulation (EC) No 1907/2006

NATURAL N-PROPYL ACETATE

Revision date: 06.01.2023

Product code: 292500

Page 11 of 11

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| EUH066 | Repeated exposure may cause skin dryness or cracking. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

Identified uses

| No | Short title | LCS | SU | PC | PROC | ERC | AC | TF | Specification |
|----|--|-----|----|----|------|-----|----|----|---------------|
| 1 | For Flavour use for food and feed only | - | - | - | - | - | - | - | Flavour |

LCS: Life cycle stages

PC: Product categories

ERC: Environmental release categories

TF: Technical functions

SU: Sectors of use

PROC: Process categories

AC: Article categories