

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 1 of 12

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

UFI: AKXN-RTF7-400N-JDP0

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
e-mail:	info@axxence.com	
Contact person:	Andreas Goertz	Telephone: + 49 2822 68561 37
e-mail:	andreas.goertz@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	QM - Regulatory Affairs	

##### 1.4. Emergency telephone number:

+49 2822 68561 99

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No 1272/2008

Flam. Liq. 2; H225  
 Skin Corr. 1B; H314  
 Eye Dam. 1; H318  
 Skin Sens. 1; H317

Full text of hazard statements: see SECTION 16.

##### 2.2. Label elements

###### Regulation (EC) No 1272/2008

###### Hazard components for labelling

NATURAL PHENYL ACETALDEHYDE

Signal word: Danger

###### Pictograms:



###### Hazard statements

H225	Highly flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.

###### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 2 of 12

P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P310	Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P370+P378	In case of fire: Use Carbon dioxide (CO <sub>2</sub> ) / alcohol resistant foam to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to .

#### 2.3. Other hazards

This substance has been listed as SVHC (substance of very high concern) in the Candidate List according to Article 59 of REACH. This substance is identified as SVHC (substance of very high concern) and is subject to authorisation according to Annex XIV of REACH.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name	Quantity
	EC No	
	Index No	
	REACH No	
	Classification (Regulation (EC) No 1272/2008)	
64-17-5	ethanol, ethyl alcohol	88,5 - 90 %
	200-578-6	
	603-002-00-5	
	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319	
122-78-1	NATURAL PHENYL ACETALDEHYDE	10 - 12,5 %
	204-574-5	
	Acute Tox. 4, Skin Corr. 1B, Eye Irrit. 2, Skin Sens. 1; H302 H314 H319 H317	

Full text of H and EUH statements: see section 16.

##### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
64-17-5	200-578-6	ethanol, ethyl alcohol	88,5 - 90 %
		inhalation: LC50 = 121 mg/l (vapours); dermal: LD50 = 17100 mg/kg; oral: LD50 = 10470 mg/kg	
122-78-1	204-574-5	NATURAL PHENYL ACETALDEHYDE	10 - 12,5 %
		dermal: LD50 = >5000 mg/kg; oral: LD50 = 1550 mg/kg	

### SECTION 4: First aid measures

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 3 of 12

#### 4.1. Description of first aid measures

##### **General information**

First aider: Pay attention to self-protection! Remove affected person from the danger area and lay down.

##### **After inhalation**

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

##### **After contact with skin**

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

##### **After contact with eyes**

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

##### **After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water. Do NOT induce vomiting. Adverse human health effects and symptoms: Gastric perforation. Call a physician immediately. Do not allow a neutralisation agent to be drunk.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

##### **Unsuitable extinguishing media**

Water.

#### 5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

#### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

##### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### **General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### 6.3. Methods and material for containment and cleaning up

##### **For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 4 of 12

recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### **SECTION 7: Handling and storage**

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

##### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaust at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### **Hints on joint storage**

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### **7.3. Specific end use(s)**

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

### **SECTION 8: Exposure controls/personal protection**

#### **8.1. Control parameters**

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 5 of 12

#### DNEL/DMEL values

CAS No	Name of agent		
DNEL type	Exposure route	Effect	Value
64-17-5	ethanol, ethyl alcohol		
Worker DNEL, long-term	inhalation	systemic	380-950 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	343 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	114 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	206 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	87 mg/kg bw/day
Worker DNEL, acute	inhalation	local	1900 mg/m <sup>3</sup>
Consumer DNEL, acute	inhalation	local	950 mg/m <sup>3</sup>
122-78-1	NATURAL PHENYL ACETALDEHYDE		
Worker DNEL, long-term	inhalation	systemic	4,94 mg/m <sup>3</sup>
Worker DNEL, long-term	dermal	systemic	0,7 mg/kg bw/day
Consumer DNEL, long-term	inhalation	systemic	0,87 mg/m <sup>3</sup>
Consumer DNEL, long-term	dermal	systemic	0,25 mg/kg bw/day
Consumer DNEL, long-term	oral	systemic	0,25 mg/kg bw/day

#### PNEC values

CAS No	Name of agent	
Environmental compartment	Value	
64-17-5	ethanol, ethyl alcohol	
Freshwater	0,96 mg/l	
Marine water	0,79 mg/l	
Freshwater sediment	3,6 mg/kg	
Marine sediment	2,9 mg/kg	
Secondary poisoning	380 mg/kg	
Micro-organisms in sewage treatment plants (STP)	580 mg/l	
Soil	0,63 mg/kg	
122-78-1	NATURAL PHENYL ACETALDEHYDE	
Freshwater	0,0016 mg/l	
Freshwater (intermittent releases)	0,016 mg/l	
Marine water	0,00016 mg/l	
Marine water (intermittent releases)	0,0016 mg/l	
Freshwater sediment	0,0986 mg/l	
Marine sediment	0,000986 mg/l	
Micro-organisms in sewage treatment plants (STP)	0,15 mg/l	
Soil	0,00103 mg/l	

#### 8.2. Exposure controls



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 6 of 12

#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing . .

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:		
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		>78 °C
Flammability:		not determined
Lower explosion limits:		3,1 vol. %
Upper explosion limits:		27,7 vol. %
Flash point:		>13 °C
Auto-ignition temperature:		363 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:	The study does not need to be conducted because the substance is known to be insoluble in water.	
Solubility in other solvents	not determined	
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		<58 hPa
(at 20 °C)		
Vapour pressure:		<293 hPa
(at 50 °C)		
Density (at 20 °C):		0,81 g/cm <sup>3</sup>
Relative vapour density:		not determined

#### 9.2. Other information

##### Information with regard to physical hazard classes

###### Explosive properties

The product is not: Explosive.

###### Oxidizing properties

The product is not: oxidising.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 7 of 12

#### Other safety characteristics

Evaporation rate:	not determined
Solvent content:	90,00 %
Solid content:	0%

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Highly flammable.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### ATEmix calculated

ATE (oral) 15500,0 mg/kg

#### Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
64-17-5	ethanol, ethyl alcohol					
	oral	LD50 mg/kg	10470	Rat	REACH Dossier	OECD 401
	dermal	LD50 mg/kg	17100	Rabbit	REACH Dossier	
	inhalation (4 h) vapour	LC50	121 mg/l	Rat	REACH Dossier	OECD 403
122-78-1	NATURAL PHENYL ACETALDEHYDE					
	oral	LD50 mg/kg	1550	Rat	REACH registration	OECD 401
	dermal	LD50 mg/kg	>5000	Rabbit	GESTIS	

#### 11.2. Information on other hazards

##### Endocrine disrupting properties

No information available.

##### Other information

No information available.

#### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 8 of 12

#### SECTION 12: Ecological information

##### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	Acute fish toxicity	LC50 mg/l	14200	96 h	Pimephales promelas (fathead minnow)	REACH Dossier US EPA method E03-05
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	REACH Dossier OECD 201
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia spec	REACH Dossier ASTM E729-80
	Fish toxicity	NOEC	250 mg/l	5 d	Danio rerio (zebrafish)	REACH Dossier OECD 212
	Crustacea toxicity	NOEC	9,6 mg/l	9 d	Daphnia magna	
	Acute bacteria toxicity	(EC50 mg/l)	>1000	3 h	Activated sludge	REACH Dossier OECD 209
122-78-1	NATURAL PHENYL ACETALDEHYDE					
	Acute fish toxicity	LC50 mg/l	>6,2	96 h	Danio rerio (zebrafish)	REACH registration OECD 203
	Acute algae toxicity	ErC50	1,6 mg/l	72 h	Pseudokirchneriella subcapitata	REACH registration OECD 201
	Acute crustacea toxicity	EC50	20 mg/l	48 h	Daphnia magna (Big water flea)	REACH registration EU Method C.2

##### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64-17-5	ethanol, ethyl alcohol			
	OECD 301B	95%	28	REACH Dossier
	Readily biodegradable (according to OECD criteria).			
	OECD 301B	84%	20	REACH Dossier
	Readily biodegradable (according to OECD criteria).			
	OECD 301B	74%	5	REACH Dossier
	Readily biodegradable (according to OECD criteria).			
122-78-1	NATURAL PHENYL ACETALDEHYDE			
	OECD 301D	69	28	REACH registration
	Readily biodegradable (according to OECD criteria).			
	OECD 301D	70	14	REACH registration
	Readily biodegradable (according to OECD criteria).			
	OECD 301D	71	7	REACH registration
	Readily biodegradable (according to OECD criteria).			

##### 12.3. Bioaccumulative potential

The product has not been tested.

##### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,3
122-78-1	NATURAL PHENYL ACETALDEHYDE	1,78



## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 9 of 12

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	1-4,5	Cyprinus carpio (Common Carp)	REACH Registration

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

The product has not been tested.

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

No information available.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Avoid release to the environment.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

##### **List of Wastes Code - residues/unused products**

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

##### **List of Wastes Code - used product**

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused products; organic wastes containing hazardous substances; hazardous waste

##### **List of Wastes Code - contaminated packaging**

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by hazardous substances; hazardous waste

##### **Contaminated packaging**

Wash with plenty of water. Completely emptied packages can be recycled.

### SECTION 14: Transport information

#### **Land transport (ADR/RID)**

##### 14.1. UN number or ID number:

UN 2924

##### 14.2. UN proper shipping name:

FLAMMABLE LIQUID, CORROSIVE, N.O.S.

##### 14.3. Transport hazard class(es):

3

##### 14.4. Packing group:

II

Hazard label:

3+8



Classification code:

FC

Special Provisions:

274

Limited quantity:

1 L

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 10 of 12

Excepted quantity: E2  
 Transport category: 2  
 Hazard No: 338  
 Tunnel restriction code: D/E

#### Inland waterways transport (ADN)

**14.1. UN number or ID number:** UN 2924  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3+8



Classification code: FC  
 Special Provisions: 274  
 Limited quantity: 1 L  
 Excepted quantity: E2

#### Marine transport (IMDG)

**14.1. UN number or ID number:** UN 2924  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3+8



Special Provisions: 274  
 Limited quantity: 1 L  
 Excepted quantity: E2  
 EmS: F-E, S-C

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number or ID number:** UN 2924  
**14.2. UN proper shipping name:** FLAMMABLE LIQUID, CORROSIVE, N.O.S.  
**14.3. Transport hazard class(es):** 3  
**14.4. Packing group:** II  
 Hazard label: 3+8



Special Provisions: A3  
 Limited quantity Passenger: 0.5 L  
 Passenger LQ: Y340  
 Excepted quantity: E2  
 IATA-packing instructions - Passenger: 352  
 IATA-max. quantity - Passenger: 1 L  
 IATA-packing instructions - Cargo: 363  
 IATA-max. quantity - Cargo: 5 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

Warning: Combustible liquid. strongly corrosive.

**Safety Data Sheet**

according to Regulation (EC) No 1907/2006

**NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL**

Revision date: 02.08.2023

Product code: 287400

Page 11 of 12

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40

2010/75/EU (VOC): 100 % (810 g/l)

2004/42/EC (VOC): 100 % (810 g/l)

Information according to 2012/18/EU (SEVESO III): P5c FLAMMABLE LIQUIDS

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

**15.2. Chemical safety assessment**

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information****Changes**

This data sheet contains changes from the previous version in section(s): 1,2,5,6,7,8,9,11,14,16.

**Abbreviations and acronyms**

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

UN: United Nations

CAS: Chemical Abstracts Service

DNEL: Derived No Effect Level

DMEL: Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

LL50: Lethal loading, 50%

EL50: Effect loading, 50%

EC50: Effective Concentration 50%

ErC50: Effective Concentration 50%, growth rate

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic

vPvB: very persistent, very bioaccumulative

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container

VOC: Volatile Organic Compounds

SVHC: Substance of Very High Concern

For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### NATURAL PHENYL ACETALDEHYDE 10% IN ETHANOL

Revision date: 02.08.2023

Product code: 287400

Page 12 of 12

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules

MFAG: Medical First Aid Guide

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

#### Classification for mixtures and used evaluation method according to Regulation (EC) No 1272/2008 [CLP]

Classification	Classification procedure
Flam. Liq. 2; H225	On basis of test data
Skin Corr. 1B; H314	Calculation method
Eye Dam. 1; H318	Calculation method
Skin Sens. 1; H317	Calculation method

#### Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.

#### Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*