

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.8)

### NATURAL PRENYL MERCAPTAN 1% IN ETHANOL

Revision date: 27.06.2022

Product code: 389610WW

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

NATURAL PRENYL MERCAPTAN 1% IN ETHANOL

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
e-mail:	info@axxence.com	
Contact person:	Andreas Goertz	Telephone: + 49 2822 68561 37
e-mail:	andreas.goertz@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	QM - Regulatory Affairs	

##### 1.4. Emergency telephone number:

+49 2822 68561 99

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### UN GHS (ST/SG/AC.10/11/Rev.8)

Hazard categories:

Flammable liquid: Flam. Liq. 2

Skin corrosion/irritation: Skin Irrit. 3

Serious eye damage/eye irritation: Eye Irrit. 2

Hazard Statements:

Highly flammable liquid and vapour.

Causes mild skin irritation.

Causes serious eye irritation.

##### 2.2. Label elements

###### UN GHS (ST/SG/AC.10/11/Rev.8)

**Signal word:** Danger

**Pictograms:**



###### **Hazard statements**

H225 Highly flammable liquid and vapour.

H316 Causes mild skin irritation.

H319 Causes serious eye irritation.

###### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground and bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.8)

### NATURAL PRENYL MERCAPTAN 1% IN ETHANOL

Revision date: 27.06.2022

Product code: 389610WW

Page 2 of 9

P242	Use non-sparking tools.
P243	Take action to prevent static discharges.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P332+P317	If skin irritation occurs: Get medical help.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P317	If eye irritation persists: Get medical help.
P370+P378	In case of fire: Use Extinguishing powder, Carbon dioxide (CO <sub>2</sub> ), alcohol resistant foam to extinguish.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to .

#### 2.3. Other hazards

No information available.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

##### Hazardous components

CAS No	Chemical name	Quantity
	Classification (UN GHS (ST/SG/AC.10/11/Rev.8))	
64-17-5	ethanol, ethyl alcohol	95 - < 100 %
	Flam. Liq. 2, Eye Irrit. 2; H225 H319	
5287-45-6	NATURAL PRENYL MERCAPTAN	1 - < 5 %
	Flam. Liq. 3, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H226 H315 H319 H335	

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

##### **After inhalation**

Provide fresh air.

##### **After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

##### **After contact with eyes**

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

##### **After ingestion**

Rinse mouth immediately and drink 1 glass of water.

#### 4.2. Most important symptoms and effects, both acute and delayed

No information available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

##### **Suitable extinguishing media**

Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.8)

### NATURAL PRENYL MERCAPTAN 1% IN ETHANOL

Revision date: 27.06.2022

Product code: 389610WW

Page 3 of 9

#### Unsuitable extinguishing media

Water.

#### **5.2. Special hazards arising from the substance or mixture**

Highly flammable. Vapours can form explosive mixtures with air.

#### **5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

#### **Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

##### **General advice**

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### **6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

#### **6.3. Methods and material for containment and cleaning up**

##### **For cleaning up**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

##### **Other information**

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

No special measures are necessary.

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges.

Vapours can form explosive mixtures with air.

##### **Advice on general occupational hygiene**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat,

drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin

protection programme. Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat, drink, smoke, sniff.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### **Hints on joint storage**

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.8)

### NATURAL PRENYL MERCAPTAN 1% IN ETHANOL

Revision date: 27.06.2022

Product code: 389610WW

Page 4 of 9

#### SECTION 8: Exposure controls/personal protection

##### 8.1. Control parameters

##### 8.2. Exposure controls



Individual protection measures, such as personal protective equipment

##### Eye/face protection

Suitable eye protection: goggles.

##### Hand protection

Suitable gloves type: Butyl caoutchouc (butyl rubber) / FKM (fluoro rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

##### Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

##### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

##### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

#### SECTION 9: Physical and chemical properties

##### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:	colourless	
Odour:	Sulphurous	
Melting point/freezing point:		not determined
Boiling point or initial boiling point and boiling range:		78 °C
Flammability		
Solid/liquid:		not applicable
Gas:		not applicable
Lower explosion limits:		3,1 vol. %
Upper explosion limits:		27,7 vol. %
Flash point:		12 °C
Auto-ignition temperature:		363 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:		No
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:		not determined
Vapour pressure:		58 hPa
(at 20 °C)		
Vapour pressure:		293 hPa
(at 50 °C)		

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.8)

### NATURAL PRENYL MERCAPTAN 1% IN ETHANOL

Revision date: 27.06.2022

Product code: 389610WW

Page 5 of 9

Density (at 20 °C): 0,79 g/cm<sup>3</sup>  
 Relative vapour density: not determined

#### 9.2. Other information

##### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

##### Other safety characteristics

Evaporation rate: not determined

Solvent content: 99,00 %

Solid content: not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Highly flammable.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

### 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
64-17-5	ethanol, ethyl alcohol				
	oral	LD50 mg/kg	10470	Rat	REACH Dossier OECD 401
	dermal	LD50 mg/kg	17100	Rabbit	REACH Dossier
	inhalation (4 h) vapour	LC50 mg/l	124,7	Rat	REACH Dossier OECD 403

#### Irritation and corrosivity

Causes mild skin irritation.

Causes serious eye irritation.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.8)

### NATURAL PRENYL MERCAPTAN 1% IN ETHANOL

Revision date: 27.06.2022

Product code: 389610WW

Page 6 of 9

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### SECTION 12: Ecological information

#### 12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
64-17-5	ethanol, ethyl alcohol					
	Acute fish toxicity	LC50 15300 mg/l	96 h	Pimephales promelas (fathead minnow)	REACH Dossier	US EPA method E03-05
	Acute algae toxicity	ErC50 275 mg/l	72 h	Chlorella vulgaris	REACH Dossier	OECD 201
	Acute crustacea toxicity	EC50 5012 mg/l	48 h	Ceriodaphnia spec	REACH Dossier	ASTM E729-80
	Crustacea toxicity	NOEC 9,6 mg/l	9 d	Daphnia magna		
	Acute bacteria toxicity	(EC50 >1000 mg/l)	3 h	Activated sludge	REACH Dossier	OECD 209

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64-17-5	ethanol, ethyl alcohol			
	OECD 301B	95%	28	REACH Dossier
	Readily biodegradable			
	OECD 301B	84%	20	REACH Dossier
	Readily biodegradable			
	OECD 301B	74%	5	REACH Dossier
	Readily biodegradable			

#### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,3
5287-45-6	NATURAL PRENYL MERCAPTAN	2,528

#### BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	3		

#### 12.4. Mobility in soil

The product has not been tested.

## Safety Data Sheet

according to UN GHS (ST/SG/AC.10/11/Rev.8)

### NATURAL PRENYL MERCAPTAN 1% IN ETHANOL

Revision date: 27.06.2022

Product code: 389610WW

Page 7 of 9

#### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

#### 12.7. Other adverse effects

No information available.

#### **Further information**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### **Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### **Contaminated packaging**

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

### SECTION 14: Transport information

#### **Marine transport (IMDG)**

<u>14.1. UN number or ID number:</u>	UN 1170
<u>14.2. UN proper shipping name:</u>	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	II
Hazard label:	3



Special Provisions:	144
Limited quantity:	1 L
Excepted quantity:	E2
EmS:	F-E, S-D

#### **Air transport (ICAO-TI/IATA-DGR)**

<u>14.1. UN number or ID number:</u>	UN 1170
<u>14.2. UN proper shipping name:</u>	ETHANOL SOLUTION
<u>14.3. Transport hazard class(es):</u>	3
<u>14.4. Packing group:</u>	II
Hazard label:	3



Special Provisions:	A3 A58 A180
Limited quantity Passenger:	1 L
Passenger LQ:	Y341
Excepted quantity:	E2
IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	364
IATA-max. quantity - Cargo:	60 L

#### 14.5. Environmental hazards

**Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.8)

**NATURAL PRENYL MERCAPTAN 1% IN ETHANOL**

Revision date: 27.06.2022

Product code: 389610WW

Page 8 of 9

ENVIRONMENTALLY HAZARDOUS: No

**14.6. Special precautions for user**

Warning: Combustible liquid.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

**SECTION 15: Regulatory information****National regulatory information**

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

**SECTION 16: Other information****Abbreviations and acronyms**

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service  
LC50: Lethal concentration, 50%  
LD50: Lethal dose, 50%  
CLP: Classification, labelling and Packaging  
REACH: Registration, Evaluation and Authorization of Chemicals  
GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals  
UN: United Nations  
DNEL: Derived No Effect Level  
DMEL: Derived Minimal Effect Level  
PNEC: Predicted No Effect Concentration  
ATE: Acute toxicity estimate  
LL50: Lethal loading, 50%  
EL50: Effect loading, 50%  
EC50: Effective Concentration 50%  
ErC50: Effective Concentration 50%, growth rate  
NOEC: No Observed Effect Concentration  
BCF: Bio-concentration factor  
PBT: persistent, bioaccumulative, toxic  
vPvB: very persistent, very bioaccumulative  
RID: Regulations concerning the international carriage of dangerous goods by rail  
ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
(Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)  
EmS: Emergency Schedules  
MFAG: Medical First Aid Guide  
ICAO: International Civil Aviation Organization  
MARPOL: International Convention for the Prevention of Marine Pollution from Ships  
IBC: Intermediate Bulk Container  
VOC: Volatile Organic Compounds  
SVHC: Substance of Very High Concern  
For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>  
For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).



**Safety Data Sheet**

according to UN GHS (ST/SG/AC.10/11/Rev.8)

**NATURAL PRENYL MERCAPTAN 1% IN ETHANOL**

Revision date: 27.06.2022

Product code: 389610WW

Page 9 of 9

**Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*