

according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Revision date: 07.08.2023

Product code: 337720WW

Page 1 of 9

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

1.3. Details of the supplier of the safety data sheet

Company name:	Axxence Aromatic GmbH	
Street:	Tackenweide 28	
Place:	D-46446 Emmerich am Rhein	
Telephone:	+ 49 2822 68561 0	Telefax: + 49 2822 68561 39
E-mail:	info@axxence.com	
Contact person:	Safety Team	Telephone: + 49 2822 68561 0
E-mail:	safety-documentation@axxence.com	
Internet:	www.axxence.de	
Responsible Department:	Safety Management	
1.4. Emergency telephone	+49 2822 68561 99	

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

UN GHS (ST/SG/AC.10/11/Rev.10)

Flammable liquid: Flam. Liq. 2 Skin corrosion/irritation: Skin Irrit. 3 Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1

2.2. Label elements

UN GHS (ST/SG/AC.10/11/Rev.10)

Hazard components for labelling

NATURAL TRANS-2, CIS-6-NONADIENAL Danger

Signal word:

Pictograms:



Hazard statements

H225	Highly flammable liquid and vapour.
H316	Causes mild skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.

Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.
P240	Ground and bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use non-sparking tools.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Revision date: 07.08.2023	Product code: 337720WW	Page 2 of 9
P243	Take action to prevent static discharges.	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P302+P352	IF ON SKIN: Wash with plenty of Water and soap.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P333+P317	If skin irritation or rash occurs: Get medical help.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P317	If eye irritation persists: Get medical help.	
P370+P378	In case of fire: Use Water spray jetalcohol resistant foam / Carbon dioxide (CO2) to extinguish.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container to organic waste.	

2.3. Other hazards

Contains no substances of very high concern (SVHC) which are included in the Candidate List according to Article 59 of REACH.

Contains no substances of very high concern (SVHC) which are subject to authorisation according to Annex XIV of REACH.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name	Quantity
	Classification (UN GHS (ST/SG/AC.10/11/Rev.10))	
64-17-5	ethanol, ethyl alcohol	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319	
557-48-2	NATURAL TRANS-2, CIS-6-NONADIENAL	
	Skin Irrit. 2, Skin Sens. 1; H315 H317	
18829-56-6	NATURAL TRANS-2-NONENAL	
	Acute Tox. 5, Skin Irrit. 2, Eye Irrit. 2, Skin Sens. 1; H313 H315 H319 H317	
17587-33-6	NATURAL trans-2, trans-6-NONADIENAL^1	0 - 1,0 %
	Skin Irrit. 2, Eye Irrit. 2; H315 H319	

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Revision date: 07.08.2023

Product code: 337720WW

Page 3 of 9

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), Foam, Extinguishing powder.

5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

No special measures are necessary.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Revision date: 07.08.2023

Product code: 337720WW

Page 4 of 9

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.2. Exposure controls



Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Suitable gloves type: Butyl caoutchouc (butyl rubber) / FKM (fluoro rubber)

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing .

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing . .

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid	
Colour:		
Melting point/freezing point:		not determined
Boiling point or initial boiling point	and	78 °C
boiling range:		
Flammability:		not determined
Lower explosion limits:		3,1 vol. %
Upper explosion limits:		27,7 vol. %
Flash point:		>13 °C
Auto-ignition temperature:		368 °C
Decomposition temperature:		not determined
pH-Value:		not determined
Water solubility:		completely miscible



according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Revision date: 07.08.2023	Product code: 337720WW	Page 5 of 9
Solubility in other solvents		
not determined		
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	58 hPa	
(at 20 °C)		
Vapour pressure:	293 hPa	
(at 50 °C)		
Density (at 20 °C):	0,79 g/cm³	
Relative vapour density:	not determined	
9.2. Other information		
Information with regard to physical hazard class	ses	
Explosive properties		

The product is not: Explosive. not explosive according to EU A.14 Oxidizing properties The product is not: oxidising.

Other safety characteristics

Evaporation rate:	not determined
Solvent content:	99,00 %
Solid content:	0%

SECTION 10: Stability and reactivity

10.1. Reactivity

Highly flammable.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 5000 mg/kg; ATE (inhalation vapour) > 50 mg/l; ATE (inhalation dust/mist) > 12,5 mg/l



according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Revision date: 07.08.2023

Product code: 337720WW

Page 6 of 9

Acute toxicity

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
64-17-5	ethanol, ethyl alcohol							
	oral	LD50 mg/kg	10470	Rat	REACH Dossier	OECD 401		
	dermal	LD50 mg/kg	17100	Rabbit	REACH Dossier			
	inhalation (4 h) vapour	LC50	121 mg/l	Rat	REACH Dossier	OECD 403		
557-48-2	NATURAL TRANS-2, CI	NATURAL TRANS-2, CIS-6-NONADIENAL						
	oral	LD50 mg/kg	>5000	Rat				
	dermal	LD50 mg/kg	>5000	Rabbit				
18829-56-6	NATURAL TRANS-2-NO	NENAL						
	oral	LD50 mg/kg	>5000	Rat	Food and Chem. Tox., 20 (775), 1982			
	dermal	LD50 mg/kg	3700	Rabbit	Food and Chem. Tox., 20 (775), 1982			

11.2. Information on other hazards

Endocrine disrupting properties

No information available.

Further information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method	
64-17-5	ethanol, ethyl alcohol							
	Acute fish toxicity	LC50 mg/l	14200		Pimephales promelas (fathead minnow)	REACH Dossier	US EPA method E03-05	
	Acute algae toxicity	ErC50	275 mg/l	72 h	Chlorella vulgaris	REACH Dossier	OECD 201	
	Acute crustacea toxicity	EC50 mg/l	5012	48 h	Ceriodaphnia spec	REACH Dossier	ASTM E729-80	
	Fish toxicity	NOEC	250 mg/l	5 d	Danio rerio (zebrafish)	REACH Dossier	OECD 212	
	Crustacea toxicity	NOEC	9,6 mg/l	9 d	Daphnia magna	REACH Dossier		
	Acute bacteria toxicity	EC50 mg/l()	>1000	3 h	Activated sludge	REACH Dossier	OECD 209	

12.2. Persistence and degradability

The product has not been tested.



according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Revision date: 07.08.2023

Product code: 337720WW

Page 7 of 9

CAS No	Chemical name						
	Method	Value	d	Source			
	Evaluation		-				
64-17-5	ethanol, ethyl alcohol						
	OECD 301B 95% 28 REACH Dossier						
	Readily biodegradable (according to OECD criteria).						
	OECD 301B	84%	20	REACH Dossier			
	Readily biodegradable (according to OECD	criteria).					
	OECD 301B 74% 5 REACH Dossier						
	Readily biodegradable (according to OECD criteria).						

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol, ethyl alcohol	-0,3
557-48-2	NATURAL TRANS-2, CIS-6-NONADIENAL	2,799
18829-56-6	NATURAL TRANS-2-NONENAL	3,319
17587-33-6	NATURAL trans-2, trans-6-NONADIENAL^1	2,799

BCF

CAS No	Chemical name	BCF	Species	Source
64-17-5	ethanol, ethyl alcohol	1-4,5	Cyprinus carpio (Common Carp)	REACH Registration

12.4. Mobility in soil

The product has not been tested.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria. No information available.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Marine transport (IMDG)	
444 LIN www.hawaw.ID	

<u>14.1. UN number or ID number:</u>	UN 1170
14.2. UN proper shipping name:	ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)
<u>14.3. Transport hazard class(es):</u>	3
14.4. Packing group:	II
Hazard label:	3



according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Special Provisions: 144 Limited quantity: 1 Excepted quantity: E2 EmS: F-E, S-D Air transport (ICAO-TI/IATA-DGR) UN 1170 14.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport hazard class(es): 3 14.4. Packing group: II Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger L0: Y341 Excepted quantity: E2 IATA-max, quantity - Passenger: 5 L IATA-max, quantity - Passenger: 5 L IATA-max, quantity - Cargo: 364 IATA-max, quantity - Cargo: 60 L 14.5. Environmental hazards E ENVIRONMENTALLY HAZARDOUS: No 14.5. Environmental hazards E ESECTION 15: Regulatory information Master of puse in quideline' (94/33/EC). Stion aregulatory information: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Skin resorption/Sensitization: Caus	Revision date: 07.08.2023	Product code: 337720WW	Page 8 of	
Limited quantity: 1 L Excepted quantity: E2 EmS: F-E, S-D Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport hazard class(es): 3 14.4. Packing group: II Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Cargo: 353 IATA-packing instructions - Cargo: 364 IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: A60 L IATA-max. Tuantity - Cargo: 364 IATA-max. Tuantity - Cargo: 364 IATA-max. Tuantity - Cargo: 364 IATA-max. Quantity - Cargo: 364 IATA-max. Quantity - Cargo: 364 IATA-max. Quantity - Cargo: 364 IATA-max. Tuantity				
Limited quantity: 1 L Excepted quantity: E2 EmS: F-E, S-D Wr transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport hazard class(es): 3 14.4. Packing group: II Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 00 I.4.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No I.4.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No I.4.5. Regulatory information SECTION 15: Regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
Limited quantity: 1 L Excepted quantity: E2 EmS: F-E, S-D Air transport (ICAO-TI/IATA-DGR) 14.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport hazard class(es): 3 14.4. Packing group: II Hazard label: II Hazard		3		
Excepted quantity: E2 EmS: FE, S-D Air transport (ICAO-TI/IATA-DGR) I 4.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport nazard class(es): 3 14.4. Packing group: I Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: 160 L IATA-max. quantity - Cargo: 160 L IATA-max. quantity - Cargo: 160 L IATA-max. quantity - Passenger: 17 IATA-packing instructions - Cargo: 364 IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Passen				
EmS: F-E, S-D Air transport (ICAO-TI/IATA-DGR) UN 1170 14.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport hazard class(es): 3 14.4. Packing group: II Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-packing instructions - Cargo: 364 IATA-max, quantity - Cargo: 364 IATA-packing instructions - Cargo: 364 IATA-max, quantity - Cargo: 60 L IATA-max, quantity - Cargo: 60 L IATA-max, quantity - Cargo: 864 IATA-max, quantity - Cargo: 100 IATA-max, quantity - Cargo: 100 <				
Name UN 1170 14.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport hazer (class(es): 3 14.4. Packing group: II Hazer (label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 3 5 1 IATA-packing instructions - Cargo: 5 1 IATA-packing instructions - Cargo: 5 4 IATA-packing instructions - Cargo: 60 L IATA-packing instructions - Cargo: 60 L IATA-packing instructions - Cargo: 60 L IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: 100 instruments not applicable not applicable SECTION 15: Regulatory information IM cordina to the Juvenile work protection guideline (94/33/EC).				
14.1. UN number or ID number: UN 1170 14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport hazard class(es): 3 14.4. Packing group: I Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 Passenger LQ: Y341 Excepted quantity: E2 IAT-packing instructions - Passenger: 5 L IAT-packing instructions - Passenger: 5 L IAT-packing instructions - Cargo: 364 IAT-packing instructions - Cargo: 60 L 45. Environmental hazards E ENVIRONMENTALLY HAZARDOUS: No 46. Special precautions for user No 47. Maritime transport in bulk according to IMO instruments not applicable SectION 15: Regulatory information Employment restrictions: Cobserve restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).		F-E, S-D		
14.2. UN proper shipping name: ETHANOL SOLUTION 14.3. Transport hazard class(es): 3 14.4. Packing group: II Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 Passenger LQ: Y341 Excepted quantity: E2 IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 60 L 4.5. Environmental hazards E ENVIRONMENTALLY HAZARDOUS: No 4.6. Special precautions for user No Varining: Combustible liquid. IMINOMENTALLY HAZARDOUS: A.7. Maritime transport in bulk according to IMO instruments In tarplicable SECTION 15: Regulatory information Employment restrictions: Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
14.3. Transport hazard class(es): 3 14.4. Packing group: II Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 5 L IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Cargo: 364 IATA-max. quantity - Cargo: 60 L 4.5. Environmental hazards E ENVIRONMENTALLY HAZARDOUS: No 4.5. Special precautions for user Varning: Combustible liquid. 4.7. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information Employment restrictions: Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).		UN 1170		
14.4. Packing group: II Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L 4.5. Environmental hazards E ENVIRONMENTALLY HAZARDOUS: No 4.5. Special precautions for user Varning: Combustible liquid. 4.7. Maritime transport in bulk according to IMO instruments not applicable No SECTION 15: Regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	14.2. UN proper shipping name:	ETHANOL SOLUTION		
Hazard label: 3 Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 353 IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 364 IATA-max. quantity - Cargo: 60 L IAS. Special precautions for user Warning: Combustible liquid. IAT. Maritime transport in bulk according to IMO instruments not applicable not applicable SECTION 15: Regulatory information Employment restrictions: Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	14.3. Transport hazard class(es):			
Special Provisions: A3 A58 A180 Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L 4.5. Environmental hazards E ENVIRONMENTALLY HAZARDOUS: No 4.5. Special precautions for user Warning: Combustible liquid. 4.7. Maritime transport in bulk according to IMO instruments not applicable Into applicable SECTION 15: Regulatory information Employment restrictions: Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 60 L IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: No IATA-max. quantity -	Hazard label:	3		
Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L 14.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Warning: Combustible liquid. 14.7. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
Limited quantity Passenger: 1 L Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L 45. Environmental hazards ENVIRONMENTALLY HAZARDOUS: Karning: Combustible liquid. No 47. Maritime transport in bulk according to IMO instruments not applicable No SECTION 15: Regulatory information Employment restrictions: Mational regulatory information Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	Special Provisions:	A3 A58 A180		
Passenger LQ: Y341 Excepted quantity: E2 IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L 4.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: ENVIRONMENTALLY HAZARDOUS: No 4.6. Special precautions for user Warning: Combustible liquid. 4.7. Maritime transport in bulk according to IMO instruments not applicable not applicable SECTION 15: Regulatory information Employment restrictions: Diserve restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
Excepted quantity: E2 IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: 00 L IATA-max. quantity - Cargo: No IATA-max. quantity - Cargo: No IATA-max				
IATA-packing instructions - Passenger: 353 IATA-max. quantity - Passenger: 5 L IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: No IATA-max. quantity - Cargo: No IAS. Environmental hazards Environmental hazards ENVIRONMENTALLY HAZARDOUS: No IAS. Special precautions for user Warning: Combustible liquid. IAT. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information Employment restrictions: Mational regulatory information Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
IATA-max. quantity - Passenger: 5 L IATA-packing instructions - Cargo: 364 IATA-max. quantity - Cargo: 60 L IATA-max. quantity - Cargo: No IATA-max. quantity - Cargo: IATA-max. quantity - Cargo: IATA-max. quantity - Cargo: IATA-max. quantity - Cargo: IATA-max. quantity -	IATA-packing instructions - Passenger:	353		
IATA-max. quantity - Cargo: 60 L I4.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No I4.6. Special precautions for user Warning: Combustible liquid. I4.7. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).		5 L		
I4.5. Environmental hazards ENVIRONMENTALLY HAZARDOUS: No I4.6. Special precautions for user Warning: Combustible liquid. I4.7. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	IATA-packing instructions - Cargo:	364		
ENVIRONMENTALLY HAZARDOUS: No 14.6. Special precautions for user Warning: Combustible liquid. 14.7. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	IATA-max. quantity - Cargo:	60 L		
4.6. Special precautions for user Warning: Combustible liquid. 4.7. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	4.5. Environmental hazards			
Warning: Combustible liquid. 4.7. Maritime transport in bulk according to IMO instruments not applicable ECTION 15: Regulatory information National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	ENVIRONMENTALLY HAZARDOUS:	No		
Warning: Combustible liquid. I4.7. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	4.6. Special precautions for user			
I4.7. Maritime transport in bulk according to IMO instruments not applicable SECTION 15: Regulatory information National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
not applicable SECTION 15: Regulatory information National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).		o IMO instruments		
National regulatory information Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).				
Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).	SECTION 15: Regulatory information			
work protection guideline' (94/33/EC).	National regulatory information			
	Employment restrictions:			
	Skin resorption/Sensitization:			

Changes

This data sheet contains changes from the previous version in section(s): 2,15.





according to UN GHS (ST/SG/AC.10/11/Rev.10)

NATURAL trans-2-cis-6-NONADIENAL 1% IN ETHANOL

Revision date: 07.08.2023

Product code: 337720WW

Page 9 of 9

Abbreviations and acronyms ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50% CLP: Classification, labelling and Packaging REACH: Registration. Evaluation and Authorization of Chemicals GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals UN: United Nations DNEL: Derived No Effect Level DMFL: Derived Minimal Effect Level PNEC: Predicted No Effect Concentration ATE: Acute toxicity estimate LL50: Lethal loading, 50% EL50: Effect loading, 50% EC50: Effective Concentration 50% ErC50: Effective Concentration 50%, growth rate NOEC: No Observed Effect Concentration BCF: Bio-concentration factor PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative RID: Regulations concerning the international carriage of dangerous goods by rail ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures) EmS: Emergency Schedules MFAG: Medical First Aid Guide ICAO: International Civil Aviation Organization MARPOL: International Convention for the Prevention of Marine Pollution from Ships IBC: Intermediate Bulk Container VOC: Volatile Organic Compounds SVHC: Substance of Very High Concern For abbreviations and acronyms, see table at http://abbrev.esdscom.eu For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). **Further Information** The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)