

according to UK REACH Regulation

#### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 1 of 13

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

NATURAL TRIMETHYLAMINE 10% IN CBMCT

UFI: QFKX-XWQ8-U00U-5YQR

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care

products - Flavouring Substances - Other

#### 1.3. Details of the supplier of the safety data sheet

Company name: Axxence Aromatic GmbH

Street: Tackenweide 28

Place: D-46446 Emmerich am Rhein

Telephone: + 49 2822 68561 0 Telefax: + 49 2822 68561 39

E-mail: info@axxence.com

Contact person: Safety Team Telephone: + 49 2822 68561 0

E-mail: safety-documentation@axxence.com

Internet: www.axxence.de
Responsible Department: Safety Management

1.4. Emergency telephone +49 2822 68561 99

number:

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **GB CLP Regulation**

Flam. Liq. 1; H224 Acute Tox. 4; H332 Skin Irrit. 2; H315 Eye Dam. 1; H318 STOT SE 3; H335

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

### **GB CLP Regulation**

#### Hazard components for labelling

Natural tri-methylamine

Signal word: Danger

Pictograms:







### **Hazard statements**

H224 Extremely flammable liquid and vapour.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

#### **Precautionary statements**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No



Revi

# **Safety Data Sheet**

according to UK REACH Regulation

	NATURAL TRIMETHYLAMINE 10% IN CBMCT	
vision date: 17.12.2024	Product code: 324100	Page 2 of 13
	smoking.	
P233	Keep container tightly closed.	
P240	Ground and bond container and receiving equipment.	
P241	Use explosion-proof electrical/ventilating/lighting equipment.	
P242	Use non-sparking tools.	
P243	Take action to prevent static discharges.	
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.	
P264	Wash hands thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P302+P352	IF ON SKIN: Wash with plenty of Water.	
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.	
P332+P313	If skin irritation occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P312	Call a POISON CENTER/doctor if you feel unwell.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER/doctor.	
P370+P378	In case of fire: Use alcohol resistant foam / Carbon dioxide (CO2) / Dry extinguishing	
1 070 11 070	powder / Water spray to extinguish.	
P233	Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container to Organic waste.	
Other hazards		

## 2.3. Other hazards

This substance is not listed as Substance of Very High Concern (SVHC) in the Candidate List according to REACH, Article 59. This substance is not identified as a substance of very high concern (SVHC) and is not subject to authorization according to REACH, Annex XIV.

## **SECTION 3: Composition/information on ingredients**

## 3.2. Mixtures

## Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
73398-61-5	Glycerides, mixed decanoyl and oc	tanoyl		89-90%
	277-452-2			
75-50-3	Natural tri-methylamine			10-11%
	200-875-0	612-001-00-9		
	Flam. Gas 1, Acute Tox. 3, Acute T H315 H318 H335	ox. 4, Skin Irrit. 2, Eye Dam. 1, STO	T SE 3; H220 H331 H302	

Full text of H and EUH statements: see section 16.



according to UK REACH Regulation

#### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
73398-61-5	277-452-2	Glycerides, mixed decanoyl and octanoyl	89-90%
	dermal: LD50 =	:>2000 mg/kg; oral: LD50 = >5000 mg/kg	
75-50-3	200-875-0	Natural tri-methylamine	10-11%
	inhalation: LC50 = 8,6 mg/l (vapours); inhalation: ATE = 0,5 mg/l (dusts or mists); dermal: LD50 = >5000 mg/kg; oral: LD50 = 766 mg/kg		

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. When in doubt or if symptoms are observed, get medical advice.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

#### After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Rinse mouth immediately and drink 1 glass of of water.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

### Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder.

### Unsuitable extinguishing media

Water.

## 5.2. Special hazards arising from the substance or mixture

Extremely flammable liquid and vapour. Vapours can form explosive mixtures with air.

### 5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Remove all sources of ignition. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

#### 6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Explosion risk.





according to UK REACH Regulation

#### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 4 of 13

#### 6.3. Methods and material for containment and cleaning up

#### For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe qas/fumes/vapour/spray.

#### Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

### Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### Hints on joint storage

Do not store together with: Oxidizing agent. Pyrophoric or self-heating substances.

#### 7.3. Specific end use(s)

Manufacturing of: - Air care products - Perfumes, fragrances - Pharmaceuticals - Cosmetics, personal care products - Flavouring Substances - Other

#### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
75-50-3	Trimethylamine	2	4,9		TWA (8 h)	EU
		5	12,5		STEL (15 min)	EU



according to UK REACH Regulation

### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 5 of 13

#### **DNEL/DMEL values**

CAS No	Substance			
DNEL type	•	Exposure route	Effect	Value
73398-61-5	Glycerides, mixed decanoyl and octanoyl			
Worker DNEL	, long-term	inhalation	systemic	177,79 mg/m³
Worker DNEL	, long-term	dermal	systemic	25,21 mg/kg bw/day
Consumer DN	EL, long-term	inhalation	systemic	43,84 mg/m³
Consumer DNEL, long-term		dermal	systemic	12,61 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	12,61 mg/kg bw/day
75-50-3	Natural tri-methylamine			
Worker DNEL, long-term		inhalation	systemic	3,94 mg/m³
Worker DNEL, long-term		inhalation	local	4,9 mg/m³
Worker DNEL, acute		inhalation	local	9,8 mg/m³

#### **PNEC** values

CAS No	Substance	
Environmenta	compartment	Value
73398-61-5	Glycerides, mixed decanoyl and octanoyl	
Secondary po	soning	3 mg/kg
75-50-3	Natural tri-methylamine	
Freshwater		0,078 mg/l
Freshwater (intermittent releases)		0,28 mg/l
Marine water		0,008 mg/l
Freshwater sediment		0,328 mg/kg
Marine sediment		0,033 mg/kg
Micro-organisms in sewage treatment plants (STP)		149,82 mg/l
Soil 0,02 m		0,02 mg/kg

## 8.2. Exposure controls











### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

### Individual protection measures, such as personal protective equipment

### Eye/face protection

Suitable eye protection: goggles.

#### **Hand protection**

Suitable gloves type: Butyl caoutchouc (butyl rubber) / FKM (fluoro rubber).

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the



according to UK REACH Regulation

#### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 6 of 13

supplier of these gloves.

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

#### Thermal hazards

Flame-retardant protective clothing. Wear anti-static footwear and clothing

#### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Liquid

Colour: Clear, Colourless - cloudy

Odour: sharp, fishy

Melting point/freezing point:

Boiling point or initial boiling point and

not determined
not determined

boiling range:

Flammability: not determined Lower explosion limits: not determined Upper explosion limits: not determined Flash point: 17.78 °C Auto-ignition temperature: not determined Decomposition temperature: not determined pH-Value: not determined Viscosity / kinematic: not determined Water solubility: The study does not need to be conducted because the substance is known to be

insoluble in water.

Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

Density:

Relative vapour density:

Particle characteristics:

not determined
not determined
not determined
not determined
not applicable

#### 9.2. Other information

### Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Extremely flammable liquid and vapour.

#### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

#### 10.3. Possibility of hazardous reactions

No known hazardous reactions.

## 10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.



according to UK REACH Regulation

#### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 7 of 13

### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

### **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### **Acute toxicity**

Harmful if inhaled.

CAS No	Chemical name	Chemical name						
	Exposure route	Dose		Species	Source	Method		
73398-61-5	Glycerides, mixed decan	oyl and oct	anoyl					
	oral	LD50 mg/kg	>5000	Mouse	REACH registratio	n OECD 401		
	dermal	LD50 mg/kg	>2000	Rat	REACH registratio	n 79/831/EWG, Annex V, Part B		
75-50-3	Natural tri-methylamine							
	oral	LD50 mg/kg	766	Rat	REACH registratio	n OECD 401		
	dermal	LD50 mg/kg	>5000	Rat	REACH registratio	n OECD 402		
	inhalation (4 h) vapour	LC50	8,6 mg/l	Rat	REACH registratio	n		
	inhalation dust/mist	ATE	0,5 mg/l					

## Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

#### STOT-single exposure

May cause respiratory irritation. (Natural tri-methylamine)

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### **Endocrine disrupting properties**

No information available.

#### Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

### **SECTION 12: Ecological information**

## 12.1. Toxicity

Based on available data, the classification criteria are not met.



according to UK REACH Regulation

### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 8 of 13

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method
73398-61-5	Glycerides, mixed decand	yl and oct	anoyl				
	Acute fish toxicity	LC50	>53 mg/l	96 h	Danio rerio (zebrafish)	REACH registration	EU Method C.1
75-50-3	Natural tri-methylamine						
	Acute fish toxicity	LC50 mg/l	>100		Oryzias latipes (Ricefish)	REACH registration	OECD 203
	Acute crustacea toxicity	EC50	28 mg/l		Daphnia magna (Big water flea)	REACH registration	OECD 202
	Acute bacteria toxicity	EC50	208 mg/l		Pseudomonas putida	REACH registration	DIN 38412-8

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name							
	Method	Value	d	Source				
	Evaluation	•		=				
73398-61-5	Glycerides, mixed decanoyl and octanoyl							
	Two-phase closed bottle test (ISO 10708)	92,71%	28	REACH registration				
	Readily biodegradable (according to OECD criteria).	•	-					
	Two-phase closed bottle test (ISO 10708)	91,26%	14	REACH registration				
	Readily biodegradable (according to OECD criteria).	•	-					
	Two-phase closed bottle test (ISO 10708)	74,88%	7	REACH registration				
	Readily biodegradable (according to OECD criteria).		-					
75-50-3	Natural tri-methylamine							
	OECD 301C	92%	14	REACH registration				
	Readily biodegradable (according to OECD criteria).		•					

### 12.3. Bioaccumulative potential

The product has not been tested.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
73398-61-5	Glycerides, mixed decanoyl and octanoyl	8,2-10,9
75-50-3	Natural tri-methylamine	0,245

## 12.4. Mobility in soil

The product has not been tested.

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

The product has not been tested.

### 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No information available.

# **Further information**

Avoid release to the environment.

## **SECTION 13: Disposal considerations**



according to UK REACH Regulation

#### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Product code: 324100 Revision date: 17.12.2024 Page 9 of 13

#### 13.1. Waste treatment methods

### **Disposal recommendations**

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### List of Wastes Code - residues/unused products

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

#### List of Wastes Code - used product

160305 WASTES NOT OTHERWISE SPECIFIED IN THE LIST; off-specification batches and unused

products; organic wastes containing hazardous substances; hazardous waste

#### List of Wastes Code - contaminated packaging

150110 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

> PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

### **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number: UN 2924

FLAMMABLE LIQUID, CORROSIVE, N.O.S. 14.2. UN proper shipping name:

14.3. Transport hazard class(es): 14.4. Packing group: Ш Hazard label: 3+8



Classification code: FC **Special Provisions:** 274 Limited quantity: 1 I Excepted quantity: E2 Transport category: Hazard No: 338 Tunnel restriction code: D/E

#### Inland waterways transport (ADN)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.

14.3. Transport hazard class(es): 3 14.4. Packing group: Ш Hazard label: 3+8



Classification code: FC Special Provisions: Limited quantity: 1 L Excepted quantity: E2

Marine transport (IMDG)

UN 2924 14.1. UN number or ID number:

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.



according to UK REACH Regulation

#### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 10 of 13

14.3. Transport hazard class(es): 3
14.4. Packing group: | |

Hazard label: 3+8



Special Provisions: 274
Limited quantity: 1 L
Excepted quantity: E2
EmS: F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S.

14.3. Transport hazard class(es):314.4. Packing group:IIHazard label:3+8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Y340

Excepted quantity:

E2

IATA-packing instructions - Passenger:352IATA-max. quantity - Passenger:1 LIATA-packing instructions - Cargo:363IATA-max. quantity - Cargo:5 L

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Warning: Combustible liquid. strongly corrosive.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

Other applicable information

Hazchem code: •3WE

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial 100 %

emissions:

Directive 2004/42/EC on VOC in 10 %

paints and varnishes:

Information according to Directive

P5a FLAMMABLE LIQUIDS

2012/18/EU (SEVESO III):

National regulatory information





according to UK REACH Regulation

## **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 11 of 13

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). awg - hazardous to water in general

15.2. Chemical safety assessment

Water hazard class (D):

Chemical safety assessments for substances in this mixture were not carried out.

**SECTION 16: Other information** 



according to UK REACH Regulation

#### **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 12 of 13

### Abbreviations and acronyms

Flam. Gas: Flammable gases Flam. Liq: Flammable liquids Acute Tox: Acute toxicity Skin Irrit: Skin irritation Eye Dam: Eye damage

STOT SE: Specific target organ toxicity - single exposure

CLP: Classification, labelling and Packaging

REACH: Registration, Evaluation and Authorization of Chemicals

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

**UN: United Nations** 

EC/EEC: European Community/European Economic Community

EU: European Union

CAS: Chemical Abstracts Service
DNEL: Derived No Effect Level
DMEL: Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration

ATE: Acute toxicity estimate LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

LL50: Lethal loading, 50% EL50: Effect loading, 50%

EC50: Effective Concentration 50%

 $ErC50: Effective\ Concentration\ 50\%,\ growth\ rate$ 

NOEC: No Observed Effect Concentration

BCF: Bio-concentration factor

PBT: persistent, bioaccumulative, toxic vPvB: very persistent, very bioaccumulative

M-factor: Multiplying factor

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Regulations concerning the international carriage of dangerous goods by rail

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways (Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures)

IMDG: International Maritime Code for Dangerous Goods

EmS: Emergency Schedules MFAG: Medical First Aid Guide

IATA: International Air Transport Association

DGR: Dangerous Goods Regulations

ICAO: International Civil Aviation Organization

TI: Technical Instructions

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

IBC: Intermediate Bulk Container VOC: volatile organic compound SVHC: Substance of Very High Concern

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).



according to UK REACH Regulation

## **NATURAL TRIMETHYLAMINE 10% IN CBMCT**

Revision date: 17.12.2024 Product code: 324100 Page 13 of 13

## Classification for mixtures and used evaluation method according to GB CLP Regulation

Classification	Classification procedure
Flam. Liq. 1; H224	On basis of test data
Acute Tox. 4; H332	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method
STOT SE 3; H335	Calculation method

#### Relevant H and EUH statements (number and full text)

H220	Extremely flammable gas.
H224	Extremely flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.

### **Further Information**

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)